ASM SURGICAL

PREMIUM SURGICAL
INSTRUMENTS

SURGICAL INSTRUMENTS

PRECISION • QUALITY • RELIABILITY



www.asmsurgical.com

TABLE OF CONTENTS

1.	SCALPEL	3-17
2.	SCISSORS	18-115
3.	SURGICAL FORCEPS	116-178
4.	SURGICAL DRESSING	177-215
5.	SWAB HOLDING FORCEPS	216-227
6.	RETRACTORS	228-264
7.	STEL TEC LAPAROSCOPIC	265-273
8.	MICRO SURGERY	274-320
9.	GENERAL & MEDICAL DIAGNOSTICS	321-326
10.	ORTHOPEDIC	327-363
11.	NEUROSURGERY	364-377
12.	CARDIOVASCULAR	378-390
13.	PROBES & DILATORS	391-394
14.	LIPOSUCTION & SUCTION TUBE	395-414
15.	GENERAL & MEDICAL DIAGNOSTICS	415-421
16.	HOLLOWARE	422-446
15.	STEL TEC CARE & STORAGE	447-452
16.	STEL TEC ENDOSCOPES	453-460

ASM
SURGICAL

SCALPEL



info@asmsurgical.com
www.asmsurgical.com

SCALPEL



AS-04-100-01 - 04-100-10
15 cm



Fig. 1
AS-04-100-01
30 mm



Fig. 2
AS-04-100-02
36 mm



Fig. 3
AS-04-100-03
40 mm



Fig. 4
AS-04-100-04
45 mm



Fig. 5
AS-04-100-05
50 mm



Collin
AS-04-102-01 - 04-102-06



Fig. 1
AS-04-102-01



Fig. 2
AS-04-102-02



Fig. 3
AS-04-102-03



Fig. 4
AS-04-102-04



Fig. 5
AS-04-102-05



Fig. 6
AS-04-102-06



Dieffenbach
AS-04-103-01 - 04-103-10



Fig. 1
AS-04-103-01



Fig. 2
AS-04-103-02



Fig. 3
AS-04-103-03



Fig. 4
AS-04-103-04



Fig. 5
AS-04-103-05



Fig. 6
AS-04-103-06



Fig. 7
AS-04-103-07



Fig. 8
AS-04-103-08



Fig. 9
AS-04-103-09



Fig. 10
AS-04-103-10

SCALPEL



1/1

Dieffenbach
AS-04-104-01 - 04-104-11



1/1

Fig. 1
AS-04-104-01



Fig. 2
AS-04-104-02



Fig. 3
AS-04-104-03



Fig. 4
AS-04-104-04



Fig. 5
AS-04-104-05



1/1

Fig. 6
AS-04-104-06



Fig. 7
AS-04-104-07



Fig. 8
AS-04-104-08



Fig. 9
AS-04-104-09



Fig. 10
AS-04-104-10



Fig. 11
AS-04-104-11

SCALPEL



Virchow
AS-04-110-08



AS-04-120-10
25.5 cm

SCALPEL

for Fig. 10 - 17



Standard
AS-04-150-03
12 cm
No. 3

for Fig. 10 - 17



AS-04-150-04
12 cm
No. 3

for Fig. 10 - 17



AS-04-150-05
12 cm
No. 3

for Fig. 10 - 17



AS-04-160-31
21.5 cm
No. 3L

for Fig. 10 - 17



AS-04-161-31
21 cm
No. 3L

SCALPEL

for Fig. 18 - 36



Standard
AS-04-170-04
12 cm
No. 4

for Fig. 18 - 36



AS-04-180-41
21.5 cm
No. 4L

for Fig. 18 - 36



AS-04-181-41
21 cm
No. 4L

for Fig. 10 - 36



AS-04-190-34
16 cm

SCALPEL

for Fig. 10 - 17



AS-04-200-07
16 cm
No. 7

for Fig. 10 - 17



AS-04-200-71
12.5 cm
No. 7K

for Fig. 18 - 36



Collin
AS-04-210-08
13.5 cm
No. 8

for Fig. 18 - 36



Collin
AS-04-210-09
14.5 cm
No. 9

SCALPEL

for Fig. 10 - 17



AS-04-220-03
15.5 cm
No. 3

for Fig. 10 - 17



AS-04-230-03
14.5 cm
No. 3

for Fig. 10 - 17



AS-04-240-03
14 cm
No. 3

for Fig. 10 - 17



AS-04-250-03
12.5 cm
No. 3

for Fig. 18 - 36



AS-04-250-04
13.5 cm
No. 4

SCALPEL



Lengths of blades Schnittlangen longueurs des lames cm	Collin	Catlin	Liston	Langenbeck
12				AS-04-280-12
13	AS-04-260-13			
15				
16	AS-04-260-16	AS-04-261-16		
17			AS-04-270-17	
19	AS-04-260-19	AS-04-261-19		
20			AS-04-270-20	
22	AS-04-260-22	AS-04-261-22	AS-04-270-22	
28	AS-04-260-28			

SCALPEL



AS-04-290-00
7.5 cm



AS-04-290-01
8 cm



Thiersch
AS-04-300-20
20 cm



Rehn
AS-04-305-25
25 cm

SCALPEL



Troutman - Chris
AS-04-310-10
Ø 5.5 mm
10 cm



Troutman - Chris
AS-04-311-10
Ø 5.5 mm
10 cm



AS-04-320-11
11 cm



Castroviejo
AS-04-330-13
Ø 8 mm
13 cm

SCALPEL



1/2
Humby
AS-04-340-00
36.5 cm

With blade

AS-04-340-02 (Blade Only)

AS-04-340-04 (Frame Only)

SCALPEL



Fig. 1 AS-04-370-01 Fig. 2 AS-04-370-02 Fig. 3 AS-04-370-03 Fig. 4 AS-04-370-04



Dieffenbach
AS-04-360-13
13 cm

Dieffenbach
AS-04-361-13
13 cm



Simon
AS-04-370-01 AS-04-370-04
23.5 cm

SCALPEL



1/1
Olivecrona
AS-04-380-20
20.5 cm

1/1
Olivecrona
AS-04-390-23
23 cm

1/1
Abraham
AS-04-400-21
21.5 cm

1/1
Brunings
AS-04-410-21
21.5 cm

1/1
Tonnis
AS-04-420-13
13 cm

1/1
Tonnis
AS-04-420-19
19 cm

SCALPEL



Ash

AS-04-450-01 AS-04-450-03



Fig. 1

AS-04-450-01



Fig. 2

AS-04-450-02



Fig. 3

AS-04-450-03

ASM SURGICAL

SCISSORS



info@asmsurgical.com www.asmsurgical.com

SCISSORS



Standard

AS-05-100-10	10.5 cm
AS-05-100-11	11.5 cm
AS-05-100-13	13.0 cm
AS-05-100-14	14.5 cm
AS-05-100-15	15.5 cm
AS-05-100-16	16.5 cm
AS-05-100-18	18.5 cm
AS-05-100-20	20.0 cm



1/1

AS-05-100-11 11.5 cm

AS-05-100-13 13 cm

AS-05-100-14 14.5 cm



1/1

AS-05-100-16 16.5 cm

AS-05-100-18 18.5 cm

AS-05-100-20 20 cm

SCISSORS



Standard

AS-05-101-10	10.5 cm
AS-05-101-11	11.5 cm
AS-05-101-13	13.0 cm
AS-05-101-14	14.5 cm
AS-05-101-15	15.5 cm
AS-05-101-16	16.5 cm
AS-05-101-18	18.5 cm
AS-05-101-20	20.0 cm



1/1

AS-05-101-11
11.5 cm

AS-05-101-13
13 cm

AS-05-101-14
14.5 cm



1/1

AS-05-101-16
16.5 cm

AS-05-101-18
18.5 cm

AS-05-101-20
20 cm

SCISSORS



Standard

AS-05-102-10	10.5 cm
AS-05-102-11	11.5 cm
AS-05-102-13	13.0 cm
AS-05-102-14	14.5 cm
AS-05-102-15	15.5 cm
AS-05-102-16	16.5 cm
AS-05-102-18	18.5 cm
AS-05-102-20	20.0 cm



1/1

AS-05-102-11 11.5 cm

AS-05-102-13 13 cm

AS-05-102-14 14.5 cm



1/1

AS-05-102-16 16.5 cm

AS-05-102-18 18.5 cm

AS-05-102-20 20 cm

SCISSORS



Standard

AS-05-103-10	10.5 cm
AS-05-103-11	11.5 cm
AS-05-103-13	13.0 cm
AS-05-103-14	14.5 cm
AS-05-103-15	15.5 cm
AS-05-103-16	16.5 cm
AS-05-103-18	18.5 cm
AS-05-103-20	20.0 cm



1/1

AS-05-103-11
11.5 cm

AS-05-103-13
13 cm

AS-05-103-14
14.5 cm



1/1

AS-05-103-16
16.5 cm

AS-05-103-18
18.5 cm

AS-05-103-20
20 cm

SCISSORS



Standard

AS-05-104-10	10.5 cm
AS-05-104-11	11.5 cm
AS-05-104-13	13.0 cm
AS-04-104-14	14.5 cm
AS-04-104-15	15.5 cm
AS-04-104-16	16.5 cm
AS-04-104-18	18.5 cm
AS-04-104-20	20.0 cm



SCISSORS



Standard

AS-05-105-10	10.5 cm
AS-05-105-11	11.5 cm
AS-05-105-13	13.0 cm
AS-05-105-14	14.5 cm
AS-05-105-15	15.5 cm
AS-05-105-16	16.5 cm
AS-05-105-18	18.5 cm
AS-05-105-20	20.0 cm



1/1

AS-05-105-11 11.5 cm

AS-05-105-13 13 cm

AS-05-105-14 14.5 cm

AS-05-105-16 16.5 cm

SCISSORS



Grazil



1/1
AS-05-110-14
14.5 cm



1/1
AS-05-112-14
14.5 cm



1/1
AS-05-114-14
14.5 cm



Grazil



1/1
AS-05-111-14
14.5 cm



1/1
AS-05-113-14
14.5 cm



1/1
AS-05-115-14
14.5 cm

SCISSORS



Incision Scissor

AS-05-120-13 13.0 cm
AS-05-120-14 14.5 cm



AS-05-122-15
15.5 cm



Richter
AS-05-130-14
14.5 cm



Fergusson
AS-05-140-14 14.0 cm
AS-05-140-16 16.5 cm
AS-05-140-18 18.0 cm



Deaver
AS-05-150-13 13 cm
AS-05-150-14 14 cm



Deaver
AS-05-151-13 13 cm
AS-05-151-14 14 cm



Mixter
AS-05-160-15
15.5 cm



Mixter
AS-05-161-15
15.5 cm

SCISSORS



Mayo

AS-05-170-14	14.5 cm
AS-05-170-15	15.0 cm
AS-05-170-17	17.0 cm
AS-05-170-23	23.0 cm
AS-05-170-28	28.0 cm
AS-05-171-14	14.5 cm
AS-05-171-15	15.0 cm
AS-05-171-17	17.0 cm
AS-05-171-23	23.0 cm
AS-05-171-28	28.0 cm



1/1

AS-05-170-14	05-170-15	05-170-17	05-170-23	05-171-14	05-171-15	05-171-17	05-171-23
14.5 cm	15 cm	17 cm	23 cm	14.5 cm	15 cm	17 cm	23 cm



Mayo - Harrington

AS-05-176-22	22.5 cm
AS-05-176-30	30.0 cm
AS-05-177-22	22.5 cm
AS-05-177-30	30.0 cm



1/1

AS-05-176-22	AS-05-177-22	AS- 05-177-30
22.5 cm	22.5 cm	30 cm

SCISSORS



Mayo - Stille



1/1
AS-05-180-15
15 cm



AS-05-180-17
17 cm



AS-05-180-19
19 cm



AS-05-180-21
21 cm



1/1
AS-05-181-15
15 cm



AS-05-181-17
17 cm



AS-05-181-19
19 cm



AS-05-181-21
21 cm

SCISSORS



Kelly
AS-05-190-16 - 05-191-18



1/1
AS-05-190-16
16 cm

AS-05-190-18
18 cm



AS-05-191-16
16 cm

AS-05-191-18
18 cm



1/2
Metzenbaum - Baby
AS-05-200-11 - 05-201-11
11.5 cm



1/1
AS-05-200-11



AS-05-201-11

SCISSORS



Metzenbaum
AS-05-210-14 - 05-215-14
14.5 cm





Metzenbaum
AS-05-220-15 - 05-221-15
15 cm



SCISSORS



Metzenbaum - Nelson
AS-05-230-18 - 05-230-30





Metzenbaum - Nelson
AS-05-231-18 - 05-231-30



SCISSORS



Metzenbaum
AS-05-240-14 - 05-241-14
14.5 cm

saw edge



AS-05-240-14



AS-05-241-14



Nerv - Praparierschere
AS-05-246-15 - 05-247-15
15 cm



AS-05-246-15



AS-05-247-15

blades outside semi-sharp



Gorney

AS-05-250-12	12.5 cm
AS-05-250-19	19.5 cm
AS-05-251-12	12.5 cm
AS-05-251-19	19.5 cm



AS-05-250-12
12.5 cm



AS-05-250-19
19.5 cm



AS-05-251-19
19.5 cm

blades outside semi-sharp and inside serrated

SCISSORS



Lexer
AS-05-260-16 - 05-261-16
16 cm



Fomon
AS-05-265-13
13.5 cm



Thorek
AS-05-267-19
19 cm



Lexer - Baby
AS-05-270-10 - 05-271-10
10 cm



Lexer - Fine
AS-05-280-16
16 cm



Lexer - Fine
AS-05-281-16
16 cm



Metzenbaum - Fine
AS-05-286-14
14.5 cm



Metzenbaum - Fine
AS-05-287-14
14.5 cm



Metzenbaum - Fine
AS-05-288-14
14.5 cm



Metzenbaum - Fine
AS-05-289-14
14.5 cm

SCISSORS



S - shaped Metzenbaum - Fine

AS-05-290-18	18 cm
AS-05-290-20	20 cm
AS-05-290-23	23 cm



Metzenbaum - Fine

AS-05-292-18	18 cm
AS-05-292-20	20 cm
AS-05-292-23	23 cm
AS-05-292-25	25 cm
AS-05-292-28	28 cm
AS-05-292-30	30 cm



Metzenbaum - Fine

AS-05-293-18	18 cm
AS-05-293-20	20 cm
AS-05-293-23	23 cm
AS-05-293-25	25 cm
AS-05-293-28	28 cm
AS-05-293-30	30 cm



Metzenbaum - Fine

AS-05-294-18	18 cm
AS-05-294-20	20 cm
AS-05-294-23	23 cm
AS-05-294-25	25 cm
AS-05-294-28	28 cm
AS-05-294-30	30 cm



Metzenbaum - Fine

AS-05-295-18	18 cm
AS-05-295-20	20 cm
AS-05-295-23	23 cm
AS-05-295-25	25 cm
AS-05-295-28	28 cm
AS-05-295-30	30 cm

SCISSORS



Sanvenero
AS-05-300-14 - 05-301-14
14 cm

AS-05-304-11 - 05-305-11
11 cm

Joseph
AS-05-306-14 - 05-307-14
14 cm

SCISSORS



Kilner
AS-05-311-12 - 05-311-15



Peck - Joseph
AS-05-314-14 - 05-315-14
14.5 cm



Reynolds
AS-05-316-15 - 05-317-15
15 cm

SCISSORS



Mayo - Noble

AS-05-320-15	15 cm
AS-05-320-17	17 cm
AS-05-321-15	15 cm
AS-05-321-17	17 cm



AS-05-320-17



AS-05-321-17

SCISSORS



Doyen
AS-05-330-16
16 cm

Doyen
AS-05-332-16
16 cm

Doyen
AS-05-333-16
16 cm



Doyen
AS-05-340-17
17.5 cm

Doyen
AS-05-341-17
17.5 cm



Vezien
AS-05-348-18
18 cm

Wertheim
AS-05-351-14 14.5 cm
AS-05-351-19 19.5 cm
AS-05-351-22 22.5 cm

SCISSORS



Sims
AS-05-360-20 20 cm
AS-05-360-23 23 cm



AS-05-362-20
AS-05-362-23



AS-05-364-20
AS-05-364-23



Sims
AS-05-361-20 20 cm
AS-05-361-23 23 cm



AS-05-363-20
AS-05-363-23



AS-05-365-20
AS-05-365-23

SCISSORS



Dubois
AS-05-370-27
27 cm

Dubois
AS-05-371-27
27 cm

Sims - Siebold
AS-05-375-24
24 cm

Cardinale
AS-05-379-28
28 cm

SCISSORS



Satinsky
AS-05-380-24
24.5 cm



Dietrich
AS-05-390-25 - 05-391-00



AS-05-390-25
18 cm



AS-05-390-45
18 cm



AS-05-390-60
17.5 cm



AS-05-390-90
17 cm



AS-05-391-00
17 cm



Dietrich
AS-05-391-01
17 cm



with guiding

SCISSORS



AS-05-401-19



AS-05-403-19



AS-05-404-19


Potts - Smith
AS-05-401-19 - 05-407-19
19 cm



AS-05-405-19



AS-05-407-19


De Bakey



AS-05-410-16 16.0 cm
AS-05-410-23 23.0 cm
AS-05-410-28 28.0 cm



AS-05-411-16 16.0 cm
AS-05-411-23 23.0 cm
AS-05-411-28 28.0 cm



AS-05-412-16 16.0 cm
AS-05-412-23 23.0 cm
AS-05-412-28 28.0 cm

SCISSORS



Olivecrona
AS-05-421-23
23 cm



Strully
AS-05-423-22
22 cm



Schmieden - Taylor
AS-05-425-17
17 cm



Toennis - Adson
AS- 05-427-17
17.5 cm

SCISSORS

Coronary - Scissors



AS-05-432-11
11.5 cm



AS-05-434-14
14.5 cm



AS-05-435-14
14.5 cm





Potts - Smith
AS-05-431-19
19.5 cm





Dandy
AS-05-437-17
17 cm





Favaloro
AS-05-439-15
15 cm

SCISSORS



De Bakey
AS-05-440-15
15.5 cm



De Bakey
AS-05-441-15
15.5 cm



Potts - De Martel
AS-05-442-21
21 cm



Mills
AS-05-444-21
21 cm



Toennis
AS-05-446-18
18 cm



Toennis
AS-05-447-18
18 cm

SCISSORS



Klinkenbergh - Loth
AS-05-450-23
23 cm





Lincoln
AS-05-452-17 - 05-453-17
17 cm

Fulton
AS-05-454-17
17 cm



Church





Classon
AS-05-458-17
17 cm

SCISSORS



Dean
AS-05-460-17 - 05-462-17
17 cm



Good
AS-05-464-19
19 cm



Fomon
AS-05-470-15
15 cm



Cottle
AS-05-474-16
16 cm



Heymann - Knight
AS-05-476-18
18 cm

SCISSORS



Prince
AS-05-481-17
17.5 cm



Bottcher
AS-05-483-18
18 cm



Good - Schweckendick
AS-05-485-19
19 cm



Schoemaker
AS-05-487-15
15 cm

straight
AS-05-488-22

curved
AS-05-489-22



Caplan
AS-05-488-22 22 cm
AS-05-489-22 22 cm



Halle
AS-05-490-19
19 cm



Heymann
AS-05-494-19
19 cm



Knight
AS-05-496-18
18 cm



Waldmann
AS-05-500-18
18 cm



Waldmann
AS-05-504-20
20 cm



Braun - Stadler
AS-05-510-14
14.5 cm



Braun - Stadler
AS-05-510-20
20 cm

Braun - Stadler
AS-05-510-22
22 cm

SCISSORS



Mod. USA
AS-05-520-10 10.5 cm
AS-05-520-12 12.0 cm



Marbach
AS-05-523-15
15.5 cm



Schumacher
AS-05-525-15
15.5 cm



Busch
AS-05-527-13 13 cm
AS-05-527-16 16 cm

AS-05-527-16

SCISSORS



Goldman - Fox
AS-05-530-13
13 cm

Goldman - Fox
AS-05-531-13
13 cm

Goldman - Fox (Special)
AS-05-533-13
13 cm

AS-05-535-11
11.5 cm



AS-05-537-16
16 cm

Locklin
AS-05-538-16
16.5 cm

Locklin
AS-05-539-16
16.5 cm

SCISSORS



Quinby
AS-05-540-12
12 cm

Quinby
AS-05-541-12
12 cm



Standard
AS-05-542-11
11 cm

Standard
AS-05-543-11
11 cm



Sullivan
AS-05-544-14
14.5 cm

Sullivan
AS-05-545-14
14.5 cm

Neumann
AS-05-547-12
12.5 cm



Wagner
AS-05-550-12 - 05-555-12
12 cm



AS-05-556-11
11 cm

AS-05-557-11
11 cm

SCISSORS



Littler
AS-05-560-11 - 05-561-11
11.5 cm



Littler
AS-05-563-11 11.5 cm
AS-05-563-14 14.0 cm



AS-05-564-08 - 05-565-08
8 cm



AS-05-566-09 - 05-567-10



AS-05-568-10
10 cm

SCISSORS



Brophy (Sullivan)
AS-05-570-14
14.5 cm



Brophy (Sullivan)
AS-05-571-14
14.5 cm



AS-05-572-13
13 cm



AS-05-574-10 10.5 cm
05-574-11 11.5 cm



AS-05-575-10 10.5 cm
05-575-11 11.5 cm



AS-05-578-11
11.5 cm

SCISSORS



Bonn
AS-05-580-09
9 cm





Bonn
AS-05-581-09
9 cm





Iris
AS-05-590-09 - 05-591-11



AS-05-590-09 05-591-09 9.0 cm
AS-05-590-10 05-591-10 10.5 cm
AS-05-590-11 05-591-11 11.5 cm

05-593-11
11.5 cm



AS-05-595-11
11.5 cm



AS-05-600-12 - 05-601-12
12 cm



AS-11-600-12 AS-11-601-12

SCISSORS



Stevens
AS-05-610-11 - 05-613-11
11 cm



AS-05-610-11 sharp
AS-05-611-11 sharp
AS-05-612-11 blunt
AS-05-613-11 blunt



AS-05-620-11
AS-05-621-11

Strabismus
AS-05-620-11 - 05-621-11
11.5 cm



Enucleation
AS-05-625-11
11.5 cm

SCISSORS



O'Brien
AS-05-631-09
9 cm



Walton
AS-05-633-10
10 cm



Landolt
AS-05-636-12
12.5 cm



Landolt
AS-05-637-12
12.5 cm



Landolt
AS-05-638-12
12.5 cm



Landolt
AS-05-639-12
12.5 cm

SCISSORS

straight



AS-05-640-01



AS-05-640-02

curved



AS-05-641-01



AS-05-641-02



AS-05-640-01 - 05-641-02
11.5 cm

SCISSORS



AS-05-650-10
10 cm

AS-05-651-10
10 cm

Graefe
AS-05-653-10
10.5 cm

Wilmer
AS-05-655-10
10 cm



La Grange
AS-05-658-11
11.5 cm

Chadwick
AS-05-659-11
11 cm

SCISSORS



AS-05-660-10 straight
AS-05-661-10 curved
10 cm



AS-05-662-10 straight
AS-05-663-10 curved
10 cm



AS-05-664-10 straight
AS-05-665-10 curved
10 cm



AS-05-670-10 straight
AS-05-671-10 curved
9.5 cm



AS-05-672-10 straight
AS-05-673-10 curved
9.5 cm



AS-05-674-10 straight
AS-05-675-10 curved
9.5 cm

SCISSORS



AS-05-680-12
AS-05-682-12
AS-05-684-12



Fig. 1
Fig. 2
Fig. 3

Noyes
12 cm
Fig. 1
Fig. 2
Fig. 3



AS-05-681-12
AS-05-683-12
AS-05-685-12



Wecker
11 cm



AS-05-690-11



AS-05-692-11



AS-05-694-11



Barraquer
5.5 cm

5 mm AS-05-698-05
7 mm AS-05-698-07
10 mm AS-05-698-10



Castroviejo
AS-05-700-00
9 cm



AS-05-700-02



AS-05-700-03



AS-05-701-09



AS-05-702-09



pointed

Castroviejo
AS-05-703-10
10 cm



blunt

Castroviejo
AS-05-705-10
10 cm

angled

angled on flat



Vannas Mod. Tubingen

AS-05-710-01
8.5 cm

AS-05-710-02
8.5 cm

AS-05-710-03
8.5 cm

AS-05-710-04
8.5 cm

angled

angled on flat



Vannas
AS-05-716-01
8.5 cm

Vannas
AS-05-716-02
8.5 cm

Vannas
AS-05-716-03
8.5 cm

Vannas
AS-05-716-04
8.5 cm

SCISSORS



Westcott
AS-05-720-11
11 cm



Westcott
AS-05-722-11
11 cm



Castroviejo
AS-05-725-01
10 cm



Castroviejo
AS-05-725-02
10 cm



Castroviejo
AS-05-726-01
11 cm



Castroviejo
AS-05-726-02
11 cm



Troutman
AS-05-728-01
10 cm



Troutman
AS-05-728-02
10 cm

SCISSORS



Katzin
AS-05-730-01
10 cm



Katzin
AS-05-730-02
10 cm



Katzin
AS-05-731-01
11 cm



Katzin
AS-05-731-02
11 cm





Katzin - Barraquer

AS-05-732-01
10 cm

AS-05-732-02
10 cm



AS-05-733-00
10 cm



AS-05-733-01
10 cm



AS-05-734-12
12 cm



Noyes
AS-05-735-15
15 cm

SCISSORS



Martin - Cartilage
AS-05-740-20
20 cm

Mc Indoe
AS-05-741-19
19 cm

Potts - Smith
AS-05-743-19
19 cm

Craford
AS-05-745-30
30 cm

Finochietto
AS-05-747-27
27 cm



AS-05-750-21
21 cm

AS-05-752-21
21 cm

AS-05-754-21
21 cm

AS-05-758-11	11 cm	AS-05-759-11
AS-05-758-13	13 cm	AS-05-759-13
AS-05-758-14	14 cm	AS-05-759-14

SCISSORS



Northbent
AS-05-761-13
13 cm



Spencer
AS-05-762-09 9 cm
AS-05-762-11 11 cm



Spencer
AS-05-762-13
13 cm



Buck
AS-05-764-14 - 05-764-18

AS-05-764-14
14 cm

AS-05-764-18
18 cm



Littauer
AS-05-766-14
14 cm



Eiselsberg
AS-05-768-12
12 cm

SCISSORS



Spencer - Delicate
AS-05-770-11
11 cm



AS-05-772-16
16 cm



Schoemaker - Loth
AS-05-774-12
12.5 cm



AS-05-776-11
11.5 cm

SCISSORS



Shortbent
AS-05-780-09
9 cm

Heath
AS-05-782-15
15 cm

AS-05-784-10
10.5 cm

AS-05-786-12
12 cm

SCISSORS



Harvey
AS-05-790-12
12.5 cm

Schuknecht
AS-05-791-10
10 cm

Schuknecht
AS-05-792-11
11 cm

Universal
AS-05-794-12
12 cm



Smith
AS-05-795-17
17.5 cm

Bee Bee
AS-05-796-10
AS-05-798-10
10.5 cm

Bee Bee
AS-05-797-10
AS-05-799-10
10.5 cm

SCISSORS



Bee Bee
AS-05-800-12
12 cm



Bee Bee
AS-05-801-12
12 cm



AS-05-805-10
10.5 cm



AS-05-806-09
9 cm



AS-05-807-09
9 cm



AS-05-808-11
11 cm



AS-05-809-11
11 cm

SCISSORS



Universal
AS-05-810-14
14.5 cm



Universal
AS-05-810-16
16 cm



Universal
AS-05-810-18
18 cm



Bergmann
AS-05-812-23
23 cm



Lange
AS-05-813-18
18 cm

saw edge



AS-05-814-17
17 cm

SCISSORS



Smith (Mod. USA)
AS-05-815-16 16 cm
AS-05-815-18 18 cm
AS-05-815-20 20 cm
AS-05-815-23 23 cm



Lorenz
AS-05-817-23
23 cm



Knowles
AS-05-819-14
14 cm



for fingers

Knowles
AS-05-820-14
14 cm



Lister
AS-05-823-18 18 cm
AS-05-823-21 21 cm

saw edge



Lister - Excentric
AS-05-826-16 16 cm
AS-05-826-19 19 cm

SCISSORS



AS-05-830-09 9.0 cm
AS-05-830-11 11.0 cm
AS-05-830-14 14.0 cm
AS-05-830-15 15.5 cm
AS-05-830-18 18.0 cm
AS-05-830-20 20.0 cm

Lister



AS-05-832-20 20 cm
AS-05-832-22 22 cm

Esmarch



Seutin
AS-05-834-23
23 cm



saw edge

AS-05-836-20
20 cm



saw edge
AS-05-838-24

smooth
AS-05-839-24

Bruns
24 cm

SCISSORS



AS-05-840-09 9 cm
AS-05-840-10 10 cm



AS-05-841-09 9 cm
AS-05-841-10 10 cm



AS-05-842-09 9 cm
AS-05-842-10 10 cm



AS-05-843-09 9 cm
AS-05-843-10 10 cm



AS-05-844-10 10 cm
AS-05-844-11 11 cm

AS-05-845-10 10 cm
AS-05-845-11 11 cm



AS-05-846-11
10.5 cm



AS-05-847-11
10.5 cm



Konig
AS-05-848-13 13 cm
AS-05-848-15 15 cm



AS-05-850-23 - 05-853-23
22.5 cm



Jacobson AS-05-850-23 | Potts AS-05-851-23 | AS-05-852-23 | AS-05-853-23



AS-05-854-19 - 05-857-19
18.5 cm



AS-05-854-19 AS-05-855-19 AS-05-857-19

angled



Westcott
AS-05-858-11 - 05-859-11
11.5 cm



AS-05-858-11 AS-05-859-11



AS-05-860-19 - 05-861-19
18.5 cm



AS-05-860-19 AS-05-861-19



AS-05-862-19 - 05-865-19
18.5 cm



AS-05-862-19 AS-05-863-19 curved AS-05-864-19 curved downward AS-05-865-19 angled



AS-05-866-12
12 cm



AS-05-867-11
11 cm



AS-05-869-14
14 cm

AS-05-869-16
16 cm

Gomel
AS-05-869-14 - 05-869-16



AS-05-871-14
14 cm

SB-05-871-16
16 cm

Hepp/Scheidel
AS-05-871-14 - 05-871-16



AS-05-872-09
9 cm



AS-05-873-09
9 cm

SCISSORS



AS-05-876-25 - 05-877-00
18 cm



AS-05-876-25 AS-05-876-45 AS-05-876-60 AS-05-876-90 AS-05-877-00



AS-05-877-25 - 05-878-00
18 cm



AS-05-877-25 AS-05-877-45 AS-05-877-60 AS-05-877-90 AS-05-878-00

with probe

one blade saw edge



AS-05-881-00
14 cm

AS-05-881-01
15.5 cm

Reill
AS-05-881-02
15.5 cm



AS-05-881-00 - 05-881-02



AS-05-882-01 AS-05-882-02

saw edge



AS-05-882-01 - 05-882-02
18 cm





Hepp/Scheidel
AS-05-882-06
18 cm





AS-05-883-01
18 cm





Hepp/Scheidel
AS-05-883-03
18 cm



AS-05-886-01 - 05-886-02
15.5 cm



AS-05-888-01 - 05-888-02
15.5 cm

SCISSORS



Standard

	14.5 cm	16.5 cm	18.5 cm
AS-straight	05-900-14	AS-05-900-16	AS-05-900-18
AS-curved	05-901-14	AS-05-901-16	AS-05-901-18



Standard

	14.5 cm	16.5 cm	18.5 cm
AS-straight	05-902-14	AS-05-902-16	AS-05-902-18
AS-curved	05-903-14	AS-05-903-16	AS-05-903-18

SCISSORS



Standard 14.5 cm
AS-straight 05-904-14
AS-curved 05-905-14



16.5 cm
AS-05-904-16
AS-05-905-16



18.5 cm
AS-05-904-18
AS-05-905-18

SCISSORS



Mayo
AS-05-908-14 - 05-908-23



AS-05-908-14
14.5 cm



AS-05-908-17
17 cm



AS-05-908-23
23 cm



Mayo
AS-05-909-14 - 05-909-23



AS-05-909-14
14.5 cm



AS-05-909-17
17 cm



AS-05-909-23
23 cm



Mayo - Stille
AS-05-910-15 - 05-910-17



AS-05-910-15
15 cm



AS-05-910-17
17 cm



Mayo - Stille
AS-05-911-15 - 05-911-17



AS-05-911-15
15 cm



AS-05-911-17
17 cm



Parametrium
AS-05-915-22 - 05-915-23



AS-05-915-22
22.5 cm



AS-05-915-23
23 cm



Sims
AS-05-918-23 - 05-919-23



AS-05-918-23
23 cm



AS-05-919-23
23 cm



Metzenbaum
AS-05-920-11 - 05-920-14



AS-05-920-11
11.5 cm



AS-05-920-14
14.5 cm



Metzenbaum
AS-05-921-11 - 05-921-14



AS-05-921-11
11.5 cm



AS-05-921-14
14.5 cm



Metzenbaum
AS-05-922-18 - 05-922-30



Metzenbaum
AS-05-923-18 - 05-923-30


1/1
AS-05-925-20
20 cm
AS-05-925-23
23 cm
AS-05-925-28
28 cm
Metzenbaum - Thorek
AS-05-925-20 - 05-925-28

SCISSORS



Lexer
AS-05-930-16 - 05-930-21



AS-05-930-16
16 cm

AS-05-930-21
21 cm



Lexer
AS-05-931-16 - 05-931-21



AS-05-931-16
16 cm

AS-05-931-21
21 cm



Mayo - Lexer
AS-05-933-16
16 cm



Metzenbaum - Fine

AS-05-936-14
14.5 cm

AS-05-937-14
14.5 cm

AS-05-938-14
14.5 cm

AS-05-939-14
14.5 cm

SCISSORS



AS-05-940-18
AS-05-941-18



AS-05-940-20
AS-05-941-20



AS-05-940-23
AS-05-941-23



Metzenbaum - Fine

straight		curved
AS-05-940-18	18 cm	05-941-18
AS-05-940-20	20 cm	05-941-20
AS-05-940-23	23 cm	05-941-23
AS-05-940-25	25 cm	05-941-25
AS-05-940-28	28 cm	05-941-28



AS-05-940-25
AS-05-941-25



AS-05-940-28
AS-05-941-28



AS-05-942-18
AS-05-943-18



AS-05-942-20
AS-05-943-20



AS-05-942-23
AS-05-943-23



Metzenbaum - Fine

straight		curved
AS-05-942-18	18 cm	05-943-18
AS-05-942-20	20 cm	05-943-20
AS-05-942-23	23 cm	05-943-23
AS-05-942-25	25 cm	05-943-25
AS-05-942-28	28 cm	05-943-28



AS-05-942-25
AS-05-943-25



AS-05-942-28
AS-05-943-28



AS-05-942-18
AS-05-943-18



AS-05-942-20
AS-05-943-20



AS-05-942-23
AS-05-943-23



Metzenbaum - Fine

straight		curved
AS-05-942-18	18 cm	05-943-18
AS-05-942-20	20 cm	05-943-20
AS-05-942-23	23 cm	05-943-23
AS-05-942-25	25 cm	05-943-25
AS-05-942-28	28 cm	05-943-28



AS-05-942-25
AS-05-943-25



AS-05-942-28
AS-05-943-28

SCISSORS



Metzenbaum - Lahey
AS-05-947-14
14 cm



Toennis - Adson
AS-05-947-17
17 cm



Metzenbaum
AS-05-947-20 - 05-947-23



AS-05-947-20
20 cm

AS-05-947-23
23 cm

slender



Metzenbaum - Fine
AS-05-949-18 - 05-949-23
S-shaped



AS-05-949-18
18 cm



AS-05-949-20
20 cm



AS-05-949-23
23 cm

SCISSORS



Goldman - Fox
AS-05-950-13
13 cm



Goldman - Fox
AS-05-951-13
13 cm



Iris
AS-05-954-11
11.5 cm



Iris
AS-05-955-11
11.5 cm



De Bakey
(Potts - Smith)
AS-05-957-25 - 05-959-60



AS-05-957-25
19 cm



AS-05-957-45
19 cm



AS-05-957-60
19 cm



AS-05-959-25
23 cm



AS-05-959-45
23 cm



AS-05-959-60
23 cm

SCISSORS



AS-05-960-20
20 cm



Cardinale
AS-05-962-28
28 cm



Lister

AS-05-964-14	14 cm
AS-05-964-16	16 cm
AS-05-964-18	18 cm
AS-05-964-20	20 cm

SCISSORS



AS-05-967-11
11.5 cm



Ragnell(Killner)
AS-05-969-12
12 cm



Kelly
AS-05-970-16 - 05-971-16
16 cm



AS-05-970-16



AS-05-971-16

SCISSORS

wire cutting



Universal
AS-05-974-12
12 cm



Dean
AS-05-976-17
17 cm



Locklin
AS-05-977-16
16 cm



Locklin
AS-05-978-16
16 cm



Bruns
AS-05-980-24
24 cm

SCISSORS







Vannas - Yasargil
AS-05-890-01 - 05-890-02
22.5 cm







Yasargil
AS-05-891-01 - 05-891-02
16.5 cm







Yasargil
AS-05-892-01 - 05-892-03
20 cm

SCISSORS



Yasargil
AS-05-893-01 - 05-893-02
22.5 cm



Yasargil
AS-05-894-01
22.5 cm



Yasargil
AS-05-895-01
24.5 cm





Yasargil
AS-05-896-01 - 05-896-02
20 cm





Yasargil
AS-05-897-01 - 05-897-02
22.5 cm

SCISSORS



Nagel
AS-05-898-01
19.5 cm



AS-05-898-02
19.5 cm



AS-05-899-01
18.5 cm

SCISSORS



De Bakey
AS-05-440-15
15.5 cm



De Bakey
AS-05-441-15
15.5 cm



Potts - De Martel
AS-05-442-21
21 cm



Mills
AS-05-444-21
21 cm



Toennis
AS-05-446-18
18 cm



Toennis
AS-05-447-18
18 cm

ASM
SURGICAL

SURGICAL FORCEPS



info@asmsurgical.com
www.asmsurgical.com



AS-07-100-10 AS-07-100-08 AS-07-100-06 AS-07-100-04



AS-07-100-10

Length of Jaw 10 mm
Width of Jaw 2 mm



AS-07-100-08

Length of Jaw 8 mm
Width of Jaw 2 mm



AS-07-100-06

Length of Jaw 6 mm
Width of Jaw 1 mm



AS-07-100-04

Length of Jaw 4 mm
Width of Jaw 0.75 mm



AS-07-102-14
14 cm



AS-07-104-18
18 cm



	AS-07-108-10	AS-07-108-14	AS-07-108-18	AS-07-109-10	AS-07-109-14	AS-07-109-18
Length	31 mm	35 mm	39 mm	30 mm	33 mm	36 mm
Jaws	10 mm	10 mm	10 mm	10 mm	10 mm	10 mm



AS-07-108-10 - 07-109-18



Dieffenbach





Johns Hopkins



Diethrich
AS-07-120-08 AS-07-121-12



	AS-07-120-08	AS-07-120-10	AS-07-120-12	AS-07-121-08	AS-07-121-10	AS-07-121-12
Length	50 mm	50 mm	60 mm	50 mm	50 mm	60 mm
Jaws	8 mm	12 mm	20 mm	8 mm	12 mm	20 mm



DeBakey - Diethrich
AS-07-124-10 AS-07-125-20

Atrauma



	AS-07-124-10	AS-07-124-14	AS-07-124-20	AS-07-125-10	AS-07-125-14	AS-07-125-20
	50 mm	50 mm	60 mm	50 mm	50 mm	60 mm
	10 mm	14 mm	20 mm	10 mm	14 mm	20 mm

SURGICAL FORCEPS



3 cm

Vena AS-07-130-30
Arteria AS-07-140-30



3.5 cm

AS-07-130-35
AS-07-140-35



4 cm

AS-07-130-40
AS-07-140-40



5 cm

AS-07-130-50
AS-07-140-50



3 cm

Vena AS-07-131-30
Arteria AS-07-141-30



3.5 cm

AS-07-131-35
AS-07-141-35



4 cm

AS-07-131-40
AS-07-141-40



5 cm

AS-07-131-50
AS-07-141-50



3 cm

Vena AS-07-133-30
Arteria AS-07-143-30



3.5 cm

AS-07-133-35
AS-07-143-35



4 cm

AS-07-133-40
AS-07-143-40



5 cm

AS-07-133-50
AS-07-143-50



Chaput
AS-07-140-13
13 cm
2:3 Teeth



Tuffier
AS-07-142-13
13 cm
4:5 Teeth



AS-07-146-25 - 07-146-26

Atrauma



AS-07-146-25
25 cm



AS-07-146-26
26 cm

SURGICAL FORCEPS



Collin
AS-07-150-14
14 cm



Collin
AS-07-152-16
16.5 cm



AS-07-156-15
15.5 cm

AS-07-156-20
20 cm

Pennington
AS-07-156-15 - 07-156-20



Pratt
AS-07-158-15
15 cm



Martel - Rees
AS-07-160-14
14 cm



Willet - Martel
AS-07-160-19
19 cm



Pean
AS-07-170-14 - 07-170-16



Spencer - Wells
AS-07-176-13 - 07-177-20



Baby - Mixter
AS-07-181-01 - 07-181-02
14 cm



Hartmann
AS-07-186-10 - 07-187-10
10 cm



AS-07-189-12
12 cm

SURGICAL FORCEPS



Halsted - Mosquito
AS-07-190-12 - 07-193-14



AS-07-190-12
12.5 cm

AS-07-190-14
14 cm

AS-07-191-12
12.5 cm

AS-07-191-14
14 cm



AS-07-192-12
12.5 cm
1:2 Teeth

AS-07-192-14
14 cm
1:2 Teeth

AS-07-193-12
12.5 cm
1:2 Teeth

AS-07-193-14
14 cm
1:2 Teeth



Halsted - Mosquito
AS-07-200-18 - 07-203-21







Micro - Mosquito
AS-07-210-10 - 07-213-12







Providence - Hospital
AS-07-220-14 - 07-221-14
14 cm



Leriche
AS-07-222-15 - 07-225-15
15 cm



Kelly
AS-07-230-14 - 07-231-14
14 cm



AS-07-234-16 AS-07-235-16

Kelly - Rankin
AS-07-234-16 - 07-235-16
16 cm



Baby - Overhalt
AS-07-239-13
13.5 cm





AS-07-240-14 AS-07-241-14 AS-07-242-14 AS-07-243-14
1:2 Teeth 1:2 Teeth

Crile
AS-07-240-14 - 07-243-14
14 cm

SURGICAL FORCEPS



Crile - Rankin
AS-07-250-16 - 07-251-16
16 cm



Lovelace
AS-07-252-15 - 05-254-15
15 cm



Mosquito - Dandy
AS-07-255-12
12 cm



Dandy
AS-07-257-14 - 07-259-14
14 cm



Adson
AS-07-260-18 - 07-261-18
18.5 cm



Adson
AS-07-262-18 - 07-263-18
18.5 cm



Rochester - Carmalt
AS-07-266-16 - 07-267-20



Kroenlein
AS-07-270-13
13 cm



Carrel
AS-07-272-08
8.5 cm



Terrier
AS-07-274-08
8.5 cm
1:2 Teeth



AS-07-277-13
13 cm

AS-07-277-15
15 cm

Christophe
AS-07-277-13 - 07-277-15



AS-07-278-16 AS-07-279-16

Coller
AS-07-278-14 14 cm AS-07-279-14
AS-07-278-16 16 cm AS-07-279-16

SURGICAL FORCEPS



Pean
AS-07-280-13 - 07-281-16
Delicate pattern





Kocher
AS-07-286-13 - 07-287-16
Delicate pattern
1:2 Teeth





Pean - Nippon
AS-07-290-14 - 07-291-18





Kocher - Nippon
AS-07-296-14 - 07-297-18
1:2 Teeth





Bengolea
AS-07-300-20 - 07-303-26







Rochester Pean
AS-07-310-14 - 07-311-30









Kocher (Ochsner)
AS-07-320-14 - 07-321-30
1:2 Teeth





Baby - Mixter
AS-07-331-18
18 cm



AS-07-333-14
14 cm

AS-07-333-18
18 cm

Baby - Adson
AS-07-333-14 - 07-333-18



AS-07-334-20

AS-07-335-20

AS-07-337-20

Heiss
AS-07-334-20 - 07-337-20
20 cm



Overhalt - Mixter
AS-07-339-21
21 cm



Roberts
AS-07-340-22 - 07-341-22
22 cm

Sarot
AS-07-344-24 - 07-345-24
24 cm

Crafoord
AS-07-349-18 - 07-349-24



Fig. 1 AS-07-353-01 21 cm
Fig. 2 AS-07-353-02 21 cm
Fig. 3 AS-07-353-03 21 cm
Fig. 4 AS-07-353-04 21 cm
Fig. 5 AS-07-353-05 21 cm
Fig. 6 AS-07-353-06 21 cm
Fig. 7 AS-07-353-07 21 cm



Fig. 1 AS-07-357-01 27 cm
Fig. 2 AS-07-357-02 27 cm
Fig. 3 AS-07-357-03 27 cm
Fig. 4 AS-07-357-04 27 cm
Fig. 5 AS-07-357-05 27 cm
Fig. 6 AS-07-357-06 27 cm
Fig. 7 AS-07-357-07 27 cm



Overholt - Geissendoerfer
AS-07-353-01 - 07-357-07



Rumel
AS-07-361-01 - 07-261-05
23 cm



Fig. 1
AS-07-361-01



Fig. 2
AS-07-361-02



Fig. 3
AS-07-361-03



Fig. 4
AS-07-361-04



Fig. 5
AS-07-361-05



Zenker
AS-07-365-01 - 07-365-02
29.5 cm



AS-07-365-01



AS-07-365-02



Kelly
AS-07-373-19 - 07-377-24



Fig. 1
AS-07-373-19
19 cm

Fig. 1
AS-07-373-22
22 cm

Fig. 1
AS-07-373-24
24 cm



Fig. 2
AS-07-375-19
19 cm

Fig. 2
AS-07-375-22
22 cm

Fig. 2
AS-07-375-24
24 cm



Fig. 3
AS-07-377-19
19 cm

Fig. 3
AS-07-377-22
22 cm

Fig. 3
AS-07-377-24
24 cm



Lawrence
AS-07-383-27
27.5 cm



Meeker
AS-07-385-18 - 07-385-27

AS-07-385-18
18 cm



AS-07-385-27
27.5 cm



Dixon - Lovelace
AS-07-390-15
15.5 cm



Dixon - Lovelace
AS-07-392-15
15.5 cm
1:2 Teeth



AS-07-396-28 07-397-28

Bridge
AS-07-396-28 - 07-397-28
28 cm



Martin - Overhalt
AS-07-401-01 - 07-401-05



Mini - Gemini
AS-07-403-18 - 07-403-28



Gemini
AS-07-407-13 - 07-407-28



Johns Hopkins
AS-07-411-20
20 cm



Kantrowitz
AS-07-417-20 - 07-417-28



AS-07-417-20
20 cm

AS-07-417-24
24 cm

AS-07-417-28
28 cm



1/1
AS-07-420-21
21 cm

AS-07-421-21
21 cm

AS-07-420-26
26 cm

AS-07-421-26
26 cm

Toennis
AS-07-420-21 - 07-421-26



1/1
AS-07-422-21
21 cm

AS-07-423-21
21 cm

AS-07-422-26
26 cm

AS-07-423-26
26 cm

Toennis
AS-07-422-21 - 07-423-26
1:2 Teeth



Mixter
AS-07-431-15 - 07-431-19



Mixter - O'Shaugnessy
AS-07-433-15 - 07-433-19



Mixter
AS-07-437-22
22 cm



Mixter
AS-07-439-23
23 cm



Wickstrom
AS-07-441-21 - 07-441-24



Mixter
AS-07-445-22 - 07-449-28



Lower
AS-07-451-18
18 cm



Lahey
AS-07-455-19 - 07-457-23



AS-07-455-19
19 cm

AS-07-457-23
23 cm



Finochietto
AS-07-459-24
24 cm



Gray
AS-07-461-22 - 07-461-23



Gray
AS-07-465-22 - 07-465-23
1:2 Teeth



Negus
AS-07-475-19 - 07-477-19
19 cm



Fig. 1
AS-07-475-19



Fig. 2
AS-07-477-19



Schnidt - Sawtell
AS-07-481-01 - 07-481-02
19 cm



Schnidt - Sawtell
AS-07-485-01 - 07-485-02
19 cm



Bainbridge
AS-07-496-15 15.0 cm 07-497-15
AS-07-496-18 18.5 cm 07-497-18



AS-07-501-22
22 cm

AS-07-501-23
23 cm

AS-07-501-24
24 cm

Crafoord - Sellors
AS-07-501-22 - 07-501-24



Overholt - Mixter
AS-07-505-21
21 cm

Atrauma



Uro - Tangentail
AS-07-511-01 - 07-511-02
26 cm



Fig. 1
AS-07-511-01



Fig. 2
AS-07-511-02



Atrauma



Guyon
AS-07-517-23 - 07-517-24



AS-07-517-23
23 cm



AS-07-517-24
24 cm



Guyon
AS-07-521-20 - 07-521-24



Guyon
AS-07-523-23
23 cm



Stille
AS-07-527-23
23 cm



Herrick
AS-07-529-23
23 cm



Baby - Mikulicz
AS-07-541-14
14 cm
1:2 Teeth



Mikulicz
AS-07-545-18
18 cm
1:2 Teeth



Mikulicz
AS-07-547-20
20 cm
1:2 Teeth



Mikulicz
AS-07-551-20
20 cm
1:2 Teeth



Mikulicz
AS-07-555-20
20.5 cm
1:2 Teeth



Mikulicz
AS-07-561-18
18 cm
1:2 Teeth



Mikulicz
AS-07-563-20 - 07-565-20
20 cm
1:2 Teeth



Mikulicz
AS-07-567-20
20.5 cm
1:2 Teeth



Mikulicz
AS-07-569-23
23 cm
1:2 Teeth



AS-07-571-20 AS-07-573-20

Faure
AS-07-571-20 - 07-573-20
20 cm
1:2 Teeth



Schindler
AS-07-577-20
20 cm
1:2 Teeth





Wertheim - Cullen
AS-07-585-21
21.5 cm



Phaneuf
AS-07-600-21 - 07-601-21
21.5 cm
1:2 Teeth

AS-07-600-21



AS-07-601-21



Heaney
AS-07-607-19 - 07-609-23



Fig. 1
AS-07-607-19
19.5 cm



Fig. 1
AS-07-607-21
21 cm



Fig. 1
AS-07-607-23
23 cm



Fig. 2
AS-07-609-19
19.5 cm



Fig. 2
AS-07-609-21
21 cm



Fig. 2
AS-07-609-23
23 cm


1/1
AS-07-613-23
23 cm
AS-07-615-24
24 cm
Moynihan
AS-07-613-23 - 07-615-24
1/1
1/2
Wertheim
AS-07-621-25
25 cm
1/1
AS-07-625-22
22 cm
slightly curved
AS-07-627-23
23 cm
more curved
Wertheim
AS-07-625-22 - 07-627-23
1:2 Teeth



Rogers
AS-07-635-10 - 07-637-40



Fig. 1
AS-07-635-10
22 cm

Fig. 2
AS-07-635-20
21.5 cm

Fig. 3
AS-07-635-30
21 cm

Fig. 4
AS-07-635-40
20.5 cm



Fig. 1
AS-07-637-10
25 cm

Fig. 2
AS-07-637-20
25 cm

Fig. 3
AS-07-637-30
24.5 cm

Fig. 4
AS-07-637-40
23 cm



Heaney - Ballantine
AS-07-644-21 - 07-645-21
21 cm



Heaney - Kanter
AS-07-647-21
21 cm



Garland
AS-07-653-21
21 cm



Heaney - Rezak
AS-07-657-21
21 cm



Segond - Landau
AS-07-664-24

Segond
AS-07-665-24

AS-07-664-24 - 07-665-24
24 cm



Faure
AS-07-667-25
25 cm

SURGICAL FORCEPS



Schaedel
AS-07-671-09
9 cm



Jones
AS-07-673-05 5 cm
AS-07-673-09 9 cm



Jones-Martin
AS-07-675-09
9 cm
with clip



Backhaus
AS-07-681-11 11 cm
AS-07-681-13 13 cm

delicate pattern



Backhaus
AS-07-683-11
11 cm

with clip



Backhaus
AS-07-685-08 8 cm
AS-07-685-11 11 cm
AS-07-685-13 13 cm
AS-07-685-15 15 cm



Roeder
AS-07-687-13 13 cm
AS-07-687-15 15 cm



Lorna
AS-07-691-10 10 cm
AS-07-691-13 13 cm



Lane
AS-07-695-20
20 cm



Tohoku
AS-07-697-10 10 cm
AS-07-697-13 13 cm



Peers - Bertram
AS-07-699-14
14.5 cm



Engl. Modell
AS-07-703-09
9 cm



Doyen
AS-07-705-11
11 cm



Doyen
AS-07-707-18
18 cm



Bernhard
AS-07-713-16
16.5 cm



Klinikum Berlin
AS-07-720-14
14.5 cm

With extra long ratchet



Presbyterian
AS-07-724-16
16.5 cm

SURGICAL FORCEPS



Standard
AS-07-730-15 - 07-730-20





1/1
AS-07-730-15
15 cm



AS-07-730-18
18 cm



AS-07-730-20
20 cm



AS-07-734-15 - 07-734-20

with safety guard





1/1
AS-07-734-15
15 cm



AS-07-734-18
18 cm



AS-07-734-20
20 cm

ASM
SURGICAL

SURGICAL DRESSING



info@asmsurgical.com
www.asmsurgical.com



Standard
AS-06-100-10 - 06-100-30





Narrow
SB-06-110-11 - 06-110-30





Standard

AS-06-115-10	10.5 cm
AS-06-115-11	11.5 cm
AS-06-115-13	13.0 cm
AS-06-115-14	14.5 cm
AS-06-115-16	16.0 cm
AS-06-115-18	18.0 cm
AS-06-115-20	20.0 cm
AS-06-115-25	25.0 cm
AS-06-115-30	30.0 cm



Narrow

AS-06-117-10	10.5 cm
AS-06-117-11	11.5 cm
AS-06-117-13	13.0 cm
AS-06-117-14	14.5 cm
AS-06-117-16	16.0 cm
AS-06-117-18	18.0 cm
AS-06-117-20	20.0 cm
AS-06-117-25	25.0 cm
AS-06-117-30	30.0 cm



McIndoe
AS-06-120-15
15 cm



Stille
AS-06-124-15
15 cm



AS-06-130-12
12 cm

AS-06-130-15
15 cm

Micro - Adson
AS-06-130-12 - 06-130-15



AS-06-132-12
12 cm

AS-06-132-15
15 cm

Adson
AS-06-132-12 - 06-132-15



Modell USA

AS-06-140-12	12.0 cm
AS-06-140-13	13.0 cm
AS-06-140-14	14.5 cm
AS-06-140-15	15.5 cm
AS-06-140-18	18.0 cm
AS-06-140-21	21.0 cm
AS-06-140-25	25.0 cm
AS-06-140-31	31.0 cm



Modell USA

AS-06-142-12	12.0 cm
AS-06-142-13	13.0 cm
AS-06-142-14	14.5 cm
AS-06-142-15	15.5 cm



Ewald (Hudson)
AS-06-146-12
12 cm



Semken

AS-06-150-12	12 cm
AS-06-150-15	15 cm



Semken

AS-06-151-12	12 cm
AS-06-151-15	15 cm



Taylor
AS-06-164-17 - 06-165-17
17 cm



Taylor
AS-06-170-17
17.5 cm



Taylor
AS-06-170-18
18.5 cm





AS-06-174-06
0.6 mm



AS-06-174-08
0.8 mm



AS-06-174-10
1.0 mm

AS-06-174-06 - 06-174-10
15.5 cm





AS-06-176-18



AS-
06-177-18

Gerald
AS-06-176-18 - 06-177-18
18 cm



1/2

Cushing

AS-06-180-17 - 06-181-17

17.5 cm



1/1

AS-06-180-17

AS-
06-181-17



1/2

Potts - Smith

AS-06-184-18 - 06-185-25



1/1

AS-06-184-18
18 cm

AS-06-184-21
21 cm

AS-06-184-25
25 cm

AS-
06-185-18
18 cm

AS-06-185-21
21 cm

AS-06-185-25
25 cm



Brophy
AS-06-190-20 - 06-191-20
20 cm



Duehrssen
AS-06-194-20
20 cm



Wangensteen
AS-06-198-15 15 cm
AS-06-198-23 23 cm



AS-06-250-10 - 06-250-30
1:2 Teeth



AS-06-252-11 - 06-252-30
2:3 Teeth



AS-06-254-13 13.0 cm
AS-06-254-14 14.5 cm
AS-06-254-16 16.0 cm
3:4 Teeth



AS-06-256-13 13.0 cm
AS-06-256-14 14.5 cm
AS-06-256-16 16.0 cm
4:5 Teeth



AS-06-260-10 10.5 cm
AS-06-260-11 11.5 cm
AS-06-260-13 13.0 cm
AS-06-260-14 14.5 cm
AS-06-260-16 16.0 cm
AS-06-260-18 18.0 cm
AS-06-260-20 20.0 cm
AS-06-260-25 25.0 cm
AS-06-260-30 30.0 cm
1:2 Teeth

AS-06-261-10 10.5 cm
AS-06-261-11 11.5 cm
AS-06-261-13 13.0 cm
AS-06-261-14 14.5 cm
AS-06-261-16 16.0 cm
AS-06-261-18 18.0 cm
AS-06-261-20 20.0 cm
AS-06-261-25 25.0 cm
AS-06-261-30 30.0 cm
1:2 Teeth



Adson
AS-06-270-12 - 06-270-15
1:2 Teeth



Micro - Adson
AS-06-272-12
12 cm
1:2 Teeth



Micro - Adson
AS-06-272-15
15 cm
1:2 Teeth



Adson - Brown
AS-06-280-12
12 cm



Adson - Brown
AS-06-281-12
12 cm



Mini - Adson
AS-06-284-12
12 cm
1:2 Teeth



Mini - Adson
AS-06-285-12
12 cm
1:2 Teeth



Ewald (Hudson)
AS-06-290-12
12 cm
1:2 Teeth



Adlerkreutz
AS-06-294-15 - 06-296-25



Stille
AS-06-300-15
15 cm
1:2 Teeth



Stille
AS-06-302-15
15 cm
2:3 Teeth



Stone
AS-06-304-15
15 cm
4:5 Teeth



Lerche
AS-06-308-15
15 cm
5:6 Teeth



Gillies
AS-06-320-15
15 cm
1:2 Teeth



Lane
AS-06-324-14 14.5 cm
AS-06-324-20 20.0 cm
1:2 Teeth



Lane
AS-06-326-14 14.5 cm
AS-06-326-20 20.0 cm
2:3 Teeth



Semken
AS-06-328-12 - 06-329-15
1:2 Teeth

AS-06-328-12
12.5 cm



AS-06-328-15
15 cm



AS-06-329-12
12.5 cm

AS-06-329-15
15 cm



AS-06-332-17

AS-06-333-17

Taylor
AS-06-332-17 - 06-333-17
17.5 cm
1:2 Teeth



Taylor
AS-06-336-17
17.5 cm
1:2 Teeth



Taylor
AS-06-337-17
17.5 cm
1:2 Teeth



Gerald
AS-06-340-18 - 06-341-18
18 cm
1:2 Teeth



Cushing
AS-06-346-17 - 06-347-17
17.5 cm
1:2 Teeth



Potts - Smith
AS-06-350-18 - 06-351-25
1:2 Teeth

Brophy
AS-06-356-20 - 06-357-20
20 cm
1:2 Teeth



AS-06-370-06 - 06-370-10
15.5 cm
1:2 Teeth



Brown

AS-06-374-15 15 cm
AS-06-374-20 20 cm
AS-06-374-25 25 cm



Duehrssen

AS-06-378-01 - 09-378-03
20 cm



Stille - Barraya

AS-06-400-18	18 cm
AS-06-400-20	20 cm
AS-06-400-25	25 cm

3:4 Teeth



Bonney

AS-06-404-18 - 06-406-18

18 cm



Ferris - Smith

AS-06-410-18

18 cm

1:2 Teeth



Ferris - Smith

AS-06-412-18

18 cm

2:3 Teeth



Duval
AS-06-420-14
14.5 cm



Russ. Modell
AS-06-426-15 - 06-426-25

AS-06-426-15
15 cm

AS-06-426-20
20 cm

AS-06-426-25
25 cm



Durante
AS-06-430-14 - 06-430-20



Collin - Duval
AS-06-436-14 - 06-436-27
20 cm



Mayo - Russ.
AS-06-440-23
23 cm



Singley - Tuttle
AS-06-444-23
23 cm



Nelson
AS-06-448-23
23 cm



AS-06-460-01 11.5 cm
AS-06-460-02 11 cm
AS-06-460-03 11 cm
AS-06-460-04 11.5 cm
AS-06-460-05 10.5 cm



AS-06-460-06 10.5 cm
AS-06-460-07 11.5 cm
AS-06-460-08 11.5 cm
AS-06-460-09 11.5 cm
AS-06-460-10 10.5 cm
AS-06-460-11 10.5 cm



AS-06-460-12
12.5 cm



AS-06-460-13
12.5 cm



AS-06-460-14
12.5 cm



AS-06-462-01
10 cm



AS-
06-462-02
10 cm



AS-
06-462-03
10 cm



AS-
06-466-01
14 cm



AS-
06-466-02
14 cm



Yasargil
AS-06-481-22 - 06-483-22



Yasargil
AS-06-485-22 - 06-487-22



Heifetz
AS-06-489-22 - 06-491-22



1/2
Graefe
AS-06-502-10 - 06-515-10
10.5 cm



AS-
06-502-10



AS-
06-503-10



AS-
06-505-10



AS-
06-512-10
1:2 Teeth



AS-
06-513-10
1:2 Teeth



AS-
06-515-10
1:2 Teeth



8.0 cm	AS-06-520-08
9.0 cm	AS-06-520-09
10.5 cm	AS-06-520-10
11.5 cm	AS-06-520-11
12.5 cm	AS-06-520-12
14.5 cm	AS-06-520-14

without pin

8.0 cm	AS-06-530-08
9.0 cm	AS-06-530-09
10.5 cm	AS-06-530-10
11.5 cm	AS-06-530-11
12.5 cm	AS-06-530-12
14.5 cm	AS-06-530-14

with pin



AS-06-521-08
AS-06-521-09
AS-06-521-10
AS-06-521-11
AS-06-521-12
AS-06-521-14

without pin

AS-06-531-08
AS-06-531-09
AS-06-531-10
AS-06-531-11
AS-06-531-12
AS-06-531-14

with pin



AS-06-524-08
AS-06-524-09
AS-06-524-10
AS-06-524-11
AS-06-524-12
AS-06-524-14

without pin

AS-06-534-08
AS-06-534-09
AS-06-534-10
AS-06-534-11
AS-06-534-12
AS-06-534-14

with pin



AS-06-525-08
AS-06-525-09
AS-06-525-10
AS-06-525-11
AS-06-525-12
AS-06-525-14

without pin

AS-06-535-08
AS-06-535-09
AS-06-535-10
AS-06-535-11
AS-06-535-12
AS-06-535-14

with pin



Gomel
AS-06-540-01
16 cm



Gomel
AS-06-540-06
16 cm
1:2 Teeth


1/1
AS-06-550-15
15.5 cm
Knotting forceps
AS-06-553-01
sharp
AS-06-553-02
blunt
1/1 AS-
06-553-03
angled
1/1
AS-06-553-01 - 06-553-03
18.5 cm
AS-06-556-01
blunt
1/1
AS-06-556-02
sharp
1/1
AS-06-556-01 - 06-556-02
22.5 cm



AS-06-570-12
12.5 cm



AS-06-574-10
10 cm



AS-06-576-10
10 cm



AS-06-578-07 - 06-578-11
Feilchenfeld



AS-06-578-07
7.5 cm



AS-06-578-09
9 cm



AS-06-578-11
11.5 cm





AS-06-580-10



AS-06-581-10

Hunter
AS-06-580-10 - 06-581-10
10.5 cm



Walter - Carmalt
AS-06-584-10
10.5 cm



Walter - Carmalt
AS-06-585-10
10.5 cm



AS-06-588-10
10.5 cm



Douglas
AS-06-590-09
9 cm



Beer
AS-06-594-09
9 cm



Barraquer
AS-06-597-10
10.5 cm



Shaaf
AS-06-601-09
9 cm



Littauer
AS-06-604-08
8.5 cm



AS-06-606-09
9 cm



Douglas
AS-06-608-09
9 cm



Stieglitz
AS-06-620-13 - 06-623-13
13.5 cm



Peet
AS-06-625-11
11.5 cm



Ralk
AS-06-628-15 - 06-629-15
15 cm



Arthur
AS-06-632-14
14 cm



Gradle
AS-06-635-09
9.5 cm



Ziegler
AS-06-638-09
9 cm



De Bakey

AS-06-650-16	16 cm
AS-06-650-20	20 cm
AS-06-650-24	24 cm



De Bakey

AS-06-652-16	16 cm
AS-06-652-20	20 cm
AS-06-652-24	24 cm
AS-06-652-30	30 cm



De Bakey

AS-06-654-16	16 cm
AS-06-654-20	20 cm
AS-06-654-24	24 cm
AS-06-654-30	30 cm



De Bakey

AS-06-656-20	20 cm
AS-06-656-24	24 cm
AS-06-656-30	30 cm



De Bakey

AS-06-659-16	16 cm
AS-06-659-20	20 cm
AS-06-659-24	24 cm
AS-06-659-30	30 cm



Glassman
AS-06-670-15 15 cm
AS-06-670-24 24 cm



Glassman
AS-06-674-15 15 cm
AS-06-674-24 24 cm



Engl. Modell

AS-06-680-12	12.5 cm
AS-06-680-15	15.0 cm
AS-06-680-18	18.0 cm
AS-06-680-20	20.0 cm



Engl. Modell

AS-06-682-12	12.5 cm
AS-06-682-15	15.0 cm
AS-06-682-18	18.0 cm
AS-06-682-20	20.0 cm
AS-06-682-25	25.0 cm
AS-06-682-30	30.0 cm



Treves

AS-06-688-12	12.5 cm
AS-06-688-15	15.0 cm
AS-06-688-18	18.0 cm
AS-06-688-20	20.0 cm

1:2 Teeth



1/2
Bonney
AS-06-700-17 - 06-702-17



1/1 AS-06-700-17
17 cm
Normal profile



AS-06-702-17
17 cm
1:2 Teeth
Normal profile



1/2
Gerald
AS-06-706-17 - 06-708-17



1/1 AS-06-706-17
17 cm
Micro profile



AS-06-708-17
17 cm
1:2 Teeth
Mini profile



1/2
Gillies
AS-06-710-15
15 cm
1:2 Teeth
Mini profile



1/1



1/2
Mc Indoe
AS-06-712-15
15 cm
Mini profile



1/1



Semken
AS-06-716-16 - 06-718-18



1/1 AS-06-716-16
16 cm
1:2 Teeth



AS-06-716-18
18 cm
1:2 Teeth
Normal profile



AS-06-718-16
16 cm
1:2 Teeth



AS-06-718-18
18 cm
1:2 Teeth
Mini profile



Adson - Brown
AS-06-720-12
12 cm

Normal profile



Micro - Adson
AS-06-722-12 - 06-722-15

Mini profile

AS-06-722-12
12 cm
1:2 Teeth

AS-06-722-15
15 cm
1:2 Teeth



Adson
AS-06-726-12 - 06-728-15

Normal profile

AS-06-726-12
12 cm

AS-06-728-12
12 cm
1:2 Teeth

AS-06-726-15
15 cm

AS-06-728-15
15 cm
1:2 Teeth



with dissector end

Cushing
AS-06-732-17
17.5 cm

Normal profile



with dissector end

Cushing
AS-06-733-17
17.5 cm

Normal profile



Cushing - Taylor
AS-06-736-18
18 cm

Normal profile



Normal profile



Potts - Smith
AS-06-740-15 - 06-742-25



Normal profile



Oehler
AS-06-742-14 - 06-742-30

Knotting forceps



Obwegeser
AS-06-750-16
16 cm



Obwegeser
AS-06-750-18
18 cm



Wangensteen
AS-06-756-15 - 06-756-25



Normal profile



De Bakey
AS-06-760-15 - 06-764-24

1.6 mm



1/1AS-06-760-15 15 cm
AS-06-760-19 19 cm
AS-06-760-24 24 cm

Micro profile

2.0 mm



1/1AS-06-764-15 15 cm
AS-06-764-19 19 cm
AS-06-764-24 24 cm

Mini profile



JABOMA-TC
AS-06-770-18
18 cm



JABOMA-TC
AS-06-776-18
18 cm
1:2 Teeth

Cleft Palate



JABOMA-TC
AS-06-777-18
18 cm
1:2 Teeth

ASM
SURGICAL

SWAB HOLDING FORCEPS



info@asmsurgical.com
www.asmsurgical.com

SWAB HOLDING FORCEPS



Ulrich
AS-08-100-22 - 08-101-27



1/1
AS-08-100-22
22 cm



AS-08-100-25
25 cm



AS-08-100-28
28 cm





1/1
AS-08-101-22
22 cm



AS-08-101-25
25 cm



AS-08-101-28
28 cm



SWAB HOLDING FORCEPS



Lister
AS-08-110-13 - 08-110-18



Mod. Martin
AS-08-116-17 - 08-117-17
17 cm

SWAB HOLDING FORCEPS



Gross - Maier
AS-08-150-20 - 08-151-25



1/1

AS-08-150-20	20 cm
AS-08-150-22	22 cm
AS-08-150-25	25 cm



AS-08-151-20	20 cm
AS-08-151-22	22 cm
AS-08-151-25	25 cm

SWAB HOLDING FORCEPS



Fletcher
AS-08-160-24
24 cm



Fletcher
AS-08-163-24
24 cm



Westermark
AS-08-167-23
23 cm

SWAB HOLDING FORCEPS



Collin
AS-08-180-25
25 cm



Cheron
AS-08-184-25
25 cm



Bozemann
AS-08-188-26
26 cm

SWAB HOLDING FORCEPS



Bozemann
AS-08-191-26
26 cm



Bozemann - Douglas
AS-08-193-26
26 cm

SWAB HOLDING FORCEPS



Foerster
AS-08-220-25 - 08-255-25



1/1
AS-08-220-25 25 cm
AS-08-222-18 18 cm
AS-08-222-20 20 cm
AS-08-222-25 25 cm



AS-08-223-25 25 cm



AS-08-225-18 18 cm
AS-08-225-20 20 cm
AS-08-225-25 25 cm

SWAB HOLDING FORCEPS



Foerster
AS-08-230-25 - 08-231-25
25 cm



Rampley
AS-08-236-18 - 08-236-25

SWAB HOLDING FORCEPS



Pelkmann
AS-08-250-25
25 cm



Pelkmann
AS-08-251-25
25 cm

SWAB HOLDING FORCEPS



Heywood - Smith
AS-08-270-21
21 cm



Heywood - Smith
AS-08-272-25
25 cm



Duplay
AS-08-276-20
20.5 cm



Duplay
AS-08-277-20
20.5 cm

SWAB HOLDING FORCEPS



Sims - Maier
AS-08-290-28
28 cm



Sims - Maier
AS-08-291-28
28 cm





Walton
AS-08-296-17 17 cm
AS-08-296-25 25 cm

AS-08-297-17 17 cm
AS-08-297-25 25 cm

ASM SURGICAL

RETRACTORS



info@asmsurgical.com www.asmsurgical.com

RETRACTORS



AS-**03-5021** -**03-5022**
AS-**03-5021** Sharp
AS-**03-5022** Blunt
GRAEFE
125 mm



AS-**03-5023** -**03-5024**
AS-**03-5023** 125 mm
AS-**03-5024** 130 mm
Sharp
GUTHRIE



AS-**03-5025** - **03-5027**
AS-**03-5025** 130 mm
AS-**03-5026** 135 mm
Sharp
03-5027 135 mm
Blunt
ROLLET



AS-**03-5028**
FRAZIER
Dura Retractor
130 mm



AS-**03-5029**
TOENNIS
Dura Retractor
150 mm



AS-**03-5030**
KILNER
160 mm



AS-**03-5031**
FREER
150 mm



AS-**03-5032**
MULLER
150 mm



AS-**03-5033**
MULLER
150 mm



AS-**03-5034**
COTTLE
160 mm



AS-**03-5035**
COTTLE
160 mm



AS-**03-5036**
JAEGER
135 mm



AS-**03-5037** - **03-5040**
JOSEPH
165 mm





AS-**03-5041** - **5042**
GILLIES
180 mm



03-5043
KILNER
Sharp
80 mm



AS-**03-5044**
CONVERSE
Blunt
120 mm

RETRACTORS



AS-**03-5045** BERGMANN 140 mm
AS-**03-5046** BOSE 165 mm
AS-**03-5047** BOSE 165 mm
AS-**03-5048 - 03-5050** 180 mm



AS-**03-5051 -03-5053** Flexible shaft, sharp 155 mm

AS-**03-5054 - 03-5056** Flexible shaft, blunt 155 mm



AS-**03-5057 - 03-5064** Small, large curve, sharp 165 mm

AS-**03-5057 - 03-5060** (small, curved, sharp)
03-5061 - 03-5064 (large, curved, sharp)



AS-**03-5065 - 03-5072** 165 mm

AS-**03-5065 - 03-5068** (small, curved, blunt)
AS-**03-5069 - 03-5072** (large, curved, blunt)

RETRACTORS



AS-**03-5073**
MANNERFELT modif.
sharp
135 mm



AS-**03-5074**
MANNERFELT modif.
sharp
155 mm



AS-**03-5075**
MANNERFELT modif.
sharp
155 mm



AS-**03-5076 - 03-5078**
MANNERFELT modif.
Small curve, sharp
155 mm



AS-**03-5079 - 03-5081**
MANNERFELT modif.
Large curve, blunt
155 mm



AS-**03-5082 - 03-5085**
LANGENBECK-
MANNERFELT modif.
155 mm



AS-**03-5086 - 03-5088**
MANNERFELT modif.
Saddle hooks,
155 mm



AS-**03-5089**
MANNERFELT modif.
Saddle hooks, fenestrated
155 mm

RETRACTORS



AS-**03-5090**
FOMON
145 mm



AS-**03-5091 - 03-5092**
160 mm



AS-**03-5093 - 03-5094**
LANGENBECK-GREEN
160 mm



AS-**03-5095**
160 mm



AS-**03-5096 - 03-5101**
MEYERDING
Fig. A - Fig. F
180 mm



AS-**03-5102 - 03-5104**
WILLIGER
120 mm

RETRACTORS



AS-**03-5105**
EMMET
Fistula hook
220 mm



AS-**03-5106**
SIMON
Fistula hook
220 mm



AS-**03-5107**
SIMON
Fistula hook
220 mm



AS-**03-5108**
LANGE
Fistula hook
230 mm



AS-**03-5109**

AS-**03-5110**

AS-**03-5109 - 03-5110**
Tendon hooks
175 mm



AS-**03-5111**
KLAPP
Tendon hooks
175 mm

RETRACTORS


½
AS-03-5112
MASING
140 mm
½
6 x 12 mm
AS-03-5113
COTTLE
140 mm
½
10 x 12 mm
½
AS-03-5114
9 x 9 mm
AS-03-5115
9 x 12 mm
AS-03-5116
11 x 14 mm
AS-03-5114 - 03-5118
DESMARRES
140 mm
AS-03-5117
12 x 16 mm
AS-03-5118
13 x 18 mm
½
AS-03-5119
13 x 13 mm
AS-03-5120
12 x 16 mm
AS-03-5119 - 03-5120
KOENIG
180 mm
½
10 x 10 mm
AS-03-5121
CUSHING-KOCHER
175 mm


½
AS-03-5122 - 03-5123
KOCHER
205 mm
AS-03-5122
20 x 12 mm
SB-03-5123
20 x 15 mm
½
13 x 6 mm
AS-03-5124
SCHOENBORN
200 mm
AS-03-5125
10 x 13 mm
AS-03-5126
14 x 18 mm
½
AS-03-5125 - 03-5126
CUSHING
205 mm
20 x 15 mm
20 x 19 mm
½
AS-03-5127
205 mm
AS-03-5128
11 x 14 mm
AS-03-5129
13 x 18 mm
AS-03-5130
15 x 22 mm
½
AS-03-5128 - 03-5130
CUSHING
250 mm

RETRACTORS



AS-**03-5131 - 03-5132**
BABY-SENN-MILLER
155 mm

AS-**03-5133**
SENN-MILLER
165 mm

AS-**03-5134**
COLLIN-HARTMANN
150 mm

AS-**03-5135 - 03-5137**
STERNBERG
AS-**03-5135** 120 mm
AS-**03-5136** 130 mm
AS- **03-5137** 135 mm



AS-**03-5138**
LUER
110 mm

AS-**03-5139**
ROSE
130 mm

AS-**03-5140**
BABY-ROUX
135 mm

AS-**03-5141**
PARKER
135 mm

AS-**03-5142**
CRILE
110 mm

AS-**03-5143**
FARABEUF
150 mm

AS-**03-5144**
COLLIN
150 mm

RETRACTORS



AS-**03-5145**
ROUX
Set
165 mm



AS-**03-5146**
23 x 30 mm



AS-**03-5147**
28 x 38 mm



AS-**03-5148**
33 x 45 mm



AS-**03-5149**
ROUX



AS-**03-5150**
25 x 29 mm
150mm

AS-**03-5151**
30 x 38 mm
160mm



AS-**03-5152**
CZERNY
175 mm



AS-**03-5153**
MATHIEU
200 mm



AS-**03-5154**
US-ARMY
220 mm

RETRACTORS



AS-**03-5155**
KOCHER
Sharp
205 mm



AS-**03-5156**
KOCHER
Sharp
220 mm



AS-**03-5157**
VOLKMANN
Sharp
220 mm



AS-**03-5158**
VOLKMANN
Blunt
220 mm



AS-**03-5159**
VOLKMANN
Sharp
220 mm



AS-**03-5160 - 03-5167**
VOLKMANN
225 mm





AS-**03-5160**
9 x 8 mm



AS-**03-5161**
9 x 13 mm



AS-**03-5162**
9 x 19 mm



AS-**03-5163**
9 x 29 mm





AS-**03-5164**
8,5 x 8 mm



AS-**03-5165**
8,5 x 13 mm



AS-**03-5166**
8,5 x 19 mm



AS-**03-5167**
8,5 x 29 mm

RETRACTORS



Sharp





AS-**03-5168**
9 x 8 mm



AS-**03-5169**
9 x 13 mm



AS-**03-5170**
9 x 19 mm



AS-**03-5171**
9 x 29 mm



AS-**03-5172**
9 x 40 mm

Blunt





AS-**03-5173**
8 x 8 mm



AS-**03-5174**
8 x 13 mm



AS-**03-5175**
8 x 19 mm



AS-**03-5176**
8 x 29 mm



AS-**03-5177**
8 x 40 mm

Semi-Sharp





AS-**03-5178**
8,5 x 8 mm



AS-**03-5179**
8,5 x 13 mm



AS-**03-5180**
8,5 x 19 mm



AS-**03-5181**
8,5 x 29 mm

AS-
03-5168 - 03-5181
VOLKMANN
220 mm



Semi-Sharp





AS-**03-5182**
16 x 9 mm



AS-**03-5183**
16 x 14 mm



AS-**03-5184**
16 x 20 mm



AS-**03-5185**
16 x 30 mm

Blunt





AS-**03-5186**
15,5 x 9 mm



AS-**03-5187**
15,5 x 14 mm



AS-**03-5188**
15,5 x 20 mm



AS-**03-5189**
15,5 x 30 mm

AS-
03-5182 - 03-5189
KOCHER
220 mm

RETRACTORS



AS-**03-5190 - 03-5191**
KOERTE
Handle vertical
to the blade.
240 mm



AS-**03-5190**
8 Prongs, blunt



AS-**03-5191**
8 Prongs, sharp



AS-**03-5192 - 03-5195**
ISRAEL
255 mm



AS-**03-5192**
4 Prongs, blunt



AS-**03-5193**
5 Prongs, blunt



AS-**03-5194**
6 Prongs, blunt



AS-**03-5195**
6 Prongs, blunt

RETRACTORS



AS-**03-5196 - 03-5201**
LANGENBECK
210 mm

AS-**03-5196** 28 x 10 mm
AS-**03-5197** 28 x 14 mm
AS-**03-5198** 33 x 14 mm
AS-**03-5199** 28 x 16 mm
AS-**03-5200** 40 x 10 mm
AS-**03-5201** 40 x 13 mm



AS-**03-5202 - 03-5210**
KOCHER-LANGENBECK
215 mm

AS-**03-5202** 25 x 6 mm
AS-**03-5203** 35 x 8 mm
AS-**03-5204** 35 x 11 mm
AS-**03-5205** 35 x 15 mm
AS-**03-5206** 41 x 11 mm
AS-**03-5207** 55 x 11 mm
AS-**03-5208** 70 x 14 mm
AS-**03-5209** 80 x 12mm
AS-**03-5210** 80 x 16mm



AS-**03-5211**
LANGENBECK
215 mm

RETRACTORS



AS-
03-5212 - 03-5216
KOCHER
230 mm



AS-
03-5217 - 03-5219
SAUERBRUCH
225 mm





RETRACTORS



AS-**03-5220**
15 x 15 mm
220 mm

AS-**03-5221**
20 x 22 mm
215 mm

AS-**03-5222**
28 x 28 mm
235 mm

AS-**03-5220 - 03-5222**
MIDDELDORPF



38 x 18 mm

AS-
03-5223
BUCHS
205 mm



67 x 17 mm

AS-
03-5224
CASPAR
210 mm



36 x 20 mm

AS-
03-5225
KOCHER
230 mm

RETRACTORS


AS-03-5245
52 x 16
210 mm
AS-03-5244
76 x 25
230 mm
AS-03-5243
89 x 50
255 mm
AS-03-5243 - 03-5245
MEYERDING

RETRACTORS



AS-**03-5249**
SIMON
275 mm

AS-**03-5248**
SIMON
275 mm

AS-**03-5247**
MARTIN
250 mm

AS-**03-5246**
MODELL TUBINGEN
265 mm

RETRACTORS



AS-**03-5251 - 03-5257**
BRUNNER
275 mm

AS-**03-5251**	80 x 20
AS-**03-5252**	100 x 25
AS-**03-5253**	120 x 25
AS-**03-5254**	130 x 30
AS-**03-5255**	140 x 30
AS-**03-5256**	160 x 30
AS-**03-5257**	180 x 30



AS-**03-5258**
Handle with cold light carrier for retractor blades.
280 mm

Handle arrangement variable

RETRACTORS



AS-**03-5259 - 03-5260**
HARRINGTON
03-5259 123 x 45 mm
03-5260 123 x 64 mm
Flexible
295 mm



AS-**03-5261**
ALLISON
255 mm



AS-**03-5262**
ALLISON
320 mm

RETRACTORS



AS-**03-5271**
DEAVER
300 mm
Fig. 1



AS-**03-5272**
DEAVER
315 mm
Fig. 2



AS-**03-5273**
DEAVER
365 mm
Fig. 2½



AS-**03-5279**
DEAVER
305 mm
Fig. 4



AS-**03-5280**
DEAVER
310 mm
Fig. 5

RETRACTORS



AS- **03-5285** 150 x 39 mm
AS- **03-5286** 150 x 57 mm



½

AS-**03-5285 - 03-5286**
KELLY
AS-**03-5285** 150 x 39 mm
AS-**03-5286** 150 x 57 mm
260 mm



AS-**03-5283** 121 x 50 mm
AS-**03-5284** 147 x 50 mm

¼



½

AS-**03-5283 - 03-5284**
MIKULICZ
AS-**03-5283** 121 x 50 mm
AS-**03-5284** 147 x 50 mm
Liver Retractor
250 mm

RETRACTORS



AS-**03-5287 - 03-5297**
DOYEN
240 mm



AS-**03-5298** Fig.1 32 x 40 mm
AS-**03-5299** Fig.2 34 x 50 mm
AS-**03-5300** Fig.3 41 x 60 mm
AS-**03-5301** Fig.4 46 x 75 mm
AS-**03-5302** Fig.5 64 x 85 mm

AS-**03-5298 - 03-5302**
FRITSCH
240 mm



AS-**03-5303**
DOYEN
250 mm

Length of Blades	Width of Blades 35mm	45mm	60mm
62mm	AS-**03-5287**	**03-5290**	**03-5294**
92mm	AS-**03-5288**	**03-5291**	**03-5295**
122mm	AS-**03-5289**	**03-5292**	**03-5296**
160mm		**03-5293**	**03-5297**

RETRACTORS



AS-**03-5304 - 03-5308**
ROCHARD
310 mm
AS-**03-5304** 48 x 90 mm
AS-**03-5305** 48 x 105 mm
AS-**03-5306** 48 x 120 mm
AS-**03-5307** 48 x 135 mm
AS-**03-5308** 48 x 155 mm



AS-**03-5309**
ROCHARD
Fixation device for



AS-**03-5310 - 03-5313**
DOYEN
280 mm
AS-**03-5310** 48 x 90 mm
AS-**03-5311** 48 x 105 mm
AS-**03-5312** 48 x 120 mm
AS-**03-5313** 48 x 135 mm



AS-**03-5314**
DOYEN-CHILD
Fixation device
220 mm





AS-**03-5315**
Chain
with weight
645g
790 mm

RETRACTORS



AS-**03-5316**
ST.MARKS
Pelvis Retractor
290 mm

AS-**03-5317**
ST.MARKS
Pelvis Retractor
330 mm

AS-**03-5318**
ST.MARKS
Pelvis Retractor
330 mm

RETRACTORS



AS-**03-5319**
LERICHE
255 mm

AS-**03-5320**
KUMMEL
Malleable
285 mm

AS-**03-5321**
MIKULICZ
29 mm
250 mm

AS-**03-5322 - 03-5323**
KADER
AS-**03-5322** 30 mm
AS-**03-5323** 40 mm
270 mm

RETRACTORS



AS-**03-5330**
BOSE
60 mm



AS-**03-5331**
FINSEN
50 mm



AS-**03-5332**
FINSEN
70 mm



AS-**03-5333**
FINSEN modif.
75 mm



AS-**03-5334**
45 mm



AS-**03-5335**
55 mm



AS-**03-5336**
MUELLER
65 mm



AS-**03-5337**
100 mm



AS-**03-5338** AS-**03-5339**

AS-**03-5338 - 03-5339**
AS-**03-5338** 70 mm
AS-**03-5339** 100 mm



AS-**03-5340**
LOGAN
modif. REILL
50 mm



AS-**03-5341**
JANSEN
100 mm



AS-**03-5342**
JANSEN
100 mm



AS-**03-5343**
BARRAQUER
45 mm

RETRACTORS



AS-**03-5344**
WEITLANER
Sharp
110 mm



AS-**03-5345**
WEITLANER
Semi-Sharp
110 mm



AS-**03-5346**
WEITLANER
Blunt
110 mm



AS-**03-5347**
WEITLANER
Sharp
130 mm



AS-**03-5348**
WEITLANER
Semi-Sharp
130 mm



AS-**03-5349**
WEITLANER
Blunt
130 mm

RETRACTORS



AS-**03-5350**
WEITLANER
Sharp
130 mm



AS-**03-5351**
WULLSTEIN
Sharp
130 mm



AS-**03-5352**
WULLSTEIN
Blunt
130 mm



AS-**03-5353**
WEITLANER
Sharp
165 mm



AS-**03-5354**
PLESTER
Blunt
110 mm



AS-**03-5355**
PERKINS
130 mm

RETRACTORS



AS-**03-5356**
ADSON-BABY
Blunt
140 mm



AS-**03-5357**
MOLLISON
Sharp
155 mm



AS-**03-5358**
MAYO-ADAMS
165 mm

RETRACTORS











AS-**03-5362 - 03-5363**
BECKMANN-ADSON
Sharp
310 mm



AS-**03-5363**
BECKMANN-ADSON
Semi-Sharp
310 mm



AS-**03-5364**
ADSON
Semi-Sharp
320 mm



AS-**03-5365**
BECKMANN-EATON
Sharp
320 mm

RETRACTORS



AS-**03-5366**
JOLL (FRIEDMAN)
Thyroid- and Vaginal Retractor
155 mm



AS-**03-5367**
JACKSON BURROWS
Retractor, blunt
185 mm



AS-**03-5368**
GELPI
Vaginal Retractor
135 mm



AS-**03-5369**
GELPI
Skin- and Vaginal Retractor
175 mm



AS-**03-5370**
DE BAKEY
Femur Retractor
145 mm

RETRACTORS



AS-**03-5376**
CLOWARD modif.
Spreader Only
Consisting of:
Spreader Only

AS-**03-5377**	1 Blade
AS-**03-5378**	1 Blade
AS-**03-5379**	1 Blade
AS-**03-5380**	1 Blade
AS-**03-5381**	1 Blade



AS-**03-5377**



AS-**03-5378**



AS-**03-5382**



AS-**03-5383**



AS-**03-5379**



AS-**03-5380**



AS-**03-5384**



AS-**03-5385**



AS-**03-5381**



AS-**03-5386**

Blades only used for **03-5376**

RETRACTORS



AS-**03-5416**
CLOWARD
155 mm



AS-**03-5417**
CLOWARD
135 mm



AS-**03-5418**
INGE
170 mm



AS-**03-5419**
INGE
275 mm

RETRACTORS



AS-**03-5420**
BABY-COLLIN
with 2 pair of blades



AS-**03-5421**
COLLIN
complete



AS-**03-5422**
COLLIN
complete



AS-**03-5423**
RICARD
complete

Spreader only
Lateral blade
Center blade



AS-**03-5424**
HOLZBACH
Complete

Spreader only
Lateral blade 59x80mm
Center blade 74x82mm

RETRACTORS



AS-**03-5433**
GOSSET
Blades:38 mm deep



AS-**03-5434**
HERTZLER
Blades 20 X 25 mm



AS-**03-5435**
BALFOUR-BABY
Lateral blades 27 mm deep
(03-5435) Center blade 21x24 mm



AS-**03-5436**
GOSSET
Blades:55mm deep



AS-**03-5437**
GOSSET
Lateral blades 58 mm deep
Center blade
59 x 57 mm

RETRACTORS



AS-**03-5438**
BALFOUR
Lateral blades 60 mm deep
(03-5439) Center blade
47 x 80 mm



AS-**03-5440**
BALFOUR
Lateral blades 105 mm deep
(03-5441) Center blade
107x 59 mm



AS-**03-5442**
Center blade only
54x80 mm



AS-**03-5443 - 03-5446**
BALFOUR

Spreader only	AS-**03-5443**	AS-**03-5444**	AS-**03-5445**	AS-**03-5446**
Lateral blades	50 mm	60 mm	75 mm	90 mm
Center blade	47 x 80 mm	62x76 mm	80x80 mm	80x80 mm



Sales Unit of blades:PR = pair

Lateral blades
03-5447
50 mm deep
03-5448
60 mm deep
03-5449
75 mm deep
03-5450
90 mm deep

ASM SURGICAL

STEL TEC LAPAROSCOPIC



info@asmsurgical.com www.asmsurgical.com

STEL TEC LAPAROSCOPIC

Reusable 32 and 45 cm length laparoscopic instruments

• 32 and 45 cm lengths accommodate standard and advanced laparoscopic procedures, including Gynecology & Bariatrics.
•Rotating shafts with 360 degree rotation, one finger controls the tip placement.
• A wide variety of handle styles are available to accommodate a wide variety of surgeon preference.
• Extensive selection of tip styles.
•Offered in two styles to meet your cleaning requirements.
•Modular Laparoscopic instruments can be quickly disassembled for cleaning and visual inspection. Processing technicians
spend less time removing bio-burden and the risk of HAI decreases when they can be certain that bio-burden is not
trapped in the instrument. Easily reassembled for the surgeon prior to use in surgery

Single Piece with Flush-Port for quick flushing of bio-burden

Features:
• Durablity and Longevity - Stainless steel construction, medical grade polymer coating guarantee long
live, easy maintenance and safety.
• Precise & Ergonomic Handling - Jaw patterns are designed and machined for precision grasping,
dissecting or cutting. Large-finger handles with tang and large diameter rotating drum with stainless
steel roller bearings give you precise control and comfort while reducing hand fatigue.
• Optimal Cleaning & Maintenance - Flush ports and expanded push-rod clearance on non-modular
instruments, minimum components and solid connections on modular instruments assures easy
maintenance.
• Excellent Return on Investment - Completely reusable and fully-autoclavable.

STEL TEC LAPAROSCOPIC



	Length	Style A:	Style B:
5MM Ø, MIXTER GRASPER/ DISSECTOR RIGHT ANGLE (LONG)	33 CM	AS-52255-07A	AS-52255-07B
	36 CM	AS-52236-07A	AS-52236-07B
	45 CM	AS-52155-07A	AS-52155-07B
	24 CM	AS-52224-07A	AS-52224-07B



5MM Ø, MIXTER GRASPER/ DISSECTOR, SHORT RIGHT ANGLE	33 CM	AS-52255-59A	AS-52255-59B
	36 CM	AS-52236-59A	AS-52236-59B
	45 CM	AS-52155-59A	AS-52155-59B
	24 CM	AS-52224-59A	AS-52224-59B



5MM Ø, MIXTER GRASPER/ DISSECTOR 45 DEGREE ANGLE	33 CM	AS-52255-08A	AS-52255-08B
	36 CM	AS-52236-08A	AS-52236-08B
	45 CM	AS-52155-08A	AS-52155-08B
	24 CM	AS-52224-08A	AS-52224-08B



5MM Ø, DUCKBILL GRASPER/ DISSECTOR	33 CM	AS-52255-09A	AS-52255-09B
	36 CM	AS-52236-09A	AS-52236-09B
	45 CM	AS-52155-09A	AS-52155-09B
	24 CM	AS-52224-09A	AS-52224-09B



5MM Ø, NEEDLE-NOSE GRASPER/DISSECTOR	33 CM	AS-52255-10A	AS-52255-10B
	36 CM	AS-52236-10A	AS-52236-10B
	45 CM	AS-52155-10A	AS-52155-10B
	24 CM	AS-52224-10A	AS-52224-10B



5MM Ø, KELLY GRASPER/ DISSECTOR	33 CM	AS-52255-11A	AS-52255-11B
	36 CM	AS-52236-11A	AS-52236-11B
	45 CM	AS-52155-11A	AS-52155-11B
	24 CM	AS-52224-11A	AS-52224-11B



5MM Ø, LONG REACH, RIGHT ANGLE DISSECTOR, DBL-ACTION (REQUIRES LARGER CANNULA)	33 CM	AS-52255-53A	AS-52255-53B
	36 CM	AS-52236-53A	AS-52236-53B
	45 CM	AS-52155-53A	AS-52155-53B
	24 CM	AS-52224-53A	AS-52224-53B



5MM Ø, PETELIN DISSECTOR, 60 DEG. ANGLE LEFT, SINGLE-ACTION	33 CM	AS-52255-12A	AS-52255-12B
	36 CM	AS-52236-12A	AS-52236-12B
	45 CM	AS-52155-12A	AS-52155-12B
	24 CM	AS-52224-12A	AS-52224-12B



5MM Ø, PETELIN DISSECTOR, 30 DEG. ANGLE LEFT, SINGLE-ACTION	33 CM	AS-52255-13A	AS-52255-13B
	36 CM	AS-52236-13A	AS-52236-13B
	45 CM	AS-52155-13A	AS-52155-13B
	24 CM	AS-52224-13A	AS-52224-13B



5MM Ø, MICRO GRASPER/ DISSECTOR, FENESTRATED	33 CM	AS-52255-14A	AS-52255-14B
	36 CM	AS-52236-14A	AS-52236-14B
	45 CM	AS-52155-14A	AS-52155-14B
	24 CM	AS-52224-14A	AS-52224-14B

5mm Ø DISSECTORS & GRASPERS



	Length	Style A:	Style B:
5MM Ø, "WINER" STYLE FUNDUS MAXI GRASPER	33 CM	AS-52255-326A	AS-52255-326B
	36 CM	AS-52236-326A	AS-52236-326B
	45 CM	AS-52155-326A	AS-52155-326B
	24 CM	AS-52224-326A	AS-52224-326B
5MM Ø, "MCKERNAN" STYLE FUNDUS MAXI GRASPER	33 CM	AS-52255-126A	AS-52255-126B
	36 CM	AS-52236-126A	AS-52236-126B
	45 CM	AS-52155-126A	AS-52155-126B
	24 CM	AS-52224-126A	AS-52224-126B
5MM Ø, DOUBLE CUP FENESTRATED FUNDUS MAXI GRASPER	33 CM	AS-52255-226A	AS-52255-226B
	36 CM	AS-52236-226A	AS-52236-226B
	45 CM	AS-52155-226A	AS-52155-226B
	24 CM	AS-52224-226A	AS-52224-226B
5MM Ø, ENDO CLINCH FENESTRATED GRASPER	33 CM	AS-52255-27A	AS-52255-27B
	36 CM	AS-52236-27A	AS-52236-27B
	45 CM	AS-52155-27A	AS-52155-27B
	24 CM	AS-52224-27A	AS-52224-27B
5MM Ø, RETRO FACING RAT-TOOTH GRASPER w/ ATRAUMATIC CUP	33 CM	AS-52255-28A	AS-52255-28B
	36 CM	AS-52236-28A	AS-52236-28B
	45 CM	AS-52155-28A	AS-52155-28B
	24 CM	AS-52224-28A	AS-52224-28B
5MM Ø, ALLIGATOR GRASPER, 10MM JAW, RETRO FACING TEETH, DBL-ACTION	33 CM	AS-52255-29A	AS-52255-29B
	36 CM	AS-52236-29A	AS-52236-29B
	45 CM	AS-52155-29A	AS-52155-29B
	24 CM	AS-52224-29A	AS-52224-29B
5MM Ø, ALLIGATOR GRASPER, 20MM JAW, , RETRO FACING TEETH, DBL-ACTION	33 CM	AS-52255-129A	AS-52255-129B
	36 CM	AS-52236-129A	AS-52236-129B
	45 CM	AS-52155-129A	AS-52155-129B
	24 CM	AS-52224-129A	AS-52224-129B
5MM Ø, ALLIGATOR GRASPER, RETRO FACING TEETH, SINGLE-ACTION	33 CM	AS-52255-30A	AS-52255-30B
	36 CM	AS-52236-30A	AS-52236-30B
	45 CM	AS-52155-30A	AS-52155-30B
	24 CM	AS-52224-30A	AS-52224-30B
5MM Ø, CUP SHAPED GRASPER WITH RETRO FACING TEETH, DBL-ACTION	33 CM	AS-52255-58A	AS-52255-58B
	36 CM	AS-52236-58A	AS-52236-58B
	45 CM	AS-52155-58A	AS-52155-58B
	24 CM	AS-52224-58A	AS-52224-58B
5MM Ø, WAVE GRASPER, LONG BEVELED EDGE JAW, DBL-ACTION	33 CM	AS-52255-32A	AS-52255-32B
	36 CM	AS-52236-32A	AS-52236-32B
	45 CM	AS-52155-32A	AS-52155-32B
	24 CM	AS-52224-32A	AS-52224-32B

5mm Ø DISSECTORS & GRASPERS















	Length	Style A:	Style B:
5MM Ø, WAVE GRASPER, LONG BEVELED EDGE JAW, SINGLE ACTION	33 CM	AS-52255-33A	AS-52255-33B
	36 CM	AS-52236-33A	AS-52236-33B
	45 CM	AS-52155-33A	AS-52155-33B
	24 CM	AS-52224-33A	AS-52224-33B
5MM Ø, CLAW GRASPER, 2 X 3 TEETH, SINGLE-ACTION	33 CM	AS-52255-36A	AS-52255-36B
	36 CM	AS-52236-36A	AS-52236-36B
	45 CM	AS-52155-36A	AS-52155-36B
	24 CM	AS-52224-36A	AS-52224-36B
5MM Ø, CLAW GRASPER, 2 X 3 TEETH, W/ EXTRA ROW OF TEETH, DOUBLE-ACTION	33 CM	AS-52255-136A	AS-52255-136B
	36 CM	AS-52236-136A	AS-52236-136B
	45 CM	AS-52155-136A	AS-52155-136B
	24 CM	AS-52224-136A	AS-52224-136B
5MM Ø, RETRACTION GRASPER, LONG RIDGED JAWS, 2 X 3 ATRAUMATIC TEETH, DOUBLE-ACTION	33 CM	AS-52255-34A	AS-52255-34B
	36 CM	AS-52236-34A	AS-52236-34B
	45 CM	AS-52155-34A	AS-52155-34B
	24 CM	AS-52224-34A	AS-52224-34B
5MM Ø, RETRACTION GRASPER, LONG RIDGED JAWS, 2 X 3 ATRAUMATIC TEETH, SINGLE-ACTION	33 CM	AS-52255-35A	AS-52255-35B
	36 CM	AS-52236-35A	AS-52236-35B
	45 CM	AS-52155-35A	AS-52155-35B
	24 CM	AS-52224-35A	AS-52224-35B
5MM Ø, RETRACTION GRASPER, 2 X 3 ATRAUMATIC TEETH, DOUBLE-ACTION (JARIT STYLE)	33 CM	AS-52255-134A	AS-52255-134B
	36 CM	AS-52236-134A	AS-52236-134B
	45 CM	AS-52155-134A	AS-52155-134B
	24 CM	AS-52224-134A	AS-52224-134B
5MM Ø, RETRACTION GRASPER, 2 X 3 ATRAUMATIC TEETH, SINGLE-ACTION (JARIT STYLE)	33 CM	AS-52255-135A	AS-52255-135B
	36 CM	AS-52236-135A	AS-52236-135B
	45 CM	AS-52155-135A	AS-52155-135B
	24 CM	AS-52224-135A	AS-52224-135B
5MM Ø, ATRAUMATIC FENESTRATED GRASPER, CURVED, 16 MM DBL-ACTION JAW	33 CM	AS-52255-37A	AS-52255-37B
	36 CM	AS-52236-37A	AS-52236-37B
	45 CM	AS-52155-37A	AS-52155-37B
	24 CM	AS-52224-37A	AS-52224-37B
5MM Ø, FENESTRATED GRASPER, 16 MM DBL-ACTION JAW	33 CM	AS-52255-38A	AS-52255-38B
	36 CM	AS-52236-38A	AS-52236-38B
	45 CM	AS-52155-38A	AS-52155-38B
	24 CM	AS-52224-38A	AS-52224-38B
5MM Ø, FENESTRATED GRASPER, 20 MM DBL-ACTION JAW	33 CM	AS-52255-39A	AS-52255-39B
	36 CM	AS-52236-39A	AS-52236-39B
	45 CM	AS-52155-39A	AS-52155-39B
	24 CM	AS-52224-39A	AS-52224-39B

5mm BIOPSY FORCEPS & SCISSORS



	Length	Style A:	Style B:
5MM Ø, HOOK SCISSORS, SINGLE-ACTION	33 CM	AS-52255-60A	AS-52255-60B
	36 CM	AS-52236-60A	AS-52236-60B
	45 CM	AS-52155-60A	AS-52155-60B
	24 CM	AS-52224-60A	AS-52224-60B
5MM Ø, MICRO TIP SCISSORS, STRAIGHT, SINGLE-ACTION	33 CM	AS-52255-61A	AS-52255-61B
	36 CM	AS-52236-61A	AS-52236-61B
	45 CM	AS-52155-61A	AS-52155-61B
	24 CM	AS-52224-61A	AS-52224-61B
5MM Ø, MICRO TIP SCISSORS, CURVED, SINGLE-ACTION	33 CM	AS-52255-62A	AS-52255-62B
	36 CM	AS-52236-62A	AS-52236-62B
	45 CM	AS-52155-62A	AS-52155-62B
	24 CM	AS-52224-62A	AS-52224-62B
5MM Ø, METZENBAUM SCISSORS, STRAIGHT, LONG BLADE (20MM TIP)	33 CM	AS-52255-63A	AS-52255-63B
	36 CM	AS-52236-63A	AS-52236-63B
	45 CM	AS-52155-63A	AS-52155-63B
	24 CM	AS-52224-63A	AS-52224-62B
5MM Ø, METZENBAUM SCISSORS, STRAIGHT, SHORT BLADE (12MM TIP)	33 CM	AS-52255-64A	AS-52255-64B
	36 CM	AS-52236-64A	AS-52236-64B
	45 CM	AS-52155-64A	AS-52155-64B
	24 CM	AS-52224-64A	AS-52224-64B
5MM Ø, METZENBAUM SCISSORS, CURVED, LONG BLADE (18MM TIP)	33 CM	AS-52255-65A	AS-52255-65B
	36 CM	AS-52236-65A	AS-52236-65B
	45 CM	AS-52155-65A	AS-52155-65B
	24 CM	AS-52224-65A	AS-52224-65B
5MM Ø, METZENBAUM SCISSORS, HARDENED STEEL, CURVED BLADE (16MM TIP)	33 CM	AS-52255-66A	AS-52255-66B
	36 CM	AS-52236-66A	AS-52236-66B
	45 CM	AS-52155-66A	AS-52155-66B
	24 CM	AS-52224-66A	AS-52224-66B
5MM Ø, METZENBAUM SCISSORS, CURVED, SHORT BLADE (11MM TIP)	33 CM	AS-52255-166A	AS-52255-166B
	36 CM	AS-52236-166A	AS-52236-166B
	45 CM	AS-52155-166A	AS-52155-166B
	24 CM	AS-52224-166A	AS-52224-166B
5MM Ø, PERITONEAL SCISSORS, SINGLE-ACTION	33 CM	AS-52255-67A	AS-52255-67B
	36 CM	AS-52236-67A	AS-52236-67B
	45 CM	AS-52155-67A	AS-52155-67B
	24 CM	AS-52224-67A	AS-52224-67B
5MM Ø, HOOK SCISSORS, TS, EXTRA HARD STEEL	33 CM	AS-52255-76A	AS-52255-76B
	36 CM	AS-52236-76A	AS-52236-76B
	45 CM	AS-52155-76A	AS-52155-76B
	24 CM	AS-52224-76A	AS-52224-76B

5mm Ø DISSECTORS & GRASPERS



	Length	Style A:	Style B:
10MM, STRONG GRASPER/ DISSECTOR	33 CM	AS- 52102-02A	AS-52102-02B
	36 CM	AS- 52103-02A	AS-52103-02B
	45 CM	AS- 52101-02A	AS-52101-02B
10MM, MARYLAND GRASPER/ DISSECTOR	33 CM	AS- 52102-06A	AS-52102-06B
	36 CM	AS- 52103-06A	AS-52103-06B
	45 CM	AS- 52101-06A	AS-52101-06B
10MM, MIXTER GRASPER/ DISSECTOR, RIGHT ANGLE	33 CM	AS- 52102-07A	AS-52102-07B
	36 CM	AS- 52103-07A	AS-52103-07B
	45 CM	AS- 52101-07A	AS-52101-07B
10MM, MIXTER GRASPER/ DISSECTOR, SHORT RIGHT ANGLE	33 CM	AS- 52102-59A	AS-52102-59B
	36 CM	AS- 52103-59A	AS-52103-59B
	45 CM	AS- 52101-59A	AS-52101-59B
10MM, MIXTER GRASPER/ DISSECTOR, 45⁰ ANGLE	33 CM	AS- 52102-08A	AS-52102-08B
	36 CM	AS- 52103-08A	AS-52103-08B
	45 CM	AS- 52101-08A	AS-52101-08B
10MM, BABCOCK GRASPER, FENESTRATED TIP	33 CM	AS- 52102-16A	AS-52102-16B
	36 CM	AS- 52103-16A	AS-52103-16B
	45 CM	AS- 52101-16A	AS-52101-16B
US BABCOCK GRASPER, SPRING TENSION, ATRAUMATIC	33 CM	AS- 52102-17A	AS-52102-17B
	36 CM	AS- 52103-17A	AS-52103-17B
	45 CM	AS- 52101-17A	AS-52101-17B
10MM, ALLIS GRASPER, FINE AXIAL SERRATIONS	33 CM	AS- 52102-21A	AS-52102-21B
	36 CM	AS- 52103-21A	AS-52103-21B
	45 CM	AS- 52101-21A	AS-52101-21B
10MM, DEBAKEY GRASPER, 40 MM JAW	33 CM	AS- 52102-22A	AS-52102-22B
	36 CM	AS- 52103-22A	AS-52103-22B
	45 CM	AS- 52101-22A	AS-52101-22B
10MM, DEBAKEY GRASPER, 60 MM JAW	33 CM	AS- 52102-23A	AS-52102-23B
	36 CM	AS- 52103-23A	AS-52103-23B
	45 CM	AS- 52101-23A	AS-52101-23B

10mm FORCEPS, BIOPSYS,TENACULUMS



	Length	Style A:	Style B:
10MM, KOCHER GRASPER, 40MM JAW, AXIAL SERRATIONS	33 CM	AS- 52102-24A	AS-52102-24B
	36 CM	AS- 52103-24A	AS-52103-24B
	45 CM	AS- 52101-24A	AS-52101-24B
10MM, KOCHER GRASPER, 60MM JAW, AXIAL SERRATIONS	33 CM	AS- 52102-25A	AS-52102-25B
	36 CM	AS- 52103-25A	AS-52103-25B
	45 CM	AS- 52101-25A	AS-52101-25B
10MM, DUVAL GRASPER, 40 MM JAW, AXIAL SERRATIONS	33 CM	AS- 52102-26A	AS-52102-26B
	36 CM	AS- 52103-26A	AS-52103-26B
	45 CM	AS- 52101-26A	AS-52101-26B
10MM, CLAW FORCEPS, 2 X 3 TEETH	33 CM	AS- 52102-36A	AS-52102-36B
	36 CM	AS- 52103-36A	AS-52103-36B
	45 CM	AS- 52101-36A	AS-52101-36B
10MM, SPOON FORCEPS, STANDARD TIP	33 CM	AS- 52102-37A	AS-52102-37B
	36 CM	AS- 52103-37A	AS-52103-37B
	45 CM	AS- 52101-37A	AS-52101-37B
10MM, SPOON FORCEPS, LONG TIP	33 CM	AS- 52102-38A	AS-52102-38B
	36 CM	AS- 52103-38A	AS-52103-38B
	45 CM	AS- 52101-38A	AS-52101-38B
10MM, SCHROEDER TENACULUM FORCEPS, SINGLE TOOTH	33 CM	AS- 52102-45A	AS-52102-45B
	36 CM	AS- 52103-45A	AS-52103-45B
	45 CM	AS- 52101-45A	AS-52101-45B
10MM, SCHROEDER TENACULUM FORCEPS "WISAP STYLE," SINGLE TOOTH W/ EXTRA GUIDE TOOTH	33 CM	AS- 52102-94A	AS-52102-94B
	36 CM	AS- 52103-94A	AS-52103-94B
	45 CM	AS- 52101-94A	AS-52101-94B
10MM, STRONG ATRAUMATIC CLAMP, 40MM STRAIGHT JAW	33 CM	AS-52102-46A	AS-52102-46B
	36 CM	AS-52103-46A	AS-52103-46B
	45 CM	AS-52101-46A	AS-52101-46B
10MM, STRONG ATRAUMATIC CLAMP, 40MM CURVED JAW	33 CM	AS- 52102-47A	AS-52102-47B
	36 CM	AS- 52136-47A	AS-52136-47B
	45 CM	AS- 52101-47A	AS-52101-47B
10MM, STRAIGHT SCISSORS, SINGLE ACTION	33 CM	AS- 52102-64A	AS-52102-64B
	36 CM	AS- 52136-64A	AS- 52136-64B
	45 CM	AS- 52101-64A	AS-52101-64B
10MM, CURVED SCISSORS, DOUBLE ACTION	33 CM	AS- 52102-67A	AS-52102-67B
	36 CM	AS- 52136-67A	AS-52136-67B
	45 CM	AS- 52101-67A	AS-52101-67B

STEL TEC LAPAROSCOPIC



TYPE 1:
INSULATED WITH RF-POST



TYPE 2:
INSULATED W/ RF-POST & RATCHET



TYPE 3:
NON-INSULATED STAINLESS STEEL



TYPE 4:
NON-INSULATED STAINLESS STEEL W/ RATCHET



TYPE 5:
LIGHTWEIGHT CARBON-FIBER W/ RF POST



TYPE 6:
LIGHTWEIGHT CARBON-FIBER w/ RF-POST & RATCHET



TYPE 7:
LIGHTWEIGHT CARBON-FIBER W/ RF POST, RATCHET / RATCHET DEFEATING



TYPE 8:
LIGHTWEIGHT CARBON -FIBER W/ RF POST, FRENCH ON/OFF RATCHET



TYPE 9:
LIGHTWEIGHT CARBON-FIBER W/ RF POST, W/ LARGE FINGER LOOPS



TYPE 10:
LIGHTWEIGHT CARBON-FIBER W/ RF POST, RATCHET / RATCHET DEFEATING W/ LARGE FINGER LOOPS



TYPE 11:
STAINLESS STEEL RING AXIAL HANDLE



TYPE 12:
STAINLESS STEEL RING AXIAL HANDLE w/ RATCHET



TYPE 13:
STAINLESS STEEL AXIAL HANDLE w/ PRECISE ENGAGEMENT RATCHET



TYPE 14:
INSULATED STAINLESS STEEL LINVATEC-WECK STYLE W/ LONG SHANKS



TYPE 15:
NON-INSULATED STAINLESS STEEL LINVATEC-WECK STYLE W/ QUICK RELEASE RATCHET & LONG SHANKS



TYPE 16:
NON-INSULATED STAINLESS STEEL W/ SPRING ASSIST CLOSING



TYPE 18:
CARBON-FIBER W/ RF POST



TYPE 18:
CARBON-FIBER W/ RF POST, RATCHET / RATCHET DEFEATING

ASM SURGICAL

MICRO SURGERY



info@asmsurgical.com

www.asmsurgical.com

MICRO SURGERY



AS-**02-3001 - 02- 3003**
VANNAS
Size: 85 mm



AS-**02-3004 - 02-3005**
CASTROVIEJO
Size: 95 mm





AS-**02-3006**
NOYES
Size: 125 mm



AS-**02-3007 - 02- 3008**
WECKER
Eye Scissor
Size: 110 mm



AS-**02-3009**
CASTROVIEJO
Eye Scissor
Size: 115 mm



AS-**02-3010 - 02-3011**
CASTROVIEJO
Eye Scissor
Size: 110 mm

MICRO SURGERY



AS-**02-3012**
BIEMER
Vein Scissor
Size: 130 mm

AS-**02-3013 - 02-3014**
Size: 120 mm

AS-**02-3015 - 02-3016**
Size: 160 mm

AS-**023017 - 02-3018**
VANNAS
Size: 160 mm



AS-**02-3019**
CASPAR
Micro Scissor Curved



AS-**02-3020 - 02-3022**
Micro Dissecting Scissor
Size: 145 mm

MICRO SURGERY



AS-**02-3023**
YASARGIL
Size: 245 mm



AS-**02-3024 - 02-3025**
Laterally Angled
Size: 200 mm



AS-**02-3024**
45°
Nagel

AS-**02-3025**
45°



AS-**02-3026**
Laterally Angled
Size: 190 mm



AS-**02-3027**

AS-**02-3028**

AS-**02-3027 - 02-3028**
YASARGIL
Size: 225 mm

MICRO SURGERY



AS-**02-3029-02-3030**
Size: 120 mm



AS-**02-3029**

AS-**02-3030**



AS-**02-3031 - 02-3034**
STEVENS
Dissecting Scissors
Size: 115 mm

AS-**02-3031**
Sharp



AS-**02-3032**
Sharp



AS-**02-3033**
Blunt



AS-**02-3034**
Blunt



AS-**02-3035 - 02-3036**
METZENBAUM
Dissecting Scissors
Size: 145 mm

AS-**02-3035**



AS-**02-3036**



AS-**02-3037 - 02-3039**
Special flat points for
dissecting and
undermining the skin



AS-**02-3037**
RAGNELL
Size: 135 mm



AS-**02-3038**
RAGNELL
Size: 135 mm



AS-**02-3039**
Size: 150 mm

MICRO SURGERY



AS-**02-3040 - 02-3041**
Size: 90 mm



AS-**02-3042 - 02-3043**
Size: 95 mm



AS-**02-3044 - 02-3045**
Size: 105 mm



AS-**02-3046 - 02-3047**
Size: 120 mm



AS-**02-3048 - 02-3049**
Size: 115 mm

MICRO SURGERY



AS-**02-3050 - 02-3052**
Size: 120 mm



AS-**02-3050**



AS-**02-3051**



AS-**02-3052**



AS-**02-3053 - 02-3056**
Size: 130 mm



AS-**02-3053**



AS-**02-3054**



AS-**02-3055**



AS-**02-3056**

MICRO SURGERY



AS-**02-3057**

AS-**02-3058**

AS-**02-3057 - 02-3058**
JOSEPH
Size: 150 mm



AS-**02-3059**

AS-**02-3060**

AS-**02-3059 - 02-3060**
KELLY
Size: 175 mm



AS-**02-3061**
QUINBY
Size: 130 mm



AS-**02-3062**
Size: 110 mm

MICRO SURGERY



AS-**02-3063 - 02-3071** (Standard Types)
AS-**02-3063** (105 mm)
AS-**02-3064** (115 mm)
AS-**02-3065** (130 mm)
AS-**02-3066** (145 mm)
AS-**02-3067** (150 mm)
AS-**02-3068** (165 mm)
AS-**02-3069** (175 mm)
AS-**02-3070** (185 mm)
AS-**02-3071** (200 mm)



AS-**02-3063**
Size: 105 mm



AS-**02-3071**
Size: 200 mm



AS-**02-3072 - 02-3078** (Standard Types)
AS-**02-3072**(115 mm)
AS-**02-3073** (130 mm)
AS-**02-3074** (145 mm)
AS-**02-3075** (150 mm)
AS-**02-3076** (165 mm)
AS-**02-3077** (175 mm)
AS-**02-3078**(185 mm)



AS-**02-3072**
Size: 115 mm



AS-**02-3078**
Size: 185 mm



AS-**02-3079 - 02-3082**
Slender Types



AS-**02-3079** 130 mm
02-3080 145 mm



AS-**02-3081** 130 mm
02-3082 145 mm



AS-**02-3083 - 02-3084**
For Wound Edges
1 Blade Serrated



AS-**02-3083**
130 mm



AS-**02-3084**
130 mm

MICRO SURGERY





AS-**02-3085** **Size:** 130 mm

AS-**02-3089** Size: 175 mm

AS-**02-3085 - 02-3089** (Standard Types)
AS-**02-3085** (130 mm)
AS-**02-3086** (145 mm)
AS-**02-3087** (150 mm)
AS-**02-3088** (165 mm)
AS-**02-3089**(175 mm)





AS-**02-3090** Size: 115 mm

AS-**02-3095** Size: 175 mm

AS-**02-3090 - 02-3095** - COOPER
Standard Types
AS-**02-3090** (115 mm)
AS-**02-3091** (130 mm)
AS-**02-3092** (145 mm)
AS-**02-3093** (150 mm)
AS-**02-3094** (165 mm)
AS-**02-3095** (175 mm)





AS-**02-3096** Size: 115 mm

AS-**02-3100** Size: 165 mm



AS-**02-3100A** Size: 115 mm

AS-**02-3102A** Size: 165 mm

AS-**02-3096 - 02-3102A**
Standard Types
AS-**02-3096** (115 mm)
AS-**02-3097** (130 mm)
AS-**02-3098** (145 mm)
AS-**02-3099** (150 mm)
AS-**02-3100** (165 mm)
02-3100A (115 mm)
02-3101 (130 mm)
02-3101A (145 mm)
02-3102 (150 mm)
02-3102A (165 mm)



AS-**02-3103 - 02-3106**
DEAVER
With flat lock



AS-**02-3103**
Size: 145 mm



AS-**02-3104**
Size: 145 mm



AS-**02-3105**
Size: 145 mm

AS-**02-3106**
Size: 145 mm



AS-**02-3107 - 02-3109**
Incision Scissors



AS-**02-3107**
Size: 130 mm



AS-**02-3108**
Size: 145 mm

AS-**02-3109**
Size: 165 mm



AS-**02-3110**
SYSTRUNK
Nail Splitting Scissors



AS-**02-3110**
Size: 130 mm

MICRO SURGERY



AS-**02-3120 - 02-3121**
KILNER
Special flat points for dissecting and undermining the skin

AS-**02-3120**
Size: 125 mm

AS-**02-3121**
Size: 150 mm

AS-**02-3122**
KILNER
Fine dissecting scissors
Size: 115 mm

AS-**02-3123**
JAMESON
Dissecting scissors
Size: 150 mm

AS-**02-3124**
REYNOLDS
Dissecting scissors



AS-**02-3125**
DE BAKEY
Ateriotomy scissors
Size: 175 mm

AS-**02-3126 - 02-3127**
TOENNIS - ADSON
Dissecting scissors
Size: 175 mm

AS-**02-3126**
Very delicate

AS-**02-3127**
Delicate

AS-**02-3128 - 02-3130**
TOENNIS
Dissecting scissors
Size: 180 mm

AS-**02-3128**
Very delicate

AS-**02-3129**
Delicate

AS-**02-3130**
Delicate

MICRO SURGERY



AS-**02-3157**
Size: 150 mm



AS-**02-3158**
Size: 150 mm

AS-**02-3157 - 02-3158**
STILLE



AS-**02-3159**
Size: 165 mm



AS-**02-3160**
Size: 165 mm

AS-**02-3159 - 02-3160**
LEXER
Narrow



Size: 165 mm

AS-**02-3161**
MAYO-LEXER
Standard



AS-**02-3163**

AS-**02-3162**

AS-**02-3162 - 02-3163**
MAYO
02-3162 (165 mm)
02-3163 (200 mm)



MAYO
AS-**02-3164**
Size: 165 mm

AS-**02-3165**
Size: 200 mm
AS-**02-3166**
Size: 210 mm

MICRO SURGERY



AS-**02-3167**
Size: 145 mm

AS-**02-3168**
Size: 145 mm

AS-**02-3167 - 02-3168**
BABY - METZENBAUM



AS-**02-3169- 02-3174**
METZENBAUM

AS-**02-3169** 145 mm
AS-**02-3170** 180 mm
AS-**02-3171** 200 mm
AS-**02-3172** 145 mm
AS-**02-3173** 180 mm
AS-**02-3174** 200 mm



AS-**02-3175**

AS-**02-3179**

AS-**02-3175 - 02-3182**
NELSON
METZENBAUM

AS-**02-3175** 230 mm
AS-**02-3176** 250 mm
AS-**02-3177** 280 mm
AS-**02-3178** 305 mm

AS-**02-3179** 230 mm
AS-**02-3180** 250 mm
AS-**02-3181** 280 mm
AS-**02-3182** 305 mm

MICRO SURGERY



AS-**02-3183** 45°
AS-**02-3184** 60°

AS-**02-3183 - 02-3184**
DE BAKEY
Size: 155 mm



AS-**02-3185** 90°
AS-**02-3186** 120°

AS-**02-3185 - 02-3186**
DIETHRICH
Size: 170 mm



AS-**02-3187**
POTTS-SMITH
Size: 180 mm
55° Angled on Flat



AS-**02-3188**
60°

AS-**02-3188**
POTTS-SMITH
Size: 180 mm



AS-**02-3189**
45° Offset Scissors
S-Shaped

AS-**02-3189**
DEBAKEY
Size: 155 mm



AS-**02-3190**
55°

AS-**02-3190**
FAVOLORO
Coronary Artery
Scissors
Size: 140 mm

MICRO SURGERY



AS-**02-3191**
OLIVECRONA
Dura Scissors



AS-**02-3192**
STRULLY
Pointed
Size: 220 mm



AS-**02-3193**
STRULLY
Probe Pointed
Size: 220 mm



AS-**02-3194**
THOREK
Size: 180 mm



AS-
02-3195
POTTS-SMITH
Size: 190 mm



AS-
02-3196
SATINSKY
Size: 245 mm

MICRO SURGERY



AS-**02-3197**
1 Finely Toothed Blade
Size: 130 mm

AS-**02-3198**
LOCKLIN
Curved Sideways,
1 Toothed Blade
Size: 155 mm

AS-**02-3199**
FOMON
Blades Serrated
Size: 145 mm

AS-**02-3200**
COTTLE
Size: 165 mm



AS-**02-3201**
HEYMANN-KNIGHT
Size: 175 mm

AS-**02-3202**
DEAN
Blades Serrated
Size: 170 mm

AS-**02-3203**
GOOD
Size: 195 mm



AS-**02-3204**
KILLIAN
Size: 200 mm



AS-**02-3205 - 02-3206**



AS-**02-3205**
195 mm



AS-**02-3206**
225 mm

MICRO SURGERY



AS-**02-3207 - 02-3210**
SIMS

AS-**02-3211 - 02-3214**
SIMS



AS-**02-3215**
SIMS

AS-**02-3216**
SIMS

AS-**02-3217 - 02-3219**
WERTHEIM



AS-**02-3220**
SIEBOLD
Uterine Scissors
Size: 245 mm

AS-**02-3221**
BOZEMANN
Uterine Scissors
Size: 220 mm

AS-**02-3222**
SIMS-SIEBOLD
Uterine Scissors
Size: 250 mm

MICRO SURGERY



AS-**02-3223**
SCHUMACHER
Umbilical Cord Scissors
Size: 155 mm



AS-**02-3224**
Umbilical Cord Scissors
Size: 105 mm



AS-**02-3225**
Umbilical Cord Scissors
135 mm



AS-**02-3226 - 02-3227**
BRAUN-STADLER
Episiotomy Scissors



AS-**02-3226**
145 mm



AS-**02-3227**
200 mm



AS-**02-3228**
Episiotomy Scissors
240 mm

MICRO SURGERY



AS-**02-3233** AS-**02-3234**
90 mm 115 mm

AS-**02-3233 - 02-3234**
SPENCER



AS-**02-3235**
LITTAUER
Size: 135 mm



AS-**02-3236**
EISELSBERG
Size: 115 mm



AS-**02-3237**
SCHOEMAKER-LOTH
Size: 125 mm

MICRO SURGERY



AS-**02-3238** AS-**02-3239** AS-**02-3240**
Broad Blades

AS-**02-3241**
1 Blade Serrated

AS-**02-3242**
NAUJOKS
Strongly Curved

AS-**02-3238 - 02-3242**
BEEBE
Size: 110 mm



AS-**02-3243**
1 Blade Serrated
Size: 120 mm

AS-**02-3244**
STRACK
Size: 100 mm

AS-**02-3245**
HARVEY
blades serrated
Size: 125 mm

MICRO SURGERY



AS-**02-3261**
UNIVERSAL BANDAGE & CLOTH SCISSORS,
WITH TOOTHED EDGES, AUTO CLEAVABLE up to 143 °c
180 mm



AS-**02-3262**
LISTER BANDAGE & CLOTH
SCISSORS, WITH TOOTHED EDGES,
AUTO CLEAVABLE up to 143 °c
Size: 145 mm



AS-**02-3263**
NURSE'S SCISSORS
Size: 145 mm
AUTO CLEAVABLE up to 143 °c



AS-**02-3264 - 02-3267**
LISTER



AS-**02-3268 - 02-3269**
LISTER

MICRO SURGERY



AS-**02-3270**
CLOTH SCISSORS
205 mm



AS-**02-3271**
BRAUN-STADLER
Bandage scissors
225 mm



AS-**02-3272**
SEUTIN
Plaster scissors
230 mm



AS-**02-3273** 200 mm
AS-**02-3274** 230 mm
AS-**02-3273 - 02-3274**
ESMARCH (Plaster scissors)



AS-**02-3275**
BRUNS
Plaster scissors
235 mm



AS-**02-3276**
BANDAGE SCISSORS
235 mm

MICRO SURGERY



AS-**02-3326**
THORPE
Corneal forceps
120 mm

AS-**02-3327**
MICRO-ADSON
120 mm

AS-**02-3328**
ADSON
120 mm

AS-**02-3329**
MICRO- ADSON
150 mm

AS-**02-3330** AS-**02-3331** AS-**02-3332**

AS-**02-3330 - 02-3332**
100 mm



AS-**02-3333**
BONACCOLTO
110 mm

AS-**02-3334**
115 mm

AS-**02-3335** 90 mm
AS-**02-3336** 105 mm
AS-**02-3337** 115 mm
AS-**02-3338** 130 mm
AS-**02-3339** 145 mm
AS-**02-3340** 90 mm
AS-**02-3341** 105 mm
AS-**02-3342** 115 mm
AS-**02-3343** 130 mm
AS-**02-3344** 145 mm

AS-**02-3335 - 02-3344**



AS-**02-3345**
100 mm

AS-**02-3346**
100 mm

AS-**02-3347**
100 mm

AS-**02-3348**
KUHNE
Cover glass forceps
105 mm

AS-**02-3349**
160 mm

MICRO SURGERY



AS-**02-3350 - 02-3351**
SEMKEN

AS-**02-3352**

AS-**02-3353**
MC INDOE

AS-**02-3354 - 02-3356**
GERALD



AS-**02-3357 - 02-3360**
CUSHING

AS-**02-3361 - 02-3362**
BROPHY

AS-**02-3363 - 02-3364**
SMOOTH JAWS

AS-**02-3365**

MICRO SURGERY



AS-**02-3366 - 03-3373**
STANDARD



AS-**02-3374 - 02-3378**
MEDIUM



AS-**02-3379 - 02-3380**
MEDIUM

MICRO SURGERY



AS-02-3394 - 02-3395
DE BAKEY



AS-02-3396 - 02-3399
DE BAKEY



AS-02-3400 - 02-3403
DE BAKEY



AS-02-3404 - 03-3406
DE BAKEY



AS-02-3407
DE BAKEY



AS-02-3408
DE BAKEY

MICRO SURGERY



AS-**02-3421**
BISHOP-HARMON
85 mm

AS-**02-3422**
ST.MARTIN
80 mm

AS-**02-3423**
CASTROVIEJO
teeth 0.9 mm
100 mm

AS-**02-3424**
CASTROVIEJO
teeth 0.5 mm
100 mm

AS-**02-3425**
ELSCHING
110 mm



AS-**02-3426**
GILL
75 mm

AS-**02-3427**
GILL - HESS
75 mm

AS-**02-3428**
HESS
70 mm

AS-**02-3429**
ARRUGA
100 mm

AS-**02-3430**

AS-**02-3431**

AS-**02-3432**

AS-**02-3430 - 02-3432**
SEMKEN



AS-
02-3433
MICRO-ADSON
120 mm

AS-
02-3434
ADSON
120 mm

AS-
02-3435
ADSON
120 mm

AS-
02-3436
ADSON
120 mm

AS-
02-3437
ADSON
120 mm

MICRO SURGERY



AS-**02-3438**
ADSON - BROWN
Non-traumatic
120 mm



AS-**02-3439**
BROWN
150 mm



AS-**02-3440**
GRAEFE
110 mm



AS-**02-3441**
GRAEFE
With Catch
110 mm



AS-**02-3442 - 02-3450**
STANDARD



AS-**02-3451 - 02-3455**
Medium

MICRO SURGERY



AS-**02-3496**
BRYANT
130 mm



AS-**02-3497 - 02-3499**
LISTER
Sinus Forceps



AS-**02-3500**
Without Ratchet
145 mm



AS-**02-3501**
With Ratchet
145 mm



AS-**02-3502 - 02-3503**
GROSS
Without Ratchet
180 mm

AS-**02-3504 - 02-3505**
GROSS
With Ratchet
180 mm

AS-**02-3506**
DUPLAY
190 mm



AS-**02-3507 - 02-3508**
GROSS
Without Ratchet
200 mm

AS-**02-3509 - 02-3510**
GROSS
With Ratchet
200 mm

MICRO SURGERY



AS-**02-3511 - 03-3512**
ALM
220 mm

AS-**02-3513 - 02-3514**
MAIER
Without Ratchet
265 mm

AS-**02-3515 - 02-3516**
MAIER
With Ratchet
265 mm

MICRO SURGERY



AS-**02-3522** AS-**02-3523**

AS-**02-3522 - 02-3523**
FOERSTER-BALLENGER
180 mm



AS-**02-3524**
180 mm

AS-**02-3525**
250 mm

AS- **02-3524 - 02-3525**
RAMPLEY



AS-**02-3526**
Smooth Jaws

AS-**02-3527** AS-**02-3528**
Smooth Jaws Serrated Jaws

AS-**02-3529**
Serrated Jaws

AS-**02-3530**
PENNINGTON
155 mm

AS-**02-3526 - 02-3529**
FOERSTER-BALLENGER
240 mm

MICRO SURGERY



AS-**02-3539**

AS-**02-3540**

AS-**02-3539 - 02-3540**
HERZ
155 mm



AS-**02-3541**

AS-**02-3541**
JACKSON
4 x 5 teeth
150 mm



AS-**02-3542**
Tendon interlacing
forceps
150 mm



AS-**02-3543**
Tendon interlacing
forceps
150 mm



AS-**02-3544**
Tendon seizing
forceps
120 mm



AS-**02-3545**
JAGER
Tendon-and cross ligament
passing forceps
flexible shaft
275 mm

MICRO SURGERY



AS-**02-3546**
CHAPUT
2 x 3 teeth sharp
125 mm



AS-**02-3547**
BABY-ALLIS
4 x 5 teeth
130 mm



AS-**02-3548**
BOYS-ALLIS
5 x 6 teeth sharp
155 mm



AS-**02-3549**
ALLIS
5 x 6 teeth blunt
155 mm



AS-**02-3550**
LAHEY
155 mm



AS-**02-3551**
LAHEY
155 mm



AS-**02-3552**
BRAUN
155 mm



AS-**02-3553**
MUSEUX
200 mm

MICRO SURGERY



AS-**02-3558**
JONES
85 mm

AS-**02-3559**
ENGL.MOD.
85 mm

AS-**02-3560 - 02-3561**
SCHAEDEL
85 mm

AS-**02-3562**
DOYEN
110 mm

AS-**02-3563**
DOYEN
180 mm



AS-**02-3564**
130 mm

AS-**02-3565**
155 mm

AS-**02-3566**
195 mm

AS-**02-3567**
80 mm

AS-**02-3568**
105 mm

AS-**02-3569**
90 mm

AS-**02-3570**
110 mm

AS-**02-3571**
135 mm

AS-**02-3564 - 02-3566**
LANE

AS-**02-3567 - 02-3568**
BACKHAUS

AS-**02-3569 - 02-3571**
BACKHAUS

AS-**02-3572**
BACKHAUS-KOCHER
135 mm

AS-**02-3573**
ROEDER
160 mm

MICRO SURGERY



AS-**02-3574**
ROBIN
with holders for tubing
up to 13 mm
135 mm



AS-**02-3575**
with clip for tubing
up to 15 mm
110 mm



AS-**02-3576**
LORNA
non perforating
130 mm



AS-**02-3577**
for paper cloths
140 mm



AS-**02-3578**
BUNT
105 mm



AS-**02-3579**
MAYO
140 mm

Closing force



AS-**02-3580**
Straight
50g



AS-**02-3581**
80g



AS-**02-3582**
Curved
50g



AS-**02-3583**
80g



AS-**02-3584**
Curved tips
50g



AS-**02-3585**
80g



AS-**02-3586**
Angled
Shaped
50g



AS-**02-3587**
80g



AS-**02-3588**
Muller
Knee-bent
50g



AS-**02-3589**
80g



AS-**02-3590**
Muller
Ligature Forceps



Jaw, cross serrated
Jaws profiles finally cross-serrated.

Non-traumatic vessel clips, temporary.



AS-**02-3591**
38 mm
48 mm



AS-**02-3592**
38 mm
48 mm



AS-**02-3593**
58 mm



AS-**02-3594**
58 mm



02-3595 38 mm
02-3596 48 mm
02-3597 56 mm
02-3598 63 mm
02-3599 70 mm
02-3600 80 mm
02-3601 91 mm

AS-**02-3595 - 02-3601**



AS-**02-3602**
DE BAKEY-HESS
Length of Jaws 20 mm

MICRO SURGERY



AS-**02-3603**
35 mm



AS-**02-3604**
35 mm



AS-**02-3605**
45 mm



AS-**02-3606**
45 mm



AS-**02-3607**
Length
50 mm
Jaws
27 mm



AS-**02-3608**
Length
48 mm
Jaws
27 mm



AS-**02-3609**
GLOVER
Length
57 mm
Jaws 35 mm



AS-**02-3610**
DE BAKEY
Length 73 mm
Jaws 38 mm



AS-**02-3611**
DE BAKEY
Length 99 mm
Jaws 63 mm



AS-**02-3612**
DE BAKEY
Length 95 mm
Jaws 54 mm



DE BAKEY

	Total length	Length of jaw
AS-**02-3613**	80mm	25mm
AS-**02-3614**	90mm	35mm
AS-**02-3615**	105mm	50mm
AS-**02-3616**	124mm	68mm



DE BAKEY

	Total length	Length of jaw
AS-**02-3617**	78mm	25mm
AS-**02-3618**	86mm	35mm
AS-**02-3619**	97mm	50mm
AS-**02-3620**	114mm	68mm



GLOVER

	Total length	Length of jaw
AS-**02-3621**	68mm	33mm
AS-**02-3622**	96mm	50mm
AS-**02-3623**	117mm	69mm



GLOVER

	Total length	Length of jaw
AS-**02-3624**	65mm	33mm
AS-**02-3625**	91mm	50mm
AS-**02-3626**	110mm	69mm

MICRO SURGERY



AS-**02-3646 - 02-3649**
BABY-CRILE
140 mm

AS-**02-3650 - 02-3653**
CRILE
140 mm

AS-**02-3654 - 02-3655**
RANKIN
160 mm



AS-**02-3656 - 02-3659**
CRILE
160 mm

AS-**02-3660 - 02-3661**
ADSON
185 mm

AS-**02-3662 - 02-3665**
HALSTED
185 mm

MICRO SURGERY



AS-02-3690 - 02-3693
PEAN
Slender type

AS-02-3694 - 02-3702
SPENCER-WELLS



AS-02-3703 - 02-3712
ROCHESTER-PEAN

MICRO SURGERY



AS-**02-3737 - 02-3740**
ROCHESTER-CARMALT



AS-**02-3741 - 02-3742**
MOYNIHAN



AS-
02-3743 - 02-3745
PEAN



AS-**02-3746 - 02-3747**
NEGUS
190 mm



AS-**02-3748**
MIKULICZ
185 mm

MICRO SURGERY



AS-**02-3749**
MICRO-ADSON
140 mm



AS-**02-3750**
BABY-OVERHOLT
135 mm



AS-**02-3751 - 02-3752**
BABY-MIXTER



AS-**02-3753 - 02-3754**
BABY-ADSON



AS-**02-3755**
NISSEN



AS-**02-3756 - 02-3757**
YASARGIL
195 mm



AS-**02-3758**
OVERHOLT-MIXTER

MICRO SURGERY



AS-02-3791
180 mm

AS-02-3791
LOWER



AS-02-3792 02-3793
190 mm 220 mm

AS-02-3792 - 02-3793
LAHEY (SWEET)



AS-02-3794
220 mm

AS-02-3795
250 mm

AS-02-3794 - 02-3795
MIXTER



AS-02-3796
220 mm

AS-02-3796
DESJARDINS



AS-02-3797
220 mm

AS-02-3798
220 mm

AS-02-3797 - 02-3798
GRAY

MICRO SURGERY



AS-**02-3799**
BABY-MIKULICZ
140 mm



AS-**02-3800**
MIKULICZ
185 mm



AS-**02-3801**
MIKULICZ
205 mm



AS-**02-3802**
MIKULICZ
200 mm



AS-**02-3803**
MIKULICZ
205 mm



AS-**02-3804**
MIKULICZ
185 mm



AS-**02-3805**

AS-**02-3806**

AS-**02-3805 - 02-3806**
FAURE
205 mm

MICRO SURGERY



AS-**02-3807**
210 mm

AS-**02-3808**
205 mm

AS-**02-3807 - 02-3808**
PHANEUF



AS-**02-3809**
205 mm

AS-**02-3810**
245 mm

AS-**02-3809 - 02-3810**
HEANEY modif.



AS-**02-3811**
195 mm

AS-**02-3811**
HEANEY



AS-**02-3812**
235 mm

AS-**02-3812**
WERTHEIM



AS-**02-3813**
235 mm

AS-**02-3813**
WERTHEIM



AS-**02-3814**
245 mm

AS-**02-3814**
WERTHEIM

ASM SURGICAL

GENERAL & MEDICAL DIAGNOSTICS



info@asmsurgical.com www.asmsurgical.com



Fig. 0
AS-02-102-00
55 mm



Fig. 1
AS-02-102-01
75 mm



Fig. 2
AS- 02-102-02
90 mm



Fig. 3
AS-02-102-03
110 mm



Fig. 4
AS-02-102-04
135 mm

McIntosh



AS-02-100-00 (02-102-02 + 02-102-03 + 02-102-04 + 02-138-00)
AS-02-100-01 (02-102-01 + 02-102-02 + 02-102-03 + 02-102-04 + 02-138-00)



Fig. 0
AS-02-112-00
55 mm
1/2



Fig. 1
AS-02-112-01
80 mm
1/2



Fig. 2
AS-02-112-02
130 mm
1/2



Fig. 3
AS-02-112-03
170 mm
1/2



Fig. 4
AS-02-112-04
180 mm
1/2

Miller



1/3

AS-02-110-00 (02-112-02 + 02-112-03 + 02-112-04 + 02-138-00)
AS-02-110-01 (02-112-01 + 02-112-02 + 02-112-03 + 02-112-04 + 02-138-00)



Fig. 1
AS-02-122-01
70 mm
1/2



Fig. 2
AS-02-122-02
90 mm
1/2



Fig. 3
AS-02-122-03
110 mm
1/2



Fig. 4
AS-02-122-04
135 mm
1/2

Guedel-Negus



1/3

AS-02-120-00 (02-122-02 + 02-122-03 + 02-122-04 + 02-138-00)
AS-02-120-01 (02-122-01 + 02-122-02 + 02-122-03 + 02-122-04 + 02-138-00)



Fig. 1
AS-02-132-01
70 mm
1/2



Fig. 2
AS-02-132-02
90 mm
1/2



Fig. 3
AS-02-132-03
110 mm
1/2



Fig. 4
AS-02-132-04
135 mm
1/2

Foregger (Wisconsin)



1/3

1/1

Spare Bulb
02-135-01



1/2

Battery Handle
02-138-00

AS-02-130-00 (02-132-02 + 02-132-03 + 02-132-04 + 02-138-00)
AS-02-130-01 (02-132-01 + 02-132-02 + 02-132-03 + 02-132-04 + 02-138-00)



Schimmelbusch
AS-02-140-00



Schimmelbusch
AS-02-140-01



Magill
AS-02-150-15 - 02-150-25



AS-02-150-15
15 cm
Infant

AS-02-150-20
20 cm
Child

AS-02-150-25
25 cm
Adult

ASM SURGICAL

ORTHOPEDIC



info@asmsurgical.com www.asmsurgical.com

Bone Cutting Forceps

McIndoe Bone Cutting Forcep

Lightweight, compound action, angled jaw with prismatic points



Code	Description
AS-OR/13b	165mm long
AS-OR/13c	191mm long

Liston Screw Joint Bone Cutting Forcep

With fluted handle



Code	Description
AS-OR/24	Straight
AS-OR/24a	Angled

Code	Description
AS-OR/26	Straight

Code	Description
AS-OR/25	Straight
AS-OR/25a	Angled

Code	Description
AS-OR/27	Straight

Liston Compound Action Bone Cutting Forcep

Straight, for heavy duty



Code	Description
ASOR/27a	305mm long
AS-OR/27b	300mm long
ASOR/27c	190mm long

Liston Box Joint Bone Cutting Forcep



Code	Description
AS-OR/032	140mm long
AS-OR/033	200mm long
AS-OR/027	220mm long

Code	Description
AS-OR/061	170mm long
AS-OR/062	220mm long

Screw Joint Bone Cutting Forcep

Straight



Code	Description
AS-OR/030	160mm long

Ruskin-Liston Bone Cutting Forcep

Compound action, fine



Code	Description
AS-OR/057	140mm long
AS-OR/074	145mm long
AS-OR/073	190mm long

Code	Description
AS-OR/063	190mm long

Bone Cutting Forceps and Bone Rongeurs

Ward Bone Cutting Forceps

Slightly angled on flat



Code	Description
AS-GI/459	180mm long

Horsley Compound Action



Code	Description
AS-OR/002	235mm long

Standard, stainless steel



Code	Description
AS-OR/N056	140mm long

Kleinert Kutz Bone Rongeur



Code	Description
AS-OR/009a	Curved, 140mm, width 2mm
AS-OR/009	Curved, 155mm, width 2mm
AS-OR/011	Curved, 155mm, width 3mm

Kleinert Kutz Skin Hooks



Code	Description
AS-PL/109	16cm large
AS-PL/108	16cm medium
AS-PL/107	16cm small

Bone Rongeurs

Bone Rongeur

Straight, with or without horn, 230mm long



Code	Description
AS-OR/005	Width 2mm
AS-OR/006	Width 3mm
AS-OR/007	Width 4mm

Leksell Compound Action Bone Rongeur

250mm long



Code	Description
AS-OR/066	3mm bite
AS-OR/069	5mm bite
ASOR/065	8mm bite

Leksell Compound Action Bone Rongeur

240mm long



Code	Description
AS-OR/008	Width 3mm

Stille Compound Action Bone Rongeur

Angled to side, 240mm long



Code	Description
AS-OR/037	11mm bite

Leksell Stille Compound Action Bone Rongeur

240mm long



Code	Description
AS-OR/065a	8mm bite

Luer Stille Compound Action Bone Rongeur



Code	Description
ASOR/071	10mm bite, 220mm long
AS-OR/072	12mm bite, 260mm long

Code	Description
AS-OR/071a	10mm bite, 220mm long
ASOR/071b	11mm bite, 230mm long

Bone Rongeurs

Luer Compound Action Bone Rongeur

6mm bite, 190mm long



Code	Description
AS-OR/13	Straight
AS OR/13a	Curved

Luer Box Joint Bone Rongeur



Code	Description
AS-OR/031	8mm bite
AS-OR/041	10mm bite

Code	Description
AS-OR/042	8mm bite

Cushing Screw Joint Bone Rongeur

190mm long



Code	Description
AS-OR/039	4mm bite
AS-OR/058	6mm bite
AS-OR/059	8mm bite

Code	Description
AS-OR/060	4mm bite
AS-OR/067	6mm bite
ASOR/068	8mm bite

Ruskin Compound Action Bone Rongeur



Code	Description
AS-OR/034	Straight
AS-OR/035	Curved

Code	Description
AS-OR/028	Straight
AS-OR/036	Curved

Compound Action Bone Rongeur

Lightweight pattern, curved, 150mm long



Code	Description
ASOR/013d	4mm bite

Lempert Box Joint Bone Rongeur

3mm bite, 155mm long



Code	Description
AS-OR/327	Straight
AS-OR/010	Curved

Bone Holding Forceps

Lambotte Bone Holding Forceps



Code	Description
AS-OR/015	265mm long

Bone Holding Forceps

Screw joint, with holding screw



Code	Description
AS-OR/029	165mm long

Lambotte Bone Holding Forceps



Code	Description
AS-OR/016	220mm long
AS OR/017	215mm long
AS-OR/022	330mm long

Hey Groves Bone Holding Forceps

With screw locking device



Code	Description
AS-OR/29d	200mm long
AS-OR/29e	225mm long
AS-OR/29f	305mm long

Farabeuf Bone Holding Forceps



Code	Description
AS-OR/021	230mm long
AS-OR/328	250mm long

Bone Holding Forceps



Code	Description
AS-OR/13	140mm long
AS-OR/014	185mm long
AS-OR/018	215mm long

Farabeuf-Lambotte Bone Holding Forceps



Code	Description
AS-OR/30e	195mm long
AS-OR/055	250mm long
AS-OR/30f	260mm long

Fergusson Bone Holding Forceps



Code	Description
AS-OR/30	150mm long
AS-OR/30a	200mm long
AS-OR/30b	230mm long

Bone Holding Forceps



Code	Description
AS-OR/N061	180mm long

Sequestrum (Necrosis) Forcep

Straight, long fine jaws



Code	Description
AS-OR/SEQ001	191mm long
AS-OR/SEQ002	203mm long

Joint Calcaneal Spreader



Code	Description
AS-OR/CAL001	40mm opening, 1.6mm ø, 170mm long

Calcaneal Spreader



Code	Description
ASOR/CAL002	40mm opening, 15mm wide tip, 70mm long

Inge Type Lamina Spreader



Code	Description
AS-OR/CAL003	40mm opening, no teeth, 5mm wide tip, 170mm long

Inge Type Lamina Spreader



Code	Description
AS-OR/CAL004	Baby, 40mm opening, with teeth, 10mm wide tip, 160mm long
AS-OR/CAL004a	50mm opening, with teeth, 10mm wide tip, 240mm long

Harrison Bone Holding Forceps



Code	Description
ASC-OR/30d	190mm long

St Thomas Bone Holding Forceps



Code	Description
ASOR/403c	182mm long

Bone Holding Forceps

Burns Bone Holding Forceps

Box joint



Code	Description
AS-OR/29a	200mm long

Scarf Type Clamp



Code	Description
AS-OR/SCA	150mm long

Orthopaedic Grasping Forceps

Box joint



Code	Description
AS-OR/29b	125mm long
AS-OR/29c	165mm long

Lowman Bone Holding Clamp

Infant 125mm long
Child 175mm long
Adult 205mm long



Code
AS-OR/28

Reduction Forcep

With adjustable lock



Code	Description
AS-OR/RED001a	Small, 135mm long
AS-OR/RED001b	Large, 168mm long

Parker Modified Lowman Bone Holding Clamp, Single



Code	Description
AS-OR/5644	160mm long

Verbrugge Bone Holding Forceps



Code	Description
AS-OR/30c	180mm long

Parker Retractor

For use with Lowman clamp



Code	Description
AS-OR/5643	Chain 850mm long

Plaster Spreaders and Shears

Haglund Plaster Spreader

Working part curved in right



Code	Description
AS-OR/207	280mm long

Lawton Plaster Spreader

Working part curved in right



Code	Description
AS-OR/208	220mm long

Henning Plaster Spreader



Code	Description
ASOR/211	270mm long

Wolf Plaster Spreader



Code	Description
AS-OR/212	180mm long
AS-OR/329	250mm long

Stille Type Plaster Shears



Code	Description
AS-OR/210	380mm long
AS-OR/210a	330mm long
AS-OR/210b	460mm long

Plaster Cutter



Code	Description
AS-OR/40	240mm long

Bohler Plaster Shears



Code	Description
ASOR/38	240mm long

Guys Plaster Shears



Code	Description
AS-OR/39	240mm long

Engel Plaster Saw



Code	Description
AS-OR/40b	150mm long

Eccentric Plaster Shears

Without heavy serrated blade



Code	Description
AS-OR/40a	190mm long

Bone Curettes

Bone Curette

Straight, 180mm long

Code	Description
AS-OR/075	Width 2mm
AS-OR/076	Width 4mm
AS-OR/077	Width 6mm
AS-OR/078	Width 8mm

Code	Description
AS-OR/079	Width 10mm
AS-OR/080	Width 12mm
AS-OR/081	Width 14mm
AS-OR/082	Width 16mm



Bone Curette

Straight, 260mm long

Code	Description
ASOR/083	Width 2mm
AS-OR/084	Width 4mm
AS-OR/085	Width 6mm

Code	Description
AS-OR/086	Width 8mm
AS-OR/087	Width 10mm
AS-OR/088	Width 12mm



Bone Curette

Straight, 210mm long

Code	Description
AS-OR/089	Width 2mm
AS-OR/090	Width 4mm
AS-OR/091	Width 6mm
AS-OR/092	Width 8mm
AS-OR/093	Width 10mm
AS-OR/094	Width 12mm
AS-OR/095	Width 14mm
AS-OR/096	Width 16mm
AS-OR/097	Width 20mm



Busche Bone Curette

Angled, 250mm long

Code	Description
ASOR/138	Width 3mm
AS-OR/139	Width 4mm
AS-OR/140	Width 5mm



Bruns Bone Curette

225mm long

Code	Description
AS-OR/189	Width 3mm
AS-OR/190	Width 4mm
AS-OR/191	Width 5mm
AS-OR/192	Width 6mm
AS-OR/193	Width 7mm
AS-OR/194	Width 8mm

Code	Description
AS-OR/195	Width 3mm
AS-OR/196	Width 4mm
AS-OR/197	Width 5mm
AS-OR/198	Width 6mm
AS-OR/199	Width 7mm
AS-OR/200	Width 8mm



Bone Curettes

Straight, blunt
280mm long



Code	Description
AS-OR/157	Width 6mm
AS-OR/158	Width 8mm
AS-OR/159	Width 10mm
AS-OR/160	Width 12mm
AS-OR/161	Width 14mm

Shroeder Bone Curette

Straight, 310mm long



Code	Description
AS-OR/151	Width 6mm
AS-OR/152	Width 8mm
AS-OR/153	Width 10mm
AS-OR/154	Width 12mm
AS-OR/155	Width 14mm

Simon Bone Curette

Straight, 240mm long



Code	Description
AS-OR/145	Width 6mm
AS-OR/146	Width 8mm
AS-OR/147	Width 10mm
AS-OR/148	Width 12mm
AS-OR/149	Width 14mm

Spinal Curette

Oval, 205mm long



Code	Description
AS-OR/031a	Width 4mm
AS-OR/031b	Width 5mm
AS-OR/031c	Width 6mm
AS-OR/031d	Width 7mm

Code	Description
AS-OR/031e	Width 8mm
AS-OR/031f	Width 9mm
AS-OR/031g	Width 10mm
AS-OR/031h	Width 11mm

Bone Curettes

Volkmann Bone Curette

Straight, 170mm long



Code	Description
ASOR/112	Width 2mm
ASOR/113	Width 3mm
AS-OR/114	Width 4mm
AS-OR/115	Width 5mm
AS-OR/116	Width 6mm

Code	Description
ASOR/117	Width 8mm
AS-OR/118	Width 10mm
AS-OR/119	Width 12mm
AS-OR/120	Width 14mm

Volkmann Bone Curette

Straight, 230mm long



Code	Description
AS-OR/SH.5687	Bowl width 10mm, bowl length 14.5mm

Wallich Bone Curette

Blunt



Code	Description
AS-OR/162	420mm long

Straight, 170mm long



Code	Description
AS-OR/122	Width 3.5mm
AS-OR/123	Width 5.5mm

Charnley Bone Curette

With T handle,
380mm long



Code	Description
AS-OR/N040	Large, 20 x 14mm
AS-OR/N041	Medium, 17 x 12mm
AS-OR/N042	Small, 11 x 8mm

Bone Curettes

Sypert Bone Curette

Blue acetal “Suregrip” handle, 380mm long



Code	Description
AS-OR/236	Width 3mm
AS-OR/237	Width 4mm
AS-OR/238	Width 5mm

Code	Description
AS-OR/240	Width 3mm
AS-OR/241	Width 4mm
AS-OR/245	Width 5mm



Blue acetal “Suregrip” handle, 410mm long



Code	Description
AS-OR/249	Width 3mm
AS-OR/250	Width 4mm
AS-OR/251	Width 5mm

Code	Description
AS-OR/252	Width 3mm
AS-OR/253	Width 4mm
AS-OR/254	Width 5mm



Caspar Bone Curette

Blue acetal “Suregrip” handle, 220mm long



Code	Description
AS-OR/230	Width 3.5mm
AS-OR/231	Width 4.5mm
AS-OR/232	width 5.5mm

Code	Description
AS-OR/233	Width 3.5mm
AS-OR/234	Width 4.5mm
AS-OR/235	Width 5.5mm



Bone Curette

Blue acetal “Suregrip” handle, 270mm long, straight



Code	Description
AS-OR/226	Width 4mm
AS-OR/227	Width 6mm
AS-OR/228	Width 8mm
AS-OR/229	Width 10mm



Bone Curettes

Capener Spoon

Blue acetal “Suregrip” handle 285mm long



Code	Description
AS-OR/389a	Width 16mm
AS-OR/389b	Width 20mm

Capener Lamina Curette

Blue acetal “Suregrip” handle 300mm long



Code	Description
AS-OR/389c	12 x 32mm
AS-OR/389d	6 x 18mm

Stanley Boyd Curette

Double ended



Code	Description
ASOR/162a	Small - 50mm long
AS-OR/162b	Medium - 200mm long
AS-OR/162c	Large - 250mm long

Volkmann Bone Scoop

Double-ended, straight



Code	Description
AS-OR/31	175mm long
AS-OR/213	220mm long
ASOR/175	220mm long

Martini Bone Curette

Shown at half size
double-ended, straight 140mm long



Code	Description
AS-OR/170	Small and medium
AS-OR/171	Medium and large

Bone Lever

240mm long



Code	Description
AS-OR/N011	Slight curve
AS-OR/N012	Full curve

Code	Description
AS-OR/N013	Slight curve
AS-OR/N014	Full curve

Lane Bone Lever

For small bones



Code	Description
AS-OR/N015	10mm wide, 265mm long

Lane Bone Lever

For small bones, serrated end



Code	Description
AS-OR/N016	10mm wide, 260mm long

Trethowan Bone Lever

Ring handle



Code	Description
AS-OR/N017	220mm long

Watson-Jones Bone Lever



Code	Description
AS-OR/N054	275mm long

Bankhart Bone Lever



Code	Description
AS-OR/SH.5315	300mm long

Retractors



Code	Description
AS-OR/N059A	Spoon elevator 25mm with blue acetal suregrip handle – large



Code	Description
AS-OR/N059D	With blue acetal suregrip handle - 2



Code	Description
AS-OR/N059B	Curette 27mm with blue acetal suregrip handle – large



Code	Description
ASOR/N059E	8mm cranked blue acetal suregrip handle



Code	Description
AS-OR/N059C	Curette 9mm with blue acetal suregrip handle – small

Charnley Initial Incision Retractor



Code	Description
AS-OR/N038a	Frame only
AS-OR/N038b	Weight only, 75mm x 50mm ø
AS-OR/NO38s	Goal post pins and chain

Code	Description
AS-OR/NO38r	Short blade, 25mm deep
As006084	Short blade, 35mm deep
AS-OR/N038c	Short blade, 50mm deep
AS-OR/NO38l	Short blade, 65mm
AS-OR/N038e	Short blade, 75mm deep
AS-OR/NO38q	Short blade, 80mm deep
ASOR/N038g	Short blade, 100mm deep
As003879	Short blade, 125mm
As003880	Short blade, 150mm

Code	Description
As006085	Long blade, 35mm deep
AS-OR/N038d	Long blade, 50mm deep
AS-OR/NO38k	Long blade, 65mm
AS-OR/NO38p	Long blade, 70mm deep
AS-OR/N038f	Long blade, 75mm deep
ASOR/N038h	Long blade, 100mm deep
As003877	Long blade, 125mm
As003878	Long blade, 150mm
AS-OR/N038m	Long round blade, 50mm deep

Retractors

Self retaining, internal rack, 210mm long



Code	Description
AS-GI/323	4 x 5 teeth, 95mm fully open

Self retaining



Code	Description
AS-GI/377	175mm

Self retaining, 140mm long



Code	Description
AS-GI/326	3 x 4 teeth, 60mm fully open
AS-GI/326cr	3 x 4 teeth, 60mm fully open, with cam rack

4 x 5 teeth 50mm blades x 223mm long



Code	Description
AS/325	Standard rack

Retractors, Dissecting Forceps and Hooks

225mm long



Code	Description
AS-OR/N050	Narrow curve, 13mm blade
ASOR/N050a	Broad, angular, 20mm blade

Ballance (Volkmann) Retractor

203mm long



Code	Description
AS-GI/463	1 prong
AS-GI/463a	2 prong
AS-GI/463b	3 prong
AS-GI/463c	4 prong
AS-GI/463d	6 prong

Code	Description
ASGI/463e	1 prong
AS-GI/463f	2 prong
AS-GI/463g	3 prong
AS-GI/463h	4 prong
AS-GI/463i	6 prong

Jackson Burrows Dissecting Forcep

140mm long



Code	Description
AS-OR/N037	Tongue and groove only
ASOR/N037a	

Charnley-McIndoe Dissecting Forceps

150mm long



Code	Description
AS-OR/N045a	2-3 teeth

220mm long



Code	Description
ASOR/N036	Sharp
AS-OR/N036a	Blunt

Langenbeck Bone Hook



Code	Description
AS-OR/391	200mm long

Dislocation Hook



Code	Description
AS-OR/SH-5703	253mm long

Dislocation Hip Hook

Blue acetal “Suregrip” handle



Code	Description
AS-OR/420	185mm long

Raspatories, Burr and Rugines



Code	Description	
AS-OR/310	Width 6.4mm	180mm long
ASOR/313	Width 9.5mm	190mm long
ASOR/311	Width 12.7mm	190mm long
AS-OR/312	Width 19mm	200mm long
ASOR/314	Width 25.4mm	210mm long

205mm Long



Code	Description
AS-OR/242	Width 10mm
AS-OR/243	Width 15mm
AS-OR/244	Width 20mm

Satin handle, 155mm long



Code	Description
AS-OR/403	3.5mm ø x 17mm
ASOR/403a	4.5mm ø x 17mm
ASOR/403b	5.0mm ø x 17mm

Convex sharp edge, fan shaped end,
with solid pistol handle



Code	Description
AS-OR/N035	185mm long

Straight, sharp edge,
fan shaped, hollow handle



Code	Description
ASOR/N034	210mm long

Curved end, chisel edge,
hollow handle



Code	Description
ASOR/N033	160mm long

Osteotomes, Chisels and Gouges

Blue acetal “Suregrip” handle, 180mm long



Code	Description
AS-OR/SH5347a	4mm

Blue acetal “Suregrip” handle, straight, 265mm long



Code	Description
AS-OR/362	Width 6mm
AS-OR/363	Width 10mm
ASOR/364	Width 12mm

Code	Description
AS-OR/365	Width 15mm
AS-OR/366	Width 20mm
AS-OR/367	Width 25mm

Blue acetal “Suregrip” handle, 250mm long



Code	Description
AS-OR/384	Width 6mm
AS-OR/385	Width 10mm
AS-OR/386	Width 12mm
AS-OR/387	Width 15mm
AS-OR/388	Width 20mm
AS-OR/389	Width 25mm
AS-OR/390	Width 30mm

Code	Description
AS-OR/390a	Width 6mm
AS-OR/390b	Width 10mm
AS-OR/390c	Width 15mm
AS-OR/390d	Width 20mm
AS-OR/390e	Width 25mm

Cranked, blue acetal “Suregrip” handle, 250mm long



Code	Description
AS-OR/373c	Width 6mm
AS	Width 8mm
AS-OR/373j	Width 10mm
AS-OR/373e	Width 11mm
AS-OR/373f	Width 16mm
AS-OR/373k	Width 17mm

Code	Description
AS-OR/373cre	Width 6mm
AS-OR/373dre	Width 8mm
AS-OR/373jre	Width 10mm
AS-OR/373er	Width 11mm
AS-OR/373fre	Width 16mm
AS-OR/373kre	Width 17mm

Blue acetal “Suregrip” handle, straight, 255mm long



Code	Description
AS-OR/374	Width 6mm
AS-OR/375	Width 8mm
AS-OR/376	Width 10mm
AS-OR/377	Width 12mm
AS-OR/378	Width 13mm

Code	Description
AS-OR/379	Width 15mm
AS-OR/380	Width 18mm
AS-OR/381	Width 20mm
ASOR/382	Width 25mm
AS-OR/383	Width 30mm

Reverse cranked, blue acetal “Suregrip” handle, 245mm long



Code	Description
AS-OR/373ar	Width 11mm
AS-OR/373nr	Width 16mm
AS-OR/373jr	Width 17mm

Code	Description
AS-OR/3730r	Width 6mm
AS-OR/3731r	Width 8mm
ASOR/373mr	Width 10mm

Blue acetal “Suregrip” handle straight, 250mm long



Code	Description
AS-OR/368	Width 6mm
AS-OR/369	Width 10mm
AS-OR/370	Width 12mm

Code	Description
AS-OR/371	Width 15mm
AS-OR/372	Width 20mm
ASOR/373	Width 25mm

Osteotomes, Chisels and Gouges

Serrated head
180mm long



Code	Description
AS-OR/335	Width 4mm
AS-OR/336	Width 5mm

Serrated head, 180mm long



Code	Description
AS-OR/344	Width 2mm
AS-OR/345	Width 3mm
AS-OR/346	Width 4mm
AS-OR/347	Width 5mm

Code	Description
AS-OR/341	Width 6mm
AS-OR/342	Width 7mm
AS-OR/343	Width 8mm

Serrated head, 180mm long



Code	Description
AS-OR/337	Width 2mm
AS-OR/338	Width 3mm
ASOR/339	Width 4mm
ASOR/340	Width 5mm

Code	Description
AS-OR/341	Width 6mm
AS-OR/342	Width 7mm
AS-OR/343	Width 8mm

200mm long



Code	Description
AS-OR/348	Width 10mm
AS-OR/349	Width 15mm
AS-OR/350	Width 20mm
AS-OR/351	Width 25mm
AS-OR/352	Width 30mm

Code	Description
ASOR/348tc	Width 10mm
AS-OR/349tc	Width 15mm
AS-OR/350tc	Width 20mm
AS-OR/351tc	Width 25mm
AS-OR/352tc	Width 30mm

200mm long



Code	Description
AS-OR/353	Width 10mm
AS-OR/354	Width 15mm
AS-OR/355	Width 20mm
ASR/356	Width 25mm
AS-OR/357	Width 30mm

Code	Description
AS-OR/355tc	Width 20mm
AS-OR/356tc	Width 25mm
AS-OR/357tc	Width 30mm
ASOR/356tc	Width 25mm
AS-OR/357tc	Width 30mm

200mm long



Code	Description
AS-OR/358	Width 10mm
AS-OR/359	Width 15mm
AS-OR/360	Width 20mm
AS-OR/361	Width 25mm

Code	Description
ASOR/358tc	Width 10mm
ASOR/359tc	Width 15mm
AS-OR/360tc	Width 20mm
ASOR/361tc	Width 25mm

230mm long



Code	Description
AS-OR/392	2mm wide
AS-OR/392a	4mm wide
AS-OR/392b	7mm wide
AS-OR/392c	15mm wide
AS-OR/392d	20mm wide
AS-OR/392e	25mm wide
AS-OR/392f	30mm wide
AS-OR/392g	38mm wide
AS-OR/392h	44mm wide
AS-OR/392i	50mm wide

Code	Description
ASOR/392j	15mm wide
AS-OR/392k	20mm wide
AS-OR/392m	25mm wide
AS-OR/392n	30mm wide
AS-OR/392o	38mm wide
AS-OR/392p	40mm wide
AS-OR/392q	44mm wide
AS-OR/392r	50mm wide

Osteotomes, Chisels and Gouges

190mm long



Code	Description
AS-OR/NO62a	Width 38mm
AS-OR/NO62b	Width 50mm

150mm long



Code	Description
AS-OR/16-4	4mm wide
AS-OR/16-6	6mm wide
AS-OR/16-8	8mm wide

Rectangular, for curved standard stems



Code	Description
AS-OR/N008	135mm long
AS-OR/N008a	255mm long

Blue acetal “Suregrip” handle, 285mm long



Code
AS-OR/N008b

150mm long



Code	Description
AS-OR/14-4	4mm wide
AS-OR/14-6	6mm wide
AS-OR/14-8	8mm wide

Straight, 170mm long



Code	Description
AS-OR/290	Width 5mm
AS-OR/291	Width 7mm

Code	Description
AS-OR/292	Width 9mm
AS-OR/293	Width 11mm

150mm long



Code	Description
ASOR/18-4	4mm wide
ASOR/18-4	6mm wide
AS-OR/18-4	8mm wide

Straight



Code	Description
ASC-OR/283	Width 3mm
AS-OR/284	Width 4mm
AS-OR/285	Width 5mm
AS-OR/286	Width 6mm

Code	Description
AS-OR/294	Width 3mm
AS-OR/287	Width 4mm
AS-OR/295	Width 5mm
AS-OR/288	Width 6mm
AS-OR/289	Width 7mm

Wire Cutters and Pliers

Tungsten carbide edge, for cutting up to and including 6mm ø



Code	Description
AS-OR/258	450mm long
AS-OR/259	560mm long

Tungsten carbide edge, for cutting Kirschner wires up to and including 5.5mm ø



Code	Description
AS-OR/07a	480mm long

Tungsten carbide edge, for cutting Kirschner wires up to 4mm Ø



Code	Description
AS-OR/261	380mm long

Wire Cutters and Pliers

175mm long







Code
AS-OR/273

Code
AS-OR/275

190mm long



Code
AS-OR/274



Code	Description
AS-OR/49b	185mm

Stainless steel, tungsten carbide edge, for cutting Kirschner wire up to 1.6mm



Code	Description
AS-OR/271a	TC 180mm long
AS-OR/271b	Non TC for cutting soft wire only, max cut 1.6mm, 180mm long

Stainless steel



Code	Description
ASOR/N052	190mm long

Accessories



Code	Description
AS-OR/49a	150mm long



Code	Description
AS-OR/393	180mm long

Slotted, 1-2 teeth



Code	Description
AS-OR/N045	180mm long

Angled to cut soft wire only, max cut 1.2mm



Code	Description
ASOR/07b	120mm long



Code	Description
ASOR/07c	110mm long

Mallets

With serrated head, 170mm long



Code	Description
AS-OR/023	190 grams

Blue acetal, 240mm long



Code	Description
ASOR/LE1001	340 grams, vertical end

Blue acetal “Suregrip” handle, 275mm long



Code
AS-OR/270A-BH

Blue acetal, 255mm long



Code	Description
AS-OR/22a	520 grams, vertical end
AS-OR/22	650 grams, horizontal end

Stainless steel, 270mm long



Code	Description
AS-OR/270	640 grams
AS-OR/271	1020 grams

Stainless steel, 135mm long



Code	Description
AS-OR/N044c	650 grams
AS-OR/N044b	920 grams

Code	Description
AS-OR/N044	1150 grams
AS-OR/N044a	1340 grams

Stainless steel, with pistol grip*
240mm long



Code	Description
AS-OR/20	580 grams

Stainless steel, with extended handle and strong welded head, 190mm long



Code	Description
AS-OR/N044rc	1000 grams

Mallets

Surgical Holdings pattern,
stainless steel,
170mm long



Code	Description
AS-OR/N055b	800 grams
AS-OR/N055	880 grams
AS-OR/N055a	1020 grams

one flat and one domed end, 180mm long



Code	Description
AS-OR/272a	960 grams
AS-OR/272c	750 grams

Stainless steel, one plain and one serrated side,
190mm long



Code	Description
AS-OR/N047	280 grams

Stainless steel, one flat and one domed end



Code	Description
ASOR/272	950 grams, 240mm long
AS-OR/272b	1110 grams, 270mm long

Stainless steel,
205mm long



Code	Description
AS-OR/23	270 grams

With renewable acetal ends, 190mm long



Code	Description
ASOR/N047a	280 grams
AS-OR/N048	Replacement end - pair

Stainless steel with blue acetal “Suregrip” handle
270mm long



Code	Description
AS OR/410	720 grams

Code	Description
AS-OR/412	900 grams

Stainless steel with blue acetal “Suregrip” handle
200mm long



Code	Description
AS-OR/414BH	660 grams
AS-OR/415BH	790 grams

Code	Description
AS-OR/416BH	1020 grams
AS-OR/417BH	1400 grams

Stainless steel with blue acetal “Suregrip” handle
domed faced head, 200mm long



Code	Description
AS-OR/418BH	650 grams

Raspatories, Files and Punches

Putti Raspatory



Code	Description
AS-OR/12	300mm long

Bone File and Raspatory

Stainless steel



Code	Description
AS-OR/12a	215mm long

Austin Moore Type Raspatory

Including tommy bar,
295mm long



Code	Description
AS-OR/HP001	Standard
AS-OR/HP002	Narrow (not illustrated)

Thompson Type Raspatory

Including tommy bar



Many other types available
Supply a drawing of the prosthesis - we will make the rasp in any batch size you require. The teeth will be chipped up at 0.75mm per face over and above the size of the prosthesis stem, to allow for cementing.

Code	Description
AS-OR/HP003	270mm long

Miller Bone File

180mm long



Code	Description
AS-OR/318	Short end
AS-OR/319	Slight curve
AS-OR/322	Full curve

McGoey Punch

Double ended, 220mm long



Code	Description
AS-OR/N04	13 x 19mm
AS-OR/N04a	6 x 10mm
AS-OR/N04b	13 x 6mm half round

Smillie Bone Punch



Code	Description
AS-OR/N018	Straight 140mm long
AS-OR/N019	Cranked 175mm long

Pushers, Impactors and Skids

With nylon head



Code	Description
AS-OR/N020	295mm long

With T handle



Code	Description
AS-OR/HR001	335mm long

Charnley Prosthesis Pusher

Stainless steel handle
with nylon insert



Code	Description
AS-OR/N021	

Moore Femoral Head Extractor

With T handle



Code	Description
AS-OR/N005	150mm long
AS-OR/N006	205mm long

Judet Impactor

Stainless steel handle
with nylon head



Code	Description
AS-OR/N009	140mm long

Murphy Skids

Double ended, 355mm long



Code	Description
AS-OR/N007	Uncoated
ASDIA/111	Coated

Femoral Pusher

Head impactor, white Pomalux



Code	Description
AS-OR/N053	31mm ø x 180mm long

Murphy Skids

Single ended, 330mm long



Code	Description
AS-OR/N007a	Coated

Elevators

Adson Periosteal Elevator

Serrated grip, 165mm long



Code	Description
AS-OR/N028	7mm wide

Code	Description
AS-OR/N029	5mm wide
AS-OR/N030	7mm wide

Langenbeck Elevator

Straight



Code	Description
AS-OR/302	200mm long

Bristow Periosteal Elevator

Sharp edge



Code	Description
AS-OR/N010	240mm long

MacDonald Dissector Double Ended



Code	Description
AS-GI/285	191mm long

Doyen Periosteal Elevator

Satin finish handle



Code	Description
AS-OR/N031	Right
AS-OR/N032	Left

Code	Description
AS-OR/256	Right
AS-OR/255	Left

Pennybacker Elevator

Curved, sharp, 6mm wide



Code	Description
ASOR/N025	170mm long

Key Periosteal Elevator

190mm long



Code	Description
AS-OR/N023	10mm wide
AS-OR/N024	13mm wide

Periosteal Elevator

Straight



Code	Description
AS-OR/19a	175mm long

Elevators

Adson Periosteal Elevator

Serrated grip, 165mm long



Code	Description
AS-OR/N028	7mm wide

Code	Description
AS-OR/N029	5mm wide
AS-OR/N030	7mm wide

Langenbeck Elevator

Straight



Code	Description
AS-OR/302	200mm long

Bristow Periosteal Elevator

Sharp edge



Code	Description
AS-OR/N010	240mm long

MacDonald Dissector Double Ended



Code	Description
AS-GI/285	191mm long

Doyen Periosteal Elevator

Satin finish handle



Code	Description
AS-OR/N031	Right
AS-OR/N032	Left

Code	Description
AS-OR/256	Right
AS-OR/255	Left

Pennybacker Elevator

Curved, sharp, 6mm wide



Code	Description
ASOR/N025	170mm long

Key Periosteal Elevator

190mm long



Code	Description
AS-OR/N023	10mm wide
AS-OR/N024	13mm wide

Periosteal Elevator

Straight



Code	Description
AS-OR/19a	175mm long

Retractors and Bone Levers

Fakuda Type Retractor

230mm long



Code
AS-OR/SH5507

Hohmann Retractor

45° angle, 200mm long



Code
AS-OR/SH5394

Hohmann Tapered Spike Retractor

225mm overall length



Code
AS-OR/308a

Posterior Bone Lever

230mm long



Code
AS-OR/308r

Trethowan Bone Lever

Bent, ring handle 222mm long, 280mm long



Code	Description
AS-OR/no17b	90° angle
AS-OR/no17c	70° angle (illustrated)
AS-OR/no17d	45° angle

Saws, Shears and Knives

Gigli Saw Handles

Per pair



Code	Description
AS-OR/08	65mm long

Guys Tenotomy Knife



Code	Description
AS-OR/N046	140mm long

Charnley Saws

Code	Description
AS-OR/10c	500mm long
AS-OR/11c	700mm long

Gigli Saws

Code	Description
AS-OR/09	300mm long
AS-OR/10	500mm long
AS-OR/11	700mm long



Smillie Menisectomy Knife

175mm long



Code	Description
AS-OR/048	Straight

Smillie Menisectomy Knife

Protruding beak at base, 175mm long



Code	Description
AS-OR/NO048a	Curved to right
AS-OR/NO048b	Curved to left

Collin Rib Shears



Code	Description
AS-OR/001	195mm long

Screw and Plate Instruments

Allen Key Sets

Bright guard



Code	Description
AS-OR/N051	1.5mm - 10mm

To order quote SB-OR/N051 then add size required
e.g. SC-OR/N051-1.5

Size mm	Overall Length
1.5	63mm
2.0	77mm
2.5	87mm
3.0	93mm
4.0	104mm
5.0	120mm
6.0	141mm
7.0	147mm
8.0	158mm
10.0	180mm

Orthopaedic Ruler Stainless Steel



Code	Description
AS-OR/51a	Metric, 300mm

Pins

Denham Pin

Temporary implants, material conforms to BS 7252: Part 1: 1997. ISO 5832-1: 1997. Comp.D. CE marking available on request.



Code	Size
AS-DP/1-3SE	3.96mm dia x 203mm long trocar/3 side end
AS-DP/1SQ	3.96mm dia x 203mm long trocar/square end
AS-DP/2-3SE	3.96mm dia x 229mm long trocar/3 side end
AS-DP/2SQ	3.96mm dia x 229mm long trocar/square end

Code	Size
AS-DP/3-3SE	4.76mm dia x 203mm long trocar/3 side end
AS-DP/3SQ	4.76mm dia x 203mm long trocar/square end
AS-DP/4-3SE	4.76mm dia x 229mm long trocar/3 side end
AS-DP/4SQ	4.76mm dia x 229mm long trocar/square end

THREE SIDED END OR SQUARE END IN STOCK
OTHER SIZES AVAILABLE

Steinmann Pins

Temporary implants, material conforms to BS 7252: Part 1: 1997. ISO 5832-1: 1997. Comp.D. CE marking available on request

Various specs available – contact us for full information

Ø mm*	Ø mm*
1.58	3.96
2.00	4.36
2.38	4.76
2.78	6.00
3.17	6.35
3.57	8.00

LENGTHS 150, 180, 200, 250mm
*Other lengths and diameters available

When ordering, use prefix letters with size following
e.g. Trocar with one screw end Ø4.76mm = IPTS/476



IPTT = trocar/trocar ends



IPTS = trocar/trocar with one screw end



IPTSE = trocar/square end



IPTSE3 = trocar/with 3 sided end

Bohler Stirrup



Code	Description
AS-OR/N001	Small 89 x 102mm
AS-OR/N002	Medium 114 x 165mm
AS-OR/N003	Large 152 x 241mm

Steinmann Pin Cap with Screw

Code	Description
AS-OR/54b-4	4mm ø
AS-OR/54c	Replacement screw



SC-OR 54b

Sterile Kirschner and Arthrodesis Wires

Temporary implants, material conforms to BS 7252: Part 1: 1997. ISO 5832-1: 1997. Comp.D.

Sterile Trocar/ Sterile Trocar Arthrodesis Wires

Code	Size
AS HS325A-S	0.8mm x 70mm
AS HS037-S	0.9mm x 70mm
AS HS055-S	0.9mm x 75mm
AS HS091-S	0.9mm x 100mm
AS HS127-S	0.9mm x 125mm
AS HS145-S	0.9mm x 140mm
AS HS0009-S	0.9mm x 150mm
AS HS163-S	0.9mm x 180mm
AS HS038-S	1.0mm x 70mm
AS HS056-S	1.0mm x 75mm
AS HS092-S	1.0mm x 100mm
AS HS269-S	1.1mm x 90mm
AS HS272-S	1.1mm x 100mm
AS HS275-S	1.1mm x 115mm
AS HS278-S	1.1mm x 125mm
AS HS281-S	1.1mm x 140mm
AS HS0010C-S	1.1mm x 150mm

Code	Size
AS HS290-S	1.1mm x 200mm
AS HS0019B-S	1.25mm x 150mm
AS HS039-S	1.2mm x 70mm
AS HS093-S	1.2mm x 100mm
AS HS129-S	1.2mm x 125mm
AS HS147-S	1.2mm x 140mm
AS HS0010B-S	1.2mm x 150mm
AS HS165-S	1.2mm x 180mm
AS HS183-S	1.2mm x 200mm
AS HS040-S	1.4mm x 70mm
AS HS094-S	1.4mm x 100mm
AS HS112-S	1.4mm x 115mm
AS HS130-S	1.4mm x 125mm
AS HS148-S	1.4mm x 140mm
SA HS0011-S	1.4mm x 150mm
AS HS166-S	1.4mm x 180mm
AS HS184-S	1.4mm x 200mm

Code	Size
AS HS005-S	1.6mm x 50mm
AS HS041-S	1.6mm x 70mm
AS HS095-S	1.6mm x 100mm
AS HS113-S	1.6mm x 115mm
AS HS131-S	1.6mm x 125mm
AS HS0012-S	1.6mm x 150mm
AS HS167-S	1.6mm x 180mm
AS HS185-S	1.6mm x 200mm
AS HS283-S	1.8mm x 200mm
AS HS096-S	2.0mm x 100mm
AS HS114-S	2.0mm x 115mm
AS HS132-S	2.0mm x 125mm
AS HS0013-S	2.0mm x 150mm
AS HS168-S	2.0mm x 180mm
AS HS186-S	2.0mm x 200mm

Sterile Trocar/Sterile Kirschner Wires (Pack of 10 Sterile Singles)

Code	Size
AS HS325-S	0.8mm x 70mm
AS HS043-S	0.9mm x 70mm
AS HS061-S	0.9mm x 75mm
AS HS097-S	0.9mm x 100mm
AS HS133-S	0.9mm x 125mm
AS HS151-S	0.9mm x 140mm
AS HS0014A-S	0.9mm x 150mm
AS HS169-S	0.9mm x 180mm
AS HS044-S	1.0mm x 70mm
AS HS062-S	1.0mm x 75mm
AS HS098-S	1.0mm x 100mm
AS HS270-S	1.1mm x 90mm
AS HS273-S	1.1mm x 100mm
AS HS276B-S	1.1mm x 115mm
AS HS279-S	1.1mm x 125mm
AS HS282-S	1.1mm x 140mm
AS HS285-S	1.1mm x 150mm

Code	Size
AS 291-S	1.1mm x 200mm
AS HS0015A-S	1.25mm x 150mm
AS HS045-S	1.2mm x 70mm
AS HS099-S	1.2mm x 100mm
AS HS135-S	1.2mm x 125mm
AS HS153-S	1.2mm x 140mm
AS HS0019-S	1.2mm x 150mm
AS HS171-S	1.2mm x 180mm
AS HS189-S	1.2mm x 200mm
AS HS046-S	1.4mm x 70mm
AS HS100-S	1.4mm x 100mm
AS HS118-S	1.4mm x 115mm
AS HS136-S	1.4mm x 125mm
AS HS154-S	1.4mm x 140mm
AS HS0021-S	1.4mm x 150mm
AS HS172-S	1.4mm x 180mm
AS HS190-S	1.4mm x 200mm

Code	Size
AS HS011-S	1.6mm x 50mm
AS HS047-S	1.6mm x 70mm
AS HS101-S	1.6mm x 100mm
AS HS119-S	1.6mm x 115mm
AS HS137-S	1.6mm x 125mm
AS HS0017-S	1.6mm x 150mm
AS HS173-S	1.6mm x 180mm
AS HS191-S	1.6mm x 200mm
AS HS475-S	1.8mm x 200mm
AS HS102-S	2.0mm x 100mm
AS HS120-S	2.0mm x 115mm
AS HS138-S	2.0mm x 125mm
AS HS0018-S	2.0mm x 150mm
AS HS174-S	2.0mm x 180mm
AS HS192-S	2.0mm x 200mm

Extremities Instruments and Sets

Fine Hand Set

Includes: small stille type mallet 17cm long and 2mm, 4mm, 6mm, 8mm, 10mm and 12mm osteotomes



Code
AS-6969

Flexible Chisels and Blades



Code	Description
AS-OR/593	Allen key for flat chisel blades introducer handle 185mm long
AS -OR/594	Chisel blade 5mm for introducer handle
AS-OR/594A	Chisel blade 5mm curved for introducer handle
AS-OR/595	Chisel blade 10mm for introducer handle
AS-OR/595A	Chisel blade 10mm curved for introducer handle
S-OR/596	Chisel blade 15mm for introducer handle
ASOR/596A	Chisel blade 15mm curved for introducer handle
AS-6954	Introducer handle for flat chisel blades 185mm long

Mini Fine Hand Osteotomes

With blue acetal handle



Code	Description
AS-6956	2mm wide, 165mm long
AS-6957	4mm wide, 165mm long
AS-6958	6mm wide, 165mm long
AS 6959	8mm wide, 165mm long
AS-6960	10mm wide, 165mm long
AS-6961	12mm wide, 165mm long

Mini-Lexer Gouges

With blue acetal handle



Code	Description
AS-OR/587-04	4mm wide, 18cm long
AS-OR/587-06	6mm wide, 18cm long
ASOR/587-08	8mm wide, 18cm long
AS-OR/587-10	10mm wide, 18cm long

Mini-Lexer Osteotome and Gouge Set

Includes 4mm, 6mm, 8mm, 10mm gouges 18cm long and 2mm, 4mm, 6mm, 8mm and 10mm osteotomes 18cm long



Code
SB-OR/587

Mini-Lexer Osteotomes

With blue acetal handle



Code	Description
AS-OR/588-02	2mm wide, 18cm long
AS-OR/588-04	4mm wide, 18cm long
AS-OR/588-06	6mm wide, 18cm long
AS-OR/588-08	8mm wide, 18cm long
AS-OR/588-10	10mm wide, 18cm long

Shoulder Instruments

Kolbel Soft Tissue Retractor
Single-pronged, angled, 190mm



Code
As004637943

Kolbel Soft Tissue Retractor
Single-pronged, straight, very fine tips, 190mm



Code
As004636943

Kolbel Soft Tissue Retractor
Double pronged, angled, 190mm



Code
As004454965

Capsule Spreader
Single-pronged, fine, 90° curved, 165mm



Code
As004455954

Fukuda-Kujat Humeral Head Retractor
35mm, wide blade, 225mm



Code
As0046351113

ASM SURGICAL

NEUROSURGERY



info@asmsurgical.com www.asmsurgical.com



Cone
AS-15-120-22
22.5 cm



Dahlgren
AS-15-124-20
20 cm



De Vilbiss
AS-15-128-21
21 cm



McKenzie
AS-15-181-15 15 cm
AS-15-181-19 19 cm



McKenzie
AS-15-183-15 15 cm
AS-15-183-19 19 cm



Raney
AS-15-186-16
16 cm



Olivecrona - Toennis (Scoville)
AS-15-190-14





Yasargil
AS-15-230-01
31 cm





Yasargil
AS-15-230-02
41 cm

NEUROSURGERY



Love
AS-15-300-19 - 15-303-19
19 cm



Horsley
AS-15-307-20
20 cm



Sachs
AS-15-315-21
21 cm



Scoville
AS-15-330-23
23 cm



Holsher
AS-15-331-24
24 cm



Scoville
AS-15-333-20
20 cm



Martin
AS-15-337-21
21 cm


1/1
AS-Yasargil 15-550-01 19 cm
AS-Yasargil 15-550-02 19 cm
AS-Yasargil 15-550-03 19 cm
AS-Yasargil 15-550-04 19 cm
AS-Yasargil 15-550-05 19 cm
AS-Yasargil 15-550-06 19 cm
AS-Jacobson 15-554-19 19 cm


15-575-01
AS-15-575-02
AS- 15-575-03
AS- 1/1 15-575-04
1/1
AS-Yasargil 15-575-01 - 15-575-04 19 cm


1/1
AS-Jacobson 15-560-19 19 cm
AS-Jacobson 15-565-01 19 cm
AS-Yasargil 15-565-02 19 cm
AS-Yasargil 15-565-03 19 cm
AS-Yasargil 15-565-04 19 cm
AS-Yasargil 15-567-19 19 cm



Cloward
AS-15-601-16
16 cm



Inge
AS-15-605-16
16.5 cm



Inge
AS-15-605-27
27 cm



Cushing
2 mm
1/1



AS-15-630-01 12 cm
AS-15-630-02 15 cm
AS-15-630-03 18 cm
2 x 10 mm

45°



AS-15-631-01 12 cm
AS-15-631-02 15 cm
AS-15-631-03 18 cm
2 x 10 mm

45°



AS-15-633-01 12 cm
AS-15-633-02 15 cm
AS-15-633-03 18 cm
2 x 10 mm

Love - Gruenwald
3 mm
1/1



AS-15-630-04 12 cm
AS-15-630-05 15 cm
AS-15-630-06 18 cm
3 x 10 mm



AS-15-631-04 12 cm
AS-15-631-05 15 cm
AS-15-631-06 18 cm
3 x 10 mm



AS-15-633-04 12 cm
AS-15-633-05 15 cm
AS-15-633-06 18 cm
3 x 10 mm

Spurling
4 mm
1/1



AS-15-630-07 12 cm
AS-15-630-08 15 cm
AS-15-630-09 18 cm
4 x 10 mm



AS-15-631-07 12 cm
AS-15-631-08 15 cm
AS-15-631-09 18 cm
4 x 10 mm



AS-15-633-07 12 cm
AS-15-633-08 15 cm
AS-15-633-09 18 cm
4 x 10 mm



Oldberg
AS-15-640-25
25 cm



Yasargil
AS-15-642-25
25.5 cm



Landolt
AS-15-644-27
27 cm



Caspar
AS-15-656-02 - 15-656-04



Cloward
AS-15-658-01 - 15-658-03





Ferris - Smith - Cushing
AS-15-710-02 - 15-714-06

	1/1 2 x 10 mm	3 x 10 mm	4 x 10 mm	6 x 12 mm
 straight	AS-15-710-02	AS-15-710-03	AS-15-710-04	AS-15-710-06
 upward	AS-15-712-02	AS-15-712-03	AS-15-712-04	AS-15-712-06
 downward	AS-15-714-02	AS-15-714-03	AS-15-714-04	AS-15-714-06



Kerrison
AS-15-750-01 - 15-774-05



upward

1 mm	AS-15-750-01	AS-15-752-01	AS-15-754-01
2 mm	AS-15-750-02	AS-15-752-02	AS-15-754-02
3 mm	AS-15-750-03	AS-15-752-03	AS-15-754-03
5 mm	AS-15-750-05	AS-15-752-05	AS-15-754-05
	15 cm	18 cm	20 cm



downward

1 mm	AS-15-760-01	AS-15-762-01	AS-15-764-01
2 mm	AS-15-760-02	AS-15-762-02	AS-15-764-02
3 mm	AS-15-760-03	AS 15-762-03	AS-15-764-03
5 mm	AS-15-760-05	AS-15-762-05	AS-15-764-05
	15 cm	18 cm	20 cm



upward 40°

1 mm	AS-15-770-01	AS-15-772-01	AS-15-774-01
2 mm	AS-15-770-02	AS-15-772-02	AS-15-774-02
3 mm	AS-15-770-03	AS-15-772-03	AS-15-774-03
5 mm	AS-15-770-05	AS-15-772-05	AS-15-774-05
	15 cm	18 cm	20 cm



Ferris - Smith - Kerrison
AS-15-780-01 - 15-784-06



ASM SURGICAL

CARDIOVASCULAR



info@asmsurgical.com www.asmsurgical.com



AS-14-100-23
23 cm



AS-14-105-22
22 cm



Gluck
AS-14-109-22
22 cm



Sauerbruch
AS-14-121-26
26 cm



Giertz-Stille
AS-14-123-27
27 cm



AS-14-127-32
for the right hand

AS-14-129-32
for the left hand

Brunner
AS-14-127-32 - 14-129-32
32 cm



Sauerbruch-Frey
AS-14-135-36
36 cm



Haight
AS-14-170-90
B=30 mm H=30 mm C=90 mm



Hertzler
AS-14-174-01
B=20 mm H=25 mm C=105 mm





Tuffier
AS-14-178-01
B=45 mm H=45 mm C=160 mm





Finocchietto-Baby
AS-14-182-75
B=14 mm H=15 mm C=75 mm



Finocchietto

AS-14-186-01	B=30 mm	H=45 mm	C=150 mm
AS-14-186-02	B=46 mm	H=62 mm	C=190 mm
AS-14-186-03	B=80 mm	H=65 mm	C=190 mm



AS-14-190-75
70 x 75 mm



AS-14-190-68
48 x 68 mm

C = 240 mm



14-190-01

1/2

Mercedes
AS-14-190-00 1 x 14-190-01
AS- 2 x 14-190-68
AS-2 x 14-190-75

(Thoracic Retractor)





Martin-Chevalier
AS-14-200-00
B=27 mm H=100 mm C=190 mm





Finocchietto (modif.)
AS-14-204-01
B=14 mm H=15 mm C=120 mm



Morse-Favaloro
AS-14-207-01
B=17 mm H=22 mm C=160 mm



Cooley
AS-14-214-01
B=12 mm H=16 mm C=95 mm



Cooley
AS-14-214-02 B=15 mm H=30 mm C=140 mm
AS-14-214-03 B=21 mm H=44 mm C=150 mm





Cooley
AS-14-214-04
B=35 mm H=50 mm C=200 mm



Castaneda
AS-14-218-01
B=10.5 mm H=32 mm C=65 mm



Castaneda
AS-14-218-02
B=12 mm H=45 mm C=70 mm





Castaneda
AS-14-218-03
B=15 mm H=60 mm C=120 mm



for children

with 2 pairs of blades



Burford
SB-14-224-00
AS- B=48 mm H=42 mm C=135 mm
AS- B=34 mm H=42 mm



for adults

with 2 pairs of blades



Burford
SB-14-224-01
AS-B=65 mm H=62 mm C=200 mm
AS-B=47 mm H=62 mm

SB-14-224-02
AS-B=65 mm H=62 mm C=250 mm
AS-B=47 mm H=62 mm

SB-14-224-03
AS-B=65 mm H=62 mm C=300 mm
AS-B=47 mm H=62 mm



Sellors
AS-14-270-19
19 cm



Bailey - Baby
AS-14-272-14
14 cm

short claws



Bailey
AS-14-274-16
16 cm

long claws



Bailey - Gibbon
AS-14-276-16
16 cm



Allison
AS-14-281-30 30 cm
AS-14-281-32 32 cm

45 x 30 mm

slightly serrated



1/2

Cooley - Struck
AS-14-284-01
24 cm

45 x 35 mm

slightly serrated



1/2

Cooley - Struck
AS-14-284-02
24 cm

ASM SURGICAL

PROBES & DILATORS



info@asmsurgical.com www.asmsurgical.com

PROBES & DILATORS



AS-10-100-11 11.5 cm
AS-10-100-13 13.0 cm
AS-10-100-14 14.5 cm
AS-10-100-16 16.0 cm
AS-10-100-18 18.0 cm
AS-10-100-20 20.0 cm
AS-10-100-25 25.0 cm
AS-10-100-30 30.0 cm
Ø 2 mm



AS-10-110-11 11.5 cm
AS-10-110-13 13.0 cm
AS-10-110-14 14.5 cm
AS-10-110-16 16.0 cm
AS-10-110-18 18.0 cm
AS-10-110-20 20.0 cm
AS-10-110-25 25.0 cm
AS-10-110-30 30.0 cm
Ø 1 mm



AS-10-120-11 11.5 cm
AS-10-120-13 13.0 cm
AS-10-120-14 14.5 cm
AS-10-120-16 16.0 cm
AS-10-120-18 18.0 cm
AS-10-120-20 20.0 cm
AS-10-120-25 25.0 cm
AS-10-120-30 30.0 cm
Ø 2 mm

Ø 1 mm



Stacke
AS-10-130-10
10.5 cm



Myrtle Leaf
AS-10-140-13 13.0 cm
AS-10-140-14 14.5 cm
AS-10-140-16 16.0 cm
AS-10-140-18 18.0 cm
AS-10-140-20 20.0 cm

PROBES & DILATORS

Rundes Modell



Vollmar
AS-10-251-02 - 10-251-14
50 cm



AS 10-253-12
12 cm

Ovales Modell



Vollmar
AS-10-255-04 - 10-255-10
50 cm

PROBES & DILATORS



Nabatoff
AS-10-350-00
AS-135 x 100 x 25 mm

Complete



ASM
SURGICAL

LIPOSUCTION & SUCTION TUBE



info@asmsurgical.com
www.asmsurgical.com

LIPOSUCTION & SUCTION TUBE



Universal
AS-03-100-03 - 03-100-04
14 cm

AS-03-100-03	AS-03-100-03
Ø 1.7 mm	Ø 1.7 mm
Ø 3.0 mm	Ø 3.0 mm
Ø 4.5 mm	Ø 4.5 mm
	Ø 6.0 mm
set of 3 pieces	set of 4 pieces



Standard

AS-03-106-03	Ø 3 mm
AS-03-106-04	Ø 4 mm
AS-03-106-05	Ø 5 mm
AS-03-106-06	Ø 6 mm

18 cm



Nelson

AS-03-110-07	Ø 7.5 mm
AS-03-110-09	Ø 9.5 mm
AS-03-110-11	Ø 11.0 mm
AS-03-110-12	Ø 12.5 mm

21 cm



Fig. 1
AS-03-110-07



Fig. 2
AS-03-110-09



Fig. 3
AS-03-110-11

Fig. 4
03-110-12

LIPOSUCTION & SUCTION TUBE



Ochsner Mod. Martin
AS- 03-112-08 - 03-112-20
14 cm

Charr. / Fr.	
8	03-112-08
10	03-112-10
12	03-112-12
14	03-112-14
16	03-112-16
18	03-112-18
20	03-112-20



Lichtwitz
AS- 03-116-18
18.5 cm



Krause

AS- 03-120-01	Ø 3.0 mm
AS- 03-120-02	Ø 4.0 mm
AS- 03-120-03	Ø 5.0 mm
AS- 03-120-04	Ø 5.5 mm



Douglas
AS- 03-124-11
Ø 3 mm

LIPOSUCTION & SUCTION TUBE



Eicken

AS-03-140-18	1.8 x 105 mm
AS-03-140-20	2.0 x 105 mm
AS-03-140-30	3.0 x 105 mm



Lichtwitz

AS-03-144-16
Ø 1.6 mm



Pierce

AS-03-148-30	Ø 3 mm
AS-03-148-40	Ø 4 mm
AS-03-148-50	Ø 5 mm



Coakley

AS-03-152-16
Ø 2.25 mm



Ruskin

AS-03-156-20 - 03-157-20
Ø 2 mm

LIPOSUCTION & SUCTION TUBE



Adson
AS-03-170-21
21 cm
Ø 4 mm



Frazier
AS-03-180-06 - 03-180-12
19 cm

Charr. / Fr.	
6	03-180-06
7	03-180-07
8	03-180-08
9	03-180-09
10	03-180-10
11	03-180-11
12	03-180-12



Poppen
AS-03-190-06 - 03-190-12
13 cm

Charr. / Fr.	
6	03-190-06
7	03-190-07
8	03-190-08
9	03-190-09
10	03-190-10
11	03-190-11
12	03-190-12



Wullstein
AS-03-200-00
(03-202-04 + 03-202-06 + 03-202-08)
14 cm



Fig. 1
AS-03-202-04
4.5 cm
Ø 0.4 mm



Fig. 2
AS-03-202-06
4.5 cm
Ø 0.6 mm



Fig. 3
AS-03-202-08
4.5 cm
Ø 0.8 mm

LIPOSUCTION & SUCTION TUBE



Gomel
AS-03-210-01
15 cm



Hepp / Scheidel
AS-03-220-00
22.5 cm



AS-03-222-00
16 cm



AS-03-224-01
6.5 cm

	L = 130 mm	L = 150 mm	L = 180 mm	L = 220 mm
Ø 1.5 mm	AS-03-230-13	SB-03-230-15	AS-03-230-18	SB-03-230-22
Ø 2.0 mm	AS-03-231-13	SB-03-231-15	AS-03-231-18	SB-03-231-22
Ø 2.5 mm	AS-03-232-13	SB-03-232-15	AS-03-232-18	SB-03-232-22
Ø 3.5 mm	AS-03-233-13	SB-03-233-15	AS-03-233-18	SB-03-233-22



Yasargil
AS-03-230-15 - 03-233-22

LIPOSUCTION & SUCTION TUBE



Kilner
AS-03-244-19
19 cm
Ø 4 mm

Magill
AS-03-246-03 Ø 3.0 mm
03-247-03 Ø 3.5 mm
03-248-04 Ø 4.0 mm
24.5 cm

Walton - Yankauer
AS-03-250-33
32.5 cm

Andrews - Pynchon
AS-03-260-24
23.5 cm

De Bakey
AS-03-270-28
27.5 cm

LIPOSUCTION & SUCTION TUBE



Poole
AS-03-280-22
22 cm / Ø 10 mm
(Charr/Fr. 30)

Poole
AS-03-281-22
22 cm / Ø 8 mm
(Charr/Fr. 23)

Baby - Poole
AS-03-282-20
20 cm / Ø 5.5 mm

Nuboer
AS-03-290-21
21 cm

Nuboer
AS-03-292-21
21 cm

Byrd
AS-03-300-01 - 03-300-03
20cm

LIPOSUCTION & SUCTION TUBE



LIPOSUCTION & SUCTION TUBE



Tuohy

AS-03-480-12	1.2 x 75 mm
AS-03-480-14	1.4 x 75 mm
AS-03-480-16	1.6 x 75 mm



Menghini

AS-03-484-01	1.0 x 35 mm
AS-03-484-02	1.0 x 70 mm
AS-03-484-03	1.2 x 70 mm
AS-03-484-04	1.2 x 100 mm
AS-03-484-05	1.4 x 70 mm
AS-03-484-06	1.4 x 100 mm
AS-03-484-07	1.6 x 70 mm
AS-03-484-08	1.8 x 100 mm



Menghini

AS-03-488-14	1.4 x 168 mm
AS-03-488-18	1.8 x 168 mm

LIPOSUCTION & SUCTION TUBE



Menghini

AS-03-500-14 Ø 1.4 mm
AS-03-500-18 Ø 1.8 mm



Quinke

AS-03-506-01 0.7 x 76 mm
AS-03-506-02 0.7 x 89 mm
AS-03-506-03 1.0 x 76 mm
AS-03-506-04 1.0 x 89 mm
AS-03-506-05 1.2 x 76 mm
AS-03-506-06 1.2 x 89 mm



AS-03-514-20
2.0 x 220 mm

CETTA Disposable - Black

The outstanding quality of the CETTA disposable product range is immediately apparent; high grade medical stainless steel, reassuring weight, excellent balance and superb finish. We strongly believe CETTA is not only the best disposable product available worldwide, but is also far superior to the majority of re-usable cannula available.



Cetta handle: POM

CETTA Cannula - identified by black handles.

Certain styles of handles are made using POM - Polyoxymethylene (An exceptional and recyclable engineering thermoplastic).



Cetta Toomey - hub Aluminium, shaft stainless steel



Cetta handle POM, shaft stainless steel



Cetta luer lock hub and shaft stainless steel

PRIMO Autoclavable - Gold

Our re-usable Primo range is as versatile as you need it to be, we will create any bespoke style and size upon request at standard list prices. The range shown in this catalogue is a guide to the most popular sizes and styles we currently provide. Many are regular stock items facilitating fast delivery. Made of durable high quality medical grade stainless steel with reassuringly weighty and balanced Aluminium handles available.



Primo handle: Aluminium



Primo Toomey - hub Aluminium, shaft stainless steel



Primo handle Aluminium, shaft stainless steel



Primo luer lock hub and shaft stainless steel

Feeling Creative?

We often work with surgeons to create their ideal size and tip design of cannula for a given purpose.



We can create bespoke CETTA and Primo from a basic drawing and description

Ask about our bespoke design service today

LIPOSUCTION & SUCTION TUBE

Infusion Needles

High grade stainless steel. 6 spaced holes in a spiral around the tip.

For fluid infusion using luer lock syringes, handles or giving set tubing.



CETTA RANGE	PRIMO RANGE		
Product Code	**Product Code**	**Diameter (mm)**	**Length (cm)**
CETTA INF/N 215	PRIMO INF/N 215	2	15
CETTA INF/N 223	PRIMO INF/N 223	2	23
CETTA INF/N 230	PRIMO INF/N 230	2	30
CETTA INF/N 315	PRIMO INF/N 315	3	15
CETTA INF/N 323	PRIMO INF/N 323	3	23
CETTA INF/N 330	PRIMO INF/N 330	3	30

Curved



Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA INF/N1.623CRV	PRIMO INF/N1.623CRV	1.6	23

Infusion Handle Non Valve

Comfortable handle to link tubing to needle, lack of valve reduces leakage. Single shaft allows infiltration and suction.

Product Code
CETTA INF/HAN W/O



Product Code
PRIMO INF/HAN W/O



Infusion Handle with Valve

This infusion handle, with on/off button, offers maximum control for infusion during the tumescent technique.

Product Code
PRIMO INF/HAN



LIPOSUCTION & SUCTION TUBE

Cetta - Disposable one piece cannulae

High grade stainless steel shaft, for aspiration with powered suction.



Cetta Handle: POM

Mercedes

Three holes spaced evenly around the tip.

The most popular tip style world-wide.



30 Hole Harvest Cannula

Harvest fat for transfer in smaller parcels for easier re-injection, reduces blocking.



Lantern

Chinese lantern shaped tip, useful for fibrous areas and popular in Gynecomastia procedures.



The Scream

Two holes above a single hole all downward facing. A cannula lookalike of the famous Munch painting.



Submental

One hole, flat, spoon backed for areas closer to the skin; such as chins, knees and ankles.



One Hole

A single downward facing aperture.



King Frank

Created by Dr Frank Niessen as a Multi-functional and multi useable cannula, holes on one face and solid back.



CETTA RANGE CETTA

Product Code	Diameter (mm)	Length (cm)
CETTA 210MM	2	10
CETTA 315MM	3	15
CETTA 325MM	3	25
CETTA 430MM	4	30
CETTA 420MM	4	20
CETTA 530MM	5	30

Product Code	Diameter (mm)	Length (cm)
CETTA 325/30holeM	3	25

Product Code	Diameter (mm)	Length (cm)
CETTA 325LM	3	25
CETTA 430LM	4	30
CETTA 530LM	5	30

Product Code	Diameter (mm)	Length (cm)
CETTA 210TSM	2	10
CETTA 320TSM	3	20
CETTA 430TSM	4	30

Product Code	Diameter (mm)	Length (cm)
CETTA 210SM	2	10
CETTA 315SM	3	15

Product Code	Diameter (mm)	Length (cm)
CETTA 215OHM	2	15
CETTA 320OHM	3	20
CETTA 430OHM	4	30

Product Code	Diameter (mm)	Length (cm)
CETTA 330KF/M	3	30
CETTA 430KF/M	4	30

LIPOSUCTION & SUCTION TUBE

Primo - Re-usable one piece cannulae

High grade stainless steel shaft, for aspiration with powered suction.

Primo Handle: Aluminium



PRIMO RANGE

PRIMO

Product Code	Diameter (mm)	Length (cm)
PRIMO 210MM	2	10
PRIMO 315MM	3	15
PRIMO 325MM	3	25
PRIMO 430MM	4	30
PRIMO 420MM	4	20
PRIMO 530MM	5	30

Product Code	Diameter (mm)	Length (cm)
PRIMO 325/30holeM	3	25

Product Code	Diameter (mm)	Length (cm)
PRIMO 325LM	3	25
PRIMO 430LM	4	30
PRIMO 530LM	5	30

Product Code	Diameter (mm)	Length (cm)
PRIMO 210TSM	2	10
PRIMO 320TSM	3	20
PRIMO 430TSM	4	30

Product Code	Diameter (mm)	Length (cm)
PRIMO 210SM	2	10
PRIMO 315SM	3	15

Product Code	Diameter (mm)	Length (cm)
PRIMO 215OHM	2	15
PRIMO 320OHM	3	20
PRIMO 430OHM	4	30

Product Code	Diameter (mm)	Length (cm)
PRIMO 330KF/M	3	30
PRIMO 430KF/M	4	30

Mercedes

Three holes spaced evenly around the tip.

The most popular tip style world-wide.



30 Hole Harvest Cannula

Harvest fat for transfer in smaller parcels for easier re-injection, reduces blocking.



Lantern

Chinese lantern shaped tip, useful for fibrous areas and popular in Gynecomastia procedures.



The Scream

Two holes above a single hole all downward facing. A cannula lookalike of the famous Munch painting.



Submental

One hole, flat, spoon backed for areas closer to the skin; such as chins, knees and ankles.



One Hole

A single downward facing aperture.



King Frank

Created by Dr Frank Niessen as a Multi-functional and multi useable cannula, holes on one face and solid back.



Toomey Harvest

Toomey Cannula

High grade Stainless steel shaft, for aspiration with 60cc Toomey syringes.



Primo Hub: Aluminium, Stainless Steel Shaft



Cetta Hub: Aluminium, Stainless Steel Shaft

Mercedes Tip

Three holes spaced evenly around the tip.

The most popular tip style world-wide.



CETTA RANGE	PRIMO RANGE		
Product Code	**Product Code**	**Diameter (mm)**	**Length (cm)**
CETTA 210MTS	PRIMO 210MTS	2	10
CETTA 315MTS	PRIMO 315MTS	3	15
CETTA 318MTS	PRIMO 318MTS	3	18
CETTA 325MTS	PRIMO 325MTS	3	25
CETTA 430MTS	PRIMO 430MTS	4	30

20/30 Hole Harvest Cannula

Harvest fat for transfer in smaller parcels for easier re-injection, reduces blocking.



Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 2.515/20holeTS	PRIMO2.515/20holeTS	2.5	15
CETTA 320/30holeTS	PRIMO320/30holeTS	3	20

Submental

One hole, flat, spoon backed for areas closer to the skin; such as chins, knees and ankles.



Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 210SMTS	PRIMO 210SMTS	2	10
CETTA 315SMTS	PRIMO 315SMTS	3	15

Open Harvest

Guarded fully open tip, designed specifically for tissue harvest.



Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 318HARV/TS	PRIMO 318HARV/TS	3	18

King Frank

Created by Dr Frank Niessen as a Multi-functional and multi useable cannula, holes on one face and solid back.



Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 330KF/TS	PRIMO 330KF/TS	3	30
CETTA 430KF/TS	PRIMO 430KF/TS	4	30

Luer Lock Harvest

Luer Lock Cannula

High grade Stainless steel shaft, for aspiration with luer lock syringes.



Primo Luer Lock Hub, Stainless Steel, Shaft Stainless Steel



Cetta Luer Lock Hub, Stainless Steel, Shaft Stainless Steel

CETTA RANGE	PRIMO RANGE		
Product Code	**Product Code**	**Diameter (mm)**	**Length (cm)**
CETTA 215M/LL	PRIMO 215M/LL	2	15
CETTA 315M/LL	PRIMO 315M/LL	3	15
CETTA 318M/LL	PRIMO 318M/LL	3	18
CETTA 322M/LL	PRIMO 322M/LL	3	22
CETTA 325M/LL	PRIMO 325M/LL	3	25

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 315/HARV/LL	PRIMO 315/HARV/LL	3	15
CETTA 322/HARV/LL	PRIMO 322/HARV/LL	3	22

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 315S/LL	PRIMO 315S/LL	3	15
CETTA 322S/LL	PRIMO 322S/LL	3	22

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 320KF/LL	PRIMO 320KF/LL	3	20
CETTA 330KF/LL	PRIMO 330KF/LL	3	30

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 2.515/20Hole/LL	PRIMO 2.515/20Hole/LL	2.5	15
CETTA 315/30Hole/LL	PRIMO 315 /30Hole/LL	3	15
CETTA 320/30Hole/LL	PRIMO 320 /30Hole/LL	3	20
CETTA 325/30Hole/LL	PRIMO 325/30Hole/LL	3	25

Mercedes Tip

Three holes spaced evenly around the tip.

The most popular tip style world-wide.



Open Harvest

Guarded fully open tip, designed specifically for tissue harvest.



Submental

One hole, flat, spoon backed for areas closer to the skin; such as chins, knees and ankles.



King Frank

Created by Dr Frank Niessen as a Multi-functional and multi useable cannula, holes on one face and solid back.



20/30 Hole Harvest Cannula

Harvest fat for transfer in smaller parcels for easier re-injection, reduces blocking.



Fat Transfer

Re-Injection Cannula

High grade Stainless Steel for re-injection using Luer lock syringes



A Tip



B Tip



C Tip

CETTA RANGE	PRIMO RANGE		
Product Code	**Product Code**	**Diameter (mm)**	**Length (cm)**
CETTA MIC16/A7	PRIMO MIC16/A7	16G	7
CETTA MIC16/A9	PRIMO MIC16/A9	16G	9
CETTA MIC16/B7	PRIMO MIC16/B7	16G	7
CETTA MIC16/B9	PRIMO MIC16/B9	16G	9
CETTA MIC16/B12	PRIMO MIC16/B12	16G	12
CETTA MIC16/B18	PRIMO MIC16/B18	16G	18
CETTA MIC16/C7	PRIMO MIC16/C7	16G	7
CETTA MIC16/C9	PRIMO MIC16/C9	16G	9
CETTA MIC18/A9	PRIMO MIC18/A9	18G	9
CETTA MIC18/B9	PRIMO MIC18/B9	18G	9



Curved Cannula

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA CURV/18B7	PRIMO CURV/18B7	18G	7
CETTA CURV/16B12	PRIMO CURV/16B12	16G	12
CETTA CURV/16B15	PRIMO CURV/16B15	16G	15

Ultra Fine



Ultra fine facial needle with unblocking Stylet

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 235FN/LL	PRIMO 235FN/LL	23G (0.7mm)	5
CETTA 217FN/LL	PRIMO 217FN/LL	21G (0.8mm)	7
CETTA 2185FN/LL	PRIMO 2185FN/LL	21G (0.8mm)	8.5
CETTA 15FN/LL	PRIMO 15FN/LL	20G (1.0mm)	5
CETTA 207FN/LL	PRIMO 207FN/LL	20G (1.0mm)	7
CETTA 189FN/LL	PRIMO 189FN/LL	18G (1.2mm)	9



Micro Drop

Curved obtuse tip for accurate placement of micro droplets

Product Code	Product Code	Diameter (mm)	Length (cm)
CETTA 1285MD	PRIMO 1285MD	1.2	8.5

Micro/Nano Filters

Want to reduce fat molecule size or filter fat for re-injection?

1



Luer Lock to Luer Lock Transfers - Standard Hole

Simply use as a standard transfer adaptor tool between luer lock syringes.

Or for finer anaerobic re-injectable tissue start the process by working the graft through the adaptor from syringe to syringe around 20 times.

Product Code	Product Code
CETTA MIC/LL/LL	PRIMO MIC/LL/LL

Finer graft required, then:

2



Luer Lock to Luer Lock Micro Adaptors

Decrease fat size further in stages using these specially drilled multi-holed adaptors for a graft consistency more easily injectable via fine facial needles.

Primo only

Product Code
PRIMO MFC/LL

Then finer still:

3



Nano Fat Mesh Filter

This is designed to be used for very fine injectable grafts.

Re-usable outer case with sterile CETTA disposable mesh sets.

Product Code	
PRIMO NFC/LL	Adaptor
CETTA NFDF	Mesh x 5 per pack

ASM SURGICAL

GENERAL & MEDICAL DIAGNOSTICS



info@asmsurgical.com www.asmsurgical.com



Hurst
AS-01-108-26
26 cm



Buck
AS-01-100-18
18 cm



Buck
AS-01-101-18
18 cm



Traube
AS-01-105-16
16 cm



Dejerine
AS-01-110-20
20 cm



Dejerine
AS-01-111-20
20 cm



Taylor
AS-01-120-18 01-120-20
18 cm 20 cm



Babinsky
AS-01-130-22
22 cm
Ø 40 mm

Rabiner
AS-01-140-23
23 cm
Ø 40 mm

National Hospital
SB-01-146-35 Ø 50 mm
SB-01-147-35 Ø 60 mm
SB-01-148-35 Ø 70 mm
35cm

Troemner
AS-01-150-24
24 cm

Berliner
AS-01-160-20
20 cm



Wartenberg (Pin Wheel)
AS-01-170-19
19 cm



Pinard (Wood)
AS-01-180-18
18 cm



Pinard (Aluminium)
AS-01-185-15
15 cm

Finger Goniometer



Caroll
AS-01-220-14
14cm



Bertillon
AS-01-230-32
32 cm



Townley
AS-01-240-10
10cm



Collin
AS-01-250-12
12 cm



Moeltgen
AS-01-260-01



Diagnostic Set
AS-01-380-01

Otoscope head with specula of 2, 3, 4 mm
Two laryngeal mirrors # 3, 4
Battery Handle
Ophthalmoscope head
Bent arm
Nasal speculum
Supplied in pouch



Diagnostic Set
AS-01-380-02

Otoscope head with specula of 2, 3, 4 mm
Two laryngeal mirrors # 3, 4
Ophthalmoscope head
Bent arm illumination
Nasal speculum
Battery Handle
Supplied in pouch



Head Lamp
AS-01-440-00



Light for Speculum
AS-01-460-00

ASM
SURGICAL

HOLLOWARE



info@asmsurgical.com
www.asmsurgical.com



AS-29-180-00
200 x 200 x 100 mm



AS-29-184-25
250 x 150 x 150 mm



AS-29-188-11
110 x 75 x 13mm





Schimmelbusch	sizes in mm (Ø x h)
AS-29-300-01	80 x 80
AS-29-300-02	120 x 80
AS-29-300-03	120 x 120
AS-29-300-04	140 x 140
AS-29-300-05	160 x 120
AS-29-300-06	160 x 160
AS-29-300-07	190 x 120
SA-29-300-08	190 x 140
AS-29-300-09	190 x 190
AS-29-300-10	240 x 120
AS-29-300-11	240 x 160
AS-29-300-12	240 x 180
AS-29-300-13	240 x 240
AS-29-300-14	290 x 120
AS-29-300-15	290 x 160
AS-29-300-16	290 x 240
SA-29-300-17	290 x 290
AS-29-300-18	340 x 120
AS-29-300-19	340 x 160
AS 29-300-20	340 x 240
AS-29-300-21	340 x 340
AS-29-300-22	390 x 190
AS-29-300-23	390 x 290





Konrich	sizes in mm (Ø x h)
AS-29-304-01	80 x 80
AS-29-304-02	120 x 80
AS-29-304-03	120 x 120
AS-29-304-04	140 x 140
AS-29-304-05	160 x 120
AS-29-304-06	160 x 160
AS-29-304-07	190 x 120
AS-29-304-08	190 x 140
AS-29-304-09	190 x 190
AS-29-304-10	240 x 120
AS-29-304-11	240 x 160
AS-29-304-12	240 x 180
AS-29-304-13	240 x 240
AS-29-304-14	290 x 120
SA-29-304-15	290 x 160
AS-29-304-16	290 x 240
AS-29-304-17	290 x 290
AS-29-304-18	340 x 120
AS-29-304-19	340 x 160
AS-29-304-20	340 x 240
AS-29-304-21	340 x 340
AS-29-304-22	390 x 190
AS-29-304-23	390 x 290

HOLLOWARE



AS-29-310-75
120 x 65 x 13 mm

Box (without Bulldog clamps, without Silicone tape)



AS-29-314-75
120 x 65 x 13 mm

Box with support (without Bulldog clamps)



AS-29-318-75
120 x 65 x 13 mm

Box with support (without instruments)



AS-29-322-12
120 x 120 mm

Storing cup for micro instruments



sizes in mm





AS-29-330-50	50 x 25 x 4.5 mm	SB-29-332-50
AS-29-330-65	65 x 42 x 8.0 mm	SB-29-332-65
AS- 29-330-75	75 x 25 x 4.5 mm	SB- 29-332-75





AS-29-338-65	AS-29-339-65
Ø = 65 mm	Ø = 62 mm
h = 15 mm	h = 13 mm
complete	insert only



AS-29-346-30	200 x 100 x 30 mm
AS-29-346-40	200 x 100 x 40 mm
AS-29-346-50	200 x 100 x 50 mm



Sauerbruch
AS-29-354-20
200 x 100 x 17 mm



Sauerbruch
AS-29-356-20
200 x 100 x 17 mm

HOLLOWARE



AS-29-360-01
150 x 95 x 13 mm



AS-29-360-02
150 x 95 x 13 mm



AS-29-360-03
150 x 95 x 13 mm



AS-29-360-04
150 x 95 x 13 mm



AS-29-362-01
150 x 95 x 13 mm



AS-29-362-02
150 x 95 x 13 mm



AS-29-364-01
150 x 95 x 11 mm



AS-29-370-25 25 cm
AS-29-370-32 32 cm



AS-29-376-20	200 x 100 x 25 mm
AS-29-376-23	230 x 150 x 25 mm
AS-29-376-25	250 x 200 x 25 mm
AS-29-376-28	280 x 280 x 25 mm

Micro instrument tray without silicone mat

HOLLOWARE



sizes in mm (l x b x h)	Containers
230 x 120 x 50	AS-29-380-23
250 x 125 x 50	AS-29-380-25
300 x 150 x 50	AS-29-380-30
350 x 175 x 50	AS-29-380-35
400 x 200 x 50	AS-29-380-40
300 x 150 x 75	S- 29-382-30
350 x 175 x 75	AS-29-382-35
400 x 200 x 75	AS-29-382-40





AS-29-390-50	300 x 150 x 50 mm
AS-29-390-65	300 x 150 x 65 mm
AS-29-390-80	300 x 150 x 80 mm

All bottoms with filters



Mayo
AS-29-410-14
14 cm



Mayo
AS-29-414-14
14 cm



Bunt
AS-29-418-12
12 cm

HOLLOWARE



	sizes in mm (l x b x h)
AS-29-440-01	240 x 250 x 30
AS-29-440-02	240 x 250 x 50
AS-29-440-03	240 x 250 x 70
AS-29-440-04	240 x 250 x 100
AS-29-440-05	400 x 250 x 30
AS-29-440-06	400 x 250 x 50
AS-29-440-07	400 x 250 x 70
AS-29-440-08	400 x 250 x 100
AS-29-440-09	480 x 250 x 30
AS-29-440-10	480 x 250 x 50
AS-29-440-11	480 x 250 x 70
AS-29-440-12	480 x 250 x 100
AS-29-440-13	510 x 250 x 50
AS-29-440-14	510 x 250 x 70
S- 29-440-15	510 x 250 x 100
AS-29-440-16	550 x 250 x 50
AS-29-440-17	550 x 250 x 70
AS-29-440-18	550 x 250 x 100



	sizes in mm (l x b x h)
AS-29-446-01	240 x 240 x 50
AS-29-446-02	240 x 240 x 80
AS-29-446-03	240 x 240 x 100
AS-29-446-04	260 x 260 x 100
AS-29-446-05	480 x 260 x 50
AS-29-446-06	500 x 260 x 50
AS-29-446-07	510 x 200 x 40
AS-29-446-08	520 x 260 x 80
AS-29-446-09	520 x 260 x 100



AS-29-454-15
60 x 30 x 15 cm



AS-29-454-30
60 x 30 x 30 cm





	sizes in mm (Ø x h)
AS-29-500-04	40 x 20
AS-29-500-06	60 x 30
AS-29-500-08	80 x 40
AS-29-500-10	100 x 50
AS-29-500-12	120 x 55
AS-29-500-15	150 x 75
AS-29-500-18	180 x 85
AS-29-500-20	200 x 90
AS-29-500-22	225 x 100
AS-29-500-24	240 x 110
AS-29-500-27	275 x 115
AS-29-500-29	290 x 125
AS-29-500-31	310 x 125
AS-29-500-34	345 x 125
AS-29-500-38	380 x 130



	Ø mm
AS-29-506-30	300 x 100
AS-29-506-35	350 x 120

HOLLOWARE



	sizes in mm (Ø x h)
AS-29-510-04	40 x 20
AS-29-510-06	60 x 30
AS-29-510-08	80 x 40
AS-29-510-10	100 x 50
AS-29-510-12	120 x 55
AS-29-510-14	140 x 65
AS-29-510-15	150 x 75
AS-29-510-18	180 x 85



	sizes in mm (Ø x h)
AS-29-514-10	100 x 35
AS-29-514-12	120 x 40
AS-29-514-14	140 x 40
AS-29-514-15	150 x 45
AS-29-514-18	180 x 45

sizes in mm (Ø x h)



AS-29-518-28
110 x 28



AS-29-524-01
100 cc



AS-29-526-02	0.25 l
AS-29-526-05	0.50 l
AS-29-526-10	1.00 l
AS-29-526-20	2.00 l



Available in different heights



	sizes in mm (l x b x h)
AS-29-532-01	180 x 130 x 10
AS-29-532-02	200 x 150 x 10
AS-29-532-03	220 x 170 x 10
AS-29-532-04	240 x 140 x 10
AS-29-532-05	250 x 200 x 10
AS-29-532-06	300 x 150 x 10
AS-29-532-07	300 x 200 x 10
AS-29-532-08	300 x 250 x 10
AS-29-532-09	350 x 300 x 10
AS-29-532-10	370 x 270 x 10
AS-29-532-11	400 x 300 x 10
AS-29-532-12	400 x 350 x 10
AS-29-532-13	450 x 300 x 10
AS-29-532-14	460 x 300 x 10
AS-29-532-15	460 x 360 x 10
AS-29-532-16	490 x 300 x 10
AS-29-532-17	500 x 200 x 10



	sizes in mm (l x b x h)
AS-29-536-01	180 x 130 x 50
AS-29-536-02	200 x 150 x 50
AS-29-536-03	220 x 170 x 50
AS-29-536-04	240 x 140 x 50
AS-29-536-05	250 x 200 x 50
AS-29-536-06	300 x 150 x 50
AS-29-536-07	300 x 200 x 50
AS-29-536-08	300 x 250 x 50
AS-29-536-09	350 x 300 x 50
AS-29-536-10	370 x 270 x 50
AS-29-536-11	400 x 300 x 50
AS-29-536-12	400 x 350 x 50
AS-29-536-13	450 x 300 x 50
AS-29-536-14	460 x 300 x 50
AS-29-536-15	460 x 360 x 50
AS-29-536-16	490 x 300 x 50
AS-29-536-17	500 x 200 x 50





lid with knob	lid without knob	sizes in mm (l x b x h)
AS-29-560-01	29-562-01	150 x 65 x 25
AS-29-560-02	29-562-02	170 x 70 x 30
AS-29-560-03	29-562-03	180 x 80 x 40
AS-29-560-04	29-562-04	180 x 120 x 60
AS-29-560-05	29-562-05	200 x 100 x 40
AS-29-560-06	29-562-06	200 x 100 x 60
AS-29-560-07	29-562-07	220 x 120 x 60
AS-29-560-08	29-562-08	250 x 125 x 45
AS-29-560-09	29-562-09	300 x 120 x 60
S- 29-560-10	29-562-10	300 x 150 x 50
AS-29-560-11	29-562-11	320 x 165 x 55
AS-29-560-12	29-562-12	340 x 165 x 75
AS-29-560-13	29-562-13	400 x 160 x 75
AS-29-560-14	29-562-14	500 x 200 x 75



	sizes in mm (l x b x h)
AS-29-566-01	150 x 65 x 25
AS-29-566-02	170 x 70 x 30
AS-29-566-03	180 x 80 x 40
AS-29-566-04	180 x 120 x 60
AS-29-566-05	200 x 100 x 40
AS-29-566-06	200 x 100 x 60
AS-29-566-07	220 x 120 x 60
AS-29-566-08	250 x 125 x 45
AS-29-566-09	300 x 120 x 60
AS-29-566-10	300 x 150 x 50
AS-29-566-11	320 x 165 x 55
AS-29-566-12	340 x 165 x 75
AS-29-566-13	400 x 160 x 75
AS-29-566-14	500 x 200 x 75

HOLLOWARE







bowl only	lid only	sizes in mm (l x h)
AS-29-670-15	S- 29-672-15	150 x 65
AS-29-670-20	AS-29-672-20	200 x 90
AS-29-670-23	AS-29-672-23	235 x 105
AS-29-670-25	AS-29-672-25	250 x 115
AS-29-670-28	AS-29-672-28	280 x 120
AS-29-670-30	AS-29-672-30	300 x 140



lid with knob	Ø mm
29-676-29	290



	sizes in mm (l x b)
AS-29-680-31	310 x 240
AS-29-680-35	350 x 290

HOLLOWARE



AS-29-686-30



AS-29-688-30



AS-29-694-36

HOLLOWARE



AS-29-730-10 100 cc
AS-29-730-12 120 cc
AS-29-730-15 150 cc
AS-29-730-20 200 cc



AS-29-734-10 100 cc
AS-29-734-12 120 cc
AS-29-734-15 150 cc
AS-29-734-20 200 cc



AS-29-738-10 100 cc
AS-29-738-12 120 cc
AS-29-738-15 150 cc
AS-29-738-20 200 cc

HOLLOWARE

70 x 50 x 80 (H) cm



Instrument Trolley
AS-29-950-01

AS-29-950-02 60 x 40 x 80 (H) cm
AS-29-950-03 70 x 50 x 80 (H) cm
AS-29-950-04 90 x 60 x 80 (H) cm



Instrument Trolley
AS-29-950-02 - 29-950-04

Stainless steel bowl Ø 32 mm

AS-29-950-05 70 x 50 x 80 (H) cm 1 Drawer
AS-29-950-06 70 x 50 x 80 (H) cm 2 Drawer



Trolley
AS-29-950-05 - 29-950-06

Stainless steel bottle rack
Stainless steel bowl Ø 32 mm
Rectangular waste bin

90 x 60 x 80 (H) cm



Dressing Trolley
AS-29-950-07

Glazed stainless steel AISI 304
Removable shelves with raised edges to avoid spilling

AS-29-970-01	65 x 45 x 80 (H) cm
AS-29-970-02	80 x 50 x 90 (H) cm
AS-29-970-03	85 x 55 x 93 (H) cm
AS-29-970-04	107 x 63 x 93 (H) cm



Cart
AS-29-970-01 - 29-970-04

AS-29-974-01	80 x 50 x 80 (H) cm
AS-29-974-02	80 x 50 x 90 (H) cm
AS-29-974-03	85 x 55 x 90 (H) cm
AS-29-974-04	107 x 63 x 93 (H) cm



Cart
AS-29-974-01 - 29-974-04

Epoxy coated steel
Shelves with upstands on four sides
Push handle
Mounted on Ø 80mm casters



Ward Trolley
AS-29-978-01 - 29-978-02

AS-29-978-01	70 x 43 x 85 (H) cm	2 Drawer
AS-29-978-02	70 x 43 x 85 (H) cm	3 Drawer

Epoxy coated steel
Removable shelves with upstands on three sides
Mounted on casters
Knock down construction

AS-29-980-03 46 x 37 x 112 (H) cm
Complete with electrical plug



AS-29-980-01 46 x 37 x 77 (H) cm



AS-29-980-02 46 x 37 x 85 (H) cm







Instrument Trolley
AS-29-980-01 - 29-980-03

ASM SURGICAL

STEL TEC CARE & STORAGE



info@asmsurgical.com

www.asmsurgical.com

STEL TEC CARE & STORAGE

Storage Systems	Storage Rack Set	Item No.
	**For MIS instruments, standard** For instruments with shaft length up to 37 cm **PL963R** storage rack perforated tray and	**AS 786**

Parts	Description	Item No.
	Storage rack, standard dimensions: 487 x 250 x 153 mm	**AS 787**
	Tray, standard	**AS 788**
	Silicone mesh mat 240 mm x 250 mm	**AS 789**
	Silicone component	**AS 790**
	Trocar storage set universal silicone storage racks for trocars	**AS 791**

Container for Storage, Standard	Description	Item No.
	Container body external dimensions 592 x 274 x 187 mm	**AS 792**
	Lid for **ST 777** external dimensions 588 x 285 x 36 mm	**As793**

STEL TEC CARE & STORAGE

Storage Systems	Storage Rack Set	Item No.
	**For MIS instruments, long** For instruments with shaft length up to 42 cm, comprising: **PL964R** storage rack, long **JF232R** perforated tray and **JF938** silicone mesh mat	**AS 794**

Parts	Description	Item No.
	Storage rack, long dimensions: 587 x 250 x 153 mm	**AS 795**
	Tray, long	**AS 796**
	Silicone mesh mat 240 mm x 250 mm	**AS 797**
	Silicone component	**AS 798**
	Trocar storage set universal silicone storage racks for trocars	**AS 799**

Container for Storage, Extra Long	Description	Item No.
	Container body with perforation base external dimensions: 711 x 274 x 187 mm	**AS 800**
	Lid for **ST 888** external dimensions: 708 x 280 x 35 mm	**AS 801**

STEL TEC CARE & STORAGE

Endoscopy Rack Storage System	Description	Item No.
	Endorack storage system, includes endorack, silicone mat, and 2"-high perforated basket.	AS 802

Container Accessories	Description	Item No.
	Endorack storage rack, holds 14 endoscopic instruments. Fits into 8" deep SterilContainer™ System.	AS 803
	Perforated basket, 21¼" long x 10" wide x 2¼" high	AS 804
	Silicone mat	AS 805

Container for Storage, Standard	Description	Item No.
	Container body external dimensions 592 x 274 x 187 mm Lid for **ST 999** external dimensions 588 x 285 x 36 mm	AS 806

STEL TEC CARE & STORAGE

Instrument Sterilization Trays & Containers	Description	Item No.
	Extra long mini container lid, for PreVac Steam and EtO	AS 807
	Extra long mini container lid, for PreVac Steam, EtO and low temp*	
	Extra long mini container bottom, for PreVac Steam and EtO	AS 808
	Extra long mini container bottom, for PreVac Steam, EtO and low temp*	
	Extra long mini basket with Lid, 20" long	AS 809

Endoscope Sterilization Trays & Containers	Description	Item No.
	Single scope tray, fits Full-Size SterilContainer™ System, 17" (45 cm) long	AS 810
	Double scope tray, fits Full-Size SterilContainer™ System, 17" (45 cm) long	AS 811
	Double scope tray with silicone supports, fits Full-Size SterilContainer™ System, 17" (45 cm) long	AS 812

Extra-Long Mini Size Container Accessories

AS 25	AS 26	AS 27	AS 28	AS 29	As30	AS 31	AS 32
							
Silicone scope eyepiece holder	Silicone scope sleeve holder	Support for angled optics	Small silicone holder for 5 mm instruments	Small silicone holder for 7.5 mm instruments	Small silicone holder for 8.5 mm instruments	Small silicone holder for 10 mm instruments	Small silicone holder for 12 mm instruments

STEL TEC CARE & STORAGE



- **Reliable...**
  for patients and hospital staff. The Stellate SterilContainer System helps ensure proper storage, transportation and sterilization of surgical instruments.
- **Cost-effective reusable container system...**
  low operating expense and typical 10+ year service life.
- **Easy to handle...**
  simple, fast and efficient – lightweight aluminum and ergonomic handles.
- **Clear identification match...**
  using colored lids, indicator labels, identification labels and barcoding - clearly identifiable and standardized, easy to track and document.

In addition to a full line of containers, Stellate also offers storage systems, instrument racks and convenient disposable products to support all of your sterilization needs.

The Stellate **I**nstrument **O**rganization **S**ystem is an advanced system of organizing, storing and protecting your instrument set during transportation and sterilization.

- Instruments organized with the **I**nstrument **O**rganization **S**ystem are guarded against damage from instrument-on-instrument impact during transportation
- Instrument protection reduces the cost of repairs ^ set downtime
- Instrument protection increases instrument life ^ reduces replacement cost

In the O.R. a set organized with the Stellate **I**nstrument **O**rganization **S**ystem can also help cases flow more efficiently by allowing staff to:

- Quickly identify and select the correct instruments
- Work directly from the organized set
- Replace used instruments into the correct slot making final instrument count easier

During sterilization, the Stellate **I**nstrument **O**rganization **S**ystem allows:

- Better sterilant flow between instruments
- Consistent sterilization every time because your instruments are in the same place

ASM SURGICAL

STEL TEC ENDOSCOPES



info@asmsurgical.com

www.asmsurgical.com

STEL TEC ENDOSCOPES



Stellate HD endoscopes are comprised of the highest quality materials and are designed and manufactured using the latest in optics technology. Our laparoscopes provide optimal performance for the surgeon and staff.

- Excellent imaging - high definition optics for clear, bright and sharp pictures
- Large selection of diameters and angles of view
- Adaptable to a variety of manufacturers' light cables and light sources
- Industry standard eyepiece is compatible to all camera systems

Description	Item No.	Diameter	Viewing Direction	Length
Arthroscope	**AS 813**	4 mm	0°	15 cm
Arthroscope	**AS 814**	4 mm	30°	15 cm
Arthroscope	**AS 815**	4 mm	0°	17.5 cm
Arthroscope	**AS 816**	4 mm	30°	17.5 cm
Arthroscope	**AS 817**	4 mm	70°	17.5 cm
Laparoscope	**AS 818**	4 mm	0°	30 cm
Laparoscope	**AS 819**	4 mm	30°	30 cm
Laparoscope	**AS 820**	5 mm	0°	31 cm
Laparoscope	**AS 821**	5 mm	30°	31 cm
Laparoscope	**AS 822**	10 mm	0°	33 cm
Laparoscope	**AS 823**	10 mm	30°	33 cm
Laparoscope	**AS 824**	10 mm	45°	33 cm


JG904



Additional Accessories	
Sterile camera drape, disposable, ring design box of 25	**AS 825**
Sterile anti fog solution, box of 10	**AS 826**

STEL TEC ENDOSCOPES

Light Cable Ordering Information

Follow these steps to use the table below to identify the appropriate light cable:

Step 1 - Select your light source from the horizontal column.
Step 2 - Select your scope from the vertical column.
Step 3 - The box where they meet represents the appropriate light cable.



If Your Light Source (LS) is from:

Your Scope (S) is from	Stellate	Olympus	Circon/ACMI	Stryker	Wolf/Dyonics
Stellate / Storz **Olympus**	*Light Cable:* **MB111** ■ *AESCULAP LS* ■ *AESCULAP S*	*Light Cable:* **MB112** ■ *OLYMPUS LS* ■ *AESCULAP S*	*Light Cable:* **MB113** ■ *CIRCON LS* ■ *AESCULAP S*	*Light Cable:* **MB114** ■ *STRYKER LS* ■ *AESCULAP S*	*Light Cable:* **MB115** ■ *WOLF LS* ■ *AESCULAP S*
Olympus (with Condenser Lens)	*Light Cable:* **MB121** ■ *AESCULAP LS* ■ *OLYMPUS S*	*Light Cable:* **MB122** ■ *OLYMPUS LS* ■ *OLYMPUS S*	*Light Cable:* **MB123** ■ *CIRCON LS* ■ *OLYMPUS S*	*Light Cable:* **MB124** ■ *STRYKER LS* ■ *OLYMPUS S*	*Light Cable:* **MB125** ■ *WOLF LS* ■ *OLYMPUS S*
Circon/ACMI/ Stryker	*Light Cable:* **MB131** ■ *AESCULAP LS* ■ *CIRCON S*	*Light Cable:* **MB132** ■ *OLYMPUS LS* ■ *CIRCON S*	*Light Cable:* **MB133** ■ *CIRCON LS* ■ *CIRCON S*	*Light Cable:* **MB134** ■ *STRYKER LS* ■ *CIRCON S*	*Light Cable:* **MB135** ■ *WOLF LS* ■ *CIRCON S*
Wolf	*Light Cable:* **MB151** ■ *AESCULAP LS* ■ *WOLF S*	*Light Cable:* **MB152** ■ *OLYMPUS LS* ■ *WOLF S*	*Light Cable:* **MB153** ■ *CIRCON LS* ■ *WOLF S*	*Light Cable:* **MB154** ■ *STRYKER LS* ■ *WOLF S*	*Light Cable:* **MB155** ■ *WOLF LS* ■ *WOLF S*

The universal light cable and all adapters can also be ordered separately

AS 827	Universal light cable with no end fittings, light fiber bundle: 5 mm, length: 10 ft.
AS 828	Stellate / Storz adapter for light cable (LS end)
AS 829	Olympus adapter for light cable (LS end)
AS 830	Circon / ACMI adapter for light cable (LS end)
AS 831	Stryker adapter for light cable (LS end)
AS 832	Wolf/Dyonics adapter for light cable (LS end)
AS 833	Stellate / Storz / Olympus adapter for light cable (S End)
AS 834	Circon / ACMI / Stryker adapter for light cable (S End)
AS 835	Wolf/Dyonics adapter for light cable (S End)
AS 836	Light cable tester

Adapters for light guide



STEL TEC ENDOSCOPES

Description	Item No.	Diameter	Length
L hook suction electrode with valve 	AS 837	5 mm	33 cm
L hook suction electrode with valve 	AS 838	5 mm	45 cm
J hook suction electrode with valve 	AS 839	5 mm	33 cm
J hook suction electrode with valve 	AS 840	5 mm	45 cm
Blunt suction electrode with valve 	AS 841	5 mm	33 cm
Blunt suction electrode with valve 	AS 842	5 mm	45 cm
Spatula suction electrode with valve	AS 843	5 mm	33 cm
Spatula suction electrode with valve	AS 844	5 mm	45 cm

STEL TEC ENDOSCOPES

Description	Item No.	Diameter	Length
Suction/irrigation tube with finger valve, luer-lock connection 	AS 845	5 mm	33 cm
Suction/Irrigation Tube, Luer-Lock connection 	AS 846	5 mm	33 cm
Puncture needle with finger valve, luer-lock connection, 2 mm (12 gauge) distal tip diameter 	AS 847	5 mm	33 cm
	AS 848	5 mm	45 cm
Puncture needle, luer-lock connection, 2 mm (12 gauge) distal tip diameter 	AS 849	5 mm	33 cm
Injection cannula, straight, distal tip diameter 0.8 mm 	AS 850	5 mm	37 cm

Description	Item No.	Diam.	Length
Suction irrigation tube with two-way-stopcock 	AS 851	3.5 mm	31 cm
Suction irrigation tube with two-way-stopcock 	AS 852	5 mm	33 cm
Suction irrigation tube with trumpet valve 	AS 853	5 mm	30 cm
Suction irrigation tube with trumpet valve 	AS 854	10 mm	40 cm

STEL TEC ENDOSCOPES

Instrument Sterilization Trays & Containers	Description	Item No.
	Extra long mini container lid, for PreVac Steam and EtO	AS 855
	Extra long mini container lid, for PreVac Steam, EtO and low temp*	AS 856
	Extra long mini container bottom, for PreVac Steam and EtO	AS 857
	Extra long mini container bottom, for PreVac Steam, EtO and low temp*	AS 858
	Extra long mini basket with Lid, 20" long	AS 859

Endoscope Sterilization Trays & Containers	Description	Item No.
	Single scope tray, fits Full-Size SterilContainer™ System, 17" (45 cm) long	AS 860
	Double scope tray, fits Full-Size SterilContainer™ System, 17" (45 cm) long	AS 861
	Double scope tray with silicone supports, fits Full-Size SterilContainer™ System, 17" (45 cm) long	AS 862

Extra-Long Mini Size Container Accessories

AS 33	AS 34	AS 35	AS 36	AS 37	AS 38	AS 39	AS 40
							
Silicone scope eyepiece holder	Silicone scope sleeve holder	Support for angled optics	Small silicone holder for 5 mm instruments	Small silicone holder for 7.5 mm instruments	Small silicone holder for 8.5 mm instruments	Small silicone holder for 10 mm instruments	Small silicone holder for 12 mm instruments

STEL TEC ENDOSCOPES



- **Reliable...**
  for patients and hospital staff. The Stellate SterilContainer System helps ensure proper storage, transportation and sterilization of surgical instruments.
- **Cost-effective reusable container system...**
  low operating expense and typical 10+ year service life.
- **Easy to handle...**
  simple, fast and efficient – lightweight aluminum and ergonomic handles.
- **Clear identification match...**
  using colored lids, indicator labels, identification labels and barcoding - clearly identifiable and standardized, easy to track and document.

In addition to a full line of containers, Stellate also offers storage systems, instrument racks and convenient disposable products to support all of your sterilization needs.

The Stellate **I**nstrument **O**rganization **S**ystem is an advanced system of organizing, storing and protecting your instrument set during transportation and sterilization.

- Instruments organized with the **I**nstrument **O**rganization **S**ystem are guarded against damage from instrument-on-instrument impact during transportation
- Instrument protection reduces the cost of repairs ^ set downtime
- Instrument protection increases instrument life ^ reduces replacement cost

In the O.R. a set organized with the Stellate **I**nstrument **O**rganization **S**ystem can also help cases flow more efficiently by allowing staff to:

- Quickly identify and select the correct instruments
- Work directly from the organized set
- Replace used instruments into the correct slot making final instrument count easier

During sterilization, the Stellate **I**nstrument **O**rganization **S**ystem allows:

- Better sterilant flow between instruments
- Consistent sterilization every time because your instruments are in the same place

STEL TEC ENDOSCOPES

Instructions for quick and easy assembly and disassembly
For use with AS 750 and AS 851 insulated metal handles

Assembly



STEP 1
Slide the inner metal tube onto the jaw insert with its four spring tongues towards the working end until the tongues snap into place.



STEP 2
Slide the outer insulation tube as far as it will go over the inner metal tube.



STEP 3
Hold the shaft firmly by its tip and pull back the handle rotation knob with fingers and maintain hold. Fully insert the shaft and release the rotation knob.



STEP 4
Test that the instrument is secured in the handle by pulling on the shaft. If the shaft pulls out of the handle, then repeat step 3 and step 4.



STEP 5
Connect the handle with the jaw insert ball joint, by depressing the black handle buttons on both sides of the handle. Continue to depress and lift the rear ring of the handle under the ball joint of the jaw insert until captured by the handle. Release the buttons.



STEP 6
Test the assembly of the instrument by opening and closing the handle to ensure the jaw is opening and closing with handle movement.



Maintenance:

- This product can be sterilized in a disassembled or assembled condition
- For advice on cleaning, disinfection and sterilization, please follow the instructions for use found at www.stellatesurgical.com

Disassembly



STEP 1
Depress the black handle buttons on both sides of handle, continue to depress, pull rear ring down to release ball of jaw insert. Release the buttons.



STEP 2
Pull back the rotation knob and pull out the shaft with other hand. Release the rotation knob.



STEP 3
Hold the jaw insert at the tip and remove the outer insulation tube.



STEP 4
Hold the jaw insert at the tip and remove the inner metal tube.

ASM SURGICAL

YOUR TRUSTED PARTNER
IN SURGICAL SOLUTIONS

CONTACT US

We are here to help. Get in touch with us for inquiries, orders and supports.



Phone
+92 349 3662166

Email
info@asmsurgical.com
ahmadalyan841@gmail.com

Website
www.asmsurgical.com

Address
Near National Bank Harrar, Sialkot, Pakistan